355C GREEN W/UV

Version Number 1.1 Revision Date 03/18/2019 PolyOne.

Page 1 of 18 Print Date 03/19/2019

SAFETY DATA SHEET

355C GREEN W/UV

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification	::	355C GREEN W/UV Mixture Mixture CC01053016
Product type	:	liquid
Relevant identified uses of the substance or mixture and uses advised against		
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION ColorMatrix Group Inc. 680 North Rocky River Drive, Berea, Ohio, 44017-1628, USA
		+1 216 622 0100
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SKIN IRRITATION - Category 2 SKIN SENSITIZATION - Category 1

GHS label elements

355C GREEN W/UV

Version Number 1.1 Revision Date 03/18/2019 PolyOne

Page 2 of 18 Print Date 03/19/2019

Hazard pictograms	:	
Signal word Hazard statements	:	Warning Causes skin irritation. May cause an allergic skin reaction.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Wear protective gloves. Avoid breathing vapor. Wash hands
		thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.
Response	:	IF ON SKIN: Wash with plenty of soap and water. Wash
		contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention.
Storage	:	Not applicable.
Disposal		Dispose of contents and container in accordance with all local,
	•	regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC01053016

CAS number/other identifiers

Ingredient name	%	CAS number
Bis (1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate	10 - 25	41556-26-7
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle	10 - 25	Not available.
Titanium dioxide	10 - 25	13463-67-7



355C GREEN W/UV

Version Number 1.1 Revision Date 03/18/2019 Page 3 of 18 Print Date 03/19/2019

Silica, amorphous	1 - 3	7631-86-9
Decanedioic acid, methyl 1,2,2,6,6-pentamethyl-4-piperidinyl ester	1 - 3	82919-37-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get

355C GREEN W/UV

PolyOne.

Version Number 1.1 Revision Date 03/18/2019

Page 4 of 18 Print Date 03/19/2019

medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	::	No known significant effects or critical hazards. No known significant effects or critical hazards. Causes skin irritation. May cause an allergic skin reaction. No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	:	No specific data.
Skin contact	:	Adverse symptoms may include the following: irritation redness
Ingestion	:	No specific data.
Indication of immediate medical atte	entior	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

355C GREEN W/UV



Version Number 1.1 Revision Date 03/18/2019	Page 5 of 18 Print Date 03/19/2019
Suitable extinguishing media Unsuitable extinguishing media	 In case of fire, use water spray (fog), foam, dry chemical or CO₂. None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	 In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any

fighters
of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters
Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	
Methods and materials for containment and cleaning up			
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water- insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal	
E/19			

355C GREEN W/UV

Version Number 1.1 Revision Date 03/18/2019

<u>PolyOne</u>

Page 6 of 18 Print Date 03/19/2019

Large spill

contractor.

:

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

355C GREEN W/UV

Version Number 1.1 Revision Date 03/18/2019 Page 7 of 18 Print Date 03/19/2019

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle	None.
Bis (1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate	None.
Decanedioic acid, methyl 1,2,2,6,6- pentamethyl-4-piperidinyl ester	None.
Silica, amorphous	NIOSH REL (1994-06-01) TWA 6 mg/m3
Appropriate engineering controls : Environmental exposure controls :	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures : Eye/face protection :	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection	



355C GREEN W/UV

ŀ	bh	vOne.
_		

SSSC GALLIN W/OV		
Version Number 1.1 Revision Date 03/18/2019		Page 8 of 18 Print Date 03/19/2019
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	liquid [liquid]
Color	:	GREEN
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.



355C GREEN W/UV

Version Number 1.1 Revision Date 03/18/2019 Page 9 of 18 Print Date 03/19/2019

Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Remarks - Oral:	No applicable to	xicity data		
Remarks - Inhalation:	No applicable to	xicity data		
Remarks - Dermal:	No applicable to	xicity data		
Remarks - Oral:	No applicable to	xicity data		
Remarks - Inhalation:	No applicable to	xicity data		
Remarks - Dermal:	No applicable to			
Remarks - Oral:	No applicable to	xicity data		
Remarks - Inhalation:	No applicable to	xicity data		
Remarks - Dermal:	No applicable to	xicity data		
Remarks - Oral:	No applicable to	xicity data		
Remarks - Inhalation:	No applicable to	xicity data		



355C GREEN W/UV

Version Number 1.1 Revision Date 03/18/2019 Page 10 of 18 Print Date 03/19/2019

Remarks - Dermal:	No applicable	toxi	city data			
Titanium dioxide						
Remarks - Oral:	No applicable	toxi	city data			
	LC50 Inhalat		Rat - M	ale	6.82 Mg/l	4 h
	LD50 Derma		Rabbit		> 5,000 mg/kg	-
Conclusion/Summary				lly tested.		I
Irritation/Corrosion				-		
Product/ingredient name	Result	S	pecies	Score	Exposure	Observation
Silica, amorphous	Eyes - Mild	R	abbit		24 hrs	-
, 1	irritant					
Titanium dioxide	Skin - Mild	Η	uman		72 hrs	-
	irritant					
Conclusion/Summary						
Skin	: N	/lixtu	ire.Not fu	lly tested.		
Eyes	: N	/lixtu	ire.Not fu	lly tested.		
Respiratory	: N	/lixtu	ire.Not fu	lly tested.		
<u>Sensitization</u> Conclusion/Summary Skin Respiratory <u>Mutagenicity</u> Conclusion/Summary <u>Carcinogenicity</u>	 Mixture.Not fully tested. Mixture.Not fully tested. Mixture.Not fully tested. 					
Conclusion/Summary <u>Classification</u>	: N	/lixtu	ire.Not fu	lly tested.		
Product/ingredient	OSHA	L	ARC	NTP		
name						
Silica, amorphous		3				
Titanium dioxide		2	B			
<u>Reproductive toxicity</u> Conclusion/Summary	: N	/lixtu	ıre.Not fu	lly tested.		
Teratogenicity	-					
Conclusion/Summary	: Mixture.Not fully tested.					

10/18



355C GREEN W/UV

Version Number 1.1 Revision Date 03/18/2019 Page 11 of 18 Print Date 03/19/2019

Specific target organ toxicity (single exposure) Not available.

Specific target organ toxicity (repeated exposure) Not available.

Aspiration hazard					
Product/ingredient name			Result		
Miscellaneous Compounds Distillates, j hydrotreated middle	petro	oleum,	ASPIRATION HAZARD - Category 1		
Information on likely routes of : Not available exposure			Э.		
Potential acute health effects					
Eye contact	:	No known si	gnificant effects or critical hazards.		
Inhalation	:		gnificant effects or critical hazards.		
Skin contact	:	Causes skin	irritation. May cause an allergic skin reaction.		
Ingestion	:	No known si	gnificant effects or critical hazards.		
Symptoms related to the physical, che	emi	cal and toxico	logical characteristics		
Eye contact	:	Adverse sym	ptoms may include the following:		
·		pain or irritation			
		watering			
		redness			
Inhalation	:	No specific d	lata.		
Skin contact	:	Adverse sym	ptoms may include the following:		
		irritation			
		redness			
Ingestion	:	No specific d	ata.		
Delayed and immediate effects as wel	ll as	chronic effec	ts from short and long-term exposure		
Short term exposure					
Potential immediate effects	:	Not available	2.		
Potential delayed effects	Not available.				
·					
Long term exposure					
Potential immediate effects	:	Not available	2.		
Potential delayed effects	:	Not available	2.		



355C GREEN W/UV

Version Number 1.1 Revision Date 03/18/2019 Page 12 of 18 Print Date 03/19/2019

Potential chronic health effects

Conclusion/Summary	:	Mixture.Not fully tested.
General	:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Inhalation (dusts and mists)	9.618 mg/l

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure			
Silica, amorphous						
Remarks - Acute - Fish:	No applicable toxicity data					
Remarks - Acute - Aquatic	No applicable toxicity data					
invertebrates.:						
Remarks - Acute - Aquatic	No applicable toxicity data					
plants:						
Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:						
Decanedioic acid, methyl 1,2,2	2,6,6-pentamethyl-4-piperidinyl e	ster				
Remarks - Acute - Fish:	No applicable toxicity data					
Remarks - Acute - Aquatic	No applicable toxicity data					
invertebrates.:						
Remarks - Acute - Aquatic	No applicable toxicity data					
plants:						
Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:	-					
	40/40					



355C GREEN W/UV

Version Number 1.1 Revision Date 03/18/2019 Page 13 of 18 Print Date 03/19/2019

Bis (1,2,2,6,6-pentamethyl-4-p	iperidinyl) sebacate							
Remarks - Acute - Fish:	No applicable toxicity data							
Remarks - Acute - Aquatic	No applicable toxicity data							
invertebrates.:								
Remarks - Acute - Aquatic	No applicable toxicity data							
plants:								
Remarks - Chronic - Fish:	No applicable toxicity data							
Remarks - Chronic -	No applicable toxicity data							
Aquatic invertebrates.:								
Miscellaneous Compounds Dis	stillates, petroleum, hydrotreated midd	lle						
Remarks - Acute - Fish:	No applicable toxicity data							
Remarks - Acute - Aquatic	No applicable toxicity data							
invertebrates.:								
Remarks - Acute - Aquatic	No applicable toxicity data							
plants:								
Remarks - Chronic - Fish:	No applicable toxicity data							
Remarks - Chronic -	No applicable toxicity data							
Aquatic invertebrates.:	•							
Titanium dioxide								
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h					
	water							
Remarks - Acute - Fish:	Acute	1						
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h					
Remarks - Acute - Aquatic	Acute							
invertebrates.:								
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates.	48 h					
		Daphnia						
Remarks - Acute - Aquatic	Acute							
invertebrates.:								
Remarks - Acute - Aquatic	No applicable toxicity data							
plants:								
Remarks - Chronic - Fish:	No applicable toxicity data							
Remarks - Chronic -	No applicable toxicity data							
Aquatic invertebrates.:								
355C GREEN W/UV								
Remarks - Acute - Aquatic	Dangerous for the environment: May	y cause long term adverse e	ffects in the aquatic					
invertebrates.:	environment.							
Conclusion/Summary	: Dangerous for the environment: May cause long term adverse effects							
	in the aquatic environment	ent.						

Persistence and degradability

Conclusion/Summary

Not available.

:

355C GREEN W/UV

Version Number 1.1 Revision Date 03/18/2019

PolyOne

Page 14 of 18 Print Date 03/19/2019

Bioaccumulative potential

Not available.

<u>Mobility in soil</u>

Soil/water partition coefficient (KOC) Other adverse effects Not available.

•

No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate), 9, PGIII, Marine Pollutant



355C GREEN W/UV

Version Number 1.1 Revision Date 03/18/2019

Page 15 of 18 Print Date 03/19/2019

International Water : UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, IMO/IMDG : LIQUID, N.O.S. (Bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate), 9, PGIII, Marine Pollutant

Section 15. Regulatory information

U.S. Federal regulations	:	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Not listed Not listed
Substances Clean Air Act Section 602 Class II	:	Not listed

PolyOne

355C GREEN W/UV

Version Number 1.1 Revision Date 03/18/2019 Page 16 of 18 Print Date 03/19/2019

Substances:Not listedDEA List I Chemicals (Precursor:Not listedChemicals):Not listedDEA List II Chemicals (Essential
Chemicals):Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

not applicable

SARA 311/312

Classification

SKIN IRRITATION - Category 2 SKIN SENSITIZATION - Category 1

Composition/information on ingredients

Name	%	Classification
Titanium dioxide	>= 10 - <= 25	CARCINOGENICITY - Category 2
Miscellaneous Compounds	>= 10 - <= 25	Immediate (acute) health hazard
Distillates, petroleum,	>= 10 - <= 25	miniculate (acute) nearth nazard
hydrotreated middle		
Bis (1,2,2,6,6-pentamethyl-	>= 10 - <= 25	SKIN SENSITIZATION - Category 1
4-piperidinyl) sebacate		
Decanedioic acid, methyl	>= 1 - <= 3	SKIN SENSITIZATION - Category 1
1,2,2,6,6-pentamethyl-4-		
piperidinyl ester		
Silica, amorphous	>= 1 - <= 3	EYE IRRITATION - Category 2B

<u>SARA 313</u>

Not applicable.

State regulations

Massachusetts	:	None of the components are listed.
New York	:	None of the components are listed.
New Jersey	:	The following components are listed:
		Phthalocyanine green
		Titanium dioxide
Pennsylvania	:	The following components are listed:
		Silica, amorphous
		Phthalocyanine green

355C GREEN W/UV

Version Number 1.1 Revision Date 03/18/2019 Page 17 of 18 Print Date 03/19/2019

Titanium dioxide

California Prop. 65

WARNING: This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	No.	No.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
<u>Inventory list</u>		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Europe inventory	:	Not determined.
Japan	:	Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	2
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark

355C GREEN W/UV

Version Number 1.1 Revision Date 03/18/2019 Page 18 of 18 Print Date 03/19/2019

and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Date of printing	:	03/19/2019
Date of issue/Date of revision	:	03/18/2019
Date of previous issue	:	05/13/2016
Version	:	1.1
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.