### ORANGE

Version Number 1.2 Revision Date 02/28/2019

Ine

Page 1 of 17 Print Date 03/01/2019

# SAFETY DATA SHEET

#### ORANGE

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	:	ORANGE Mixture Mixture CC01054357 liquid
	stance :	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	<b>POLYONE CORPORATION</b> ColorMatrix Group Inc. 680 North Rocky River Drive, Berea, Ohio, 44017-1628, USA
		+1 216 622 0100
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

### Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SKIN IRRITATION - Category 2

#### **GHS label elements**

### ORANGE

Version Number 1.2 Revision Date 02/28/2019 <u>PolyOne</u>

Page 2 of 17 Print Date 03/01/2019

Hazard pictograms		
Signal word	: Warning	
Hazard statements	: Causes skin irritation.	
Precautionary statements		
General	: Not applicable.	
Prevention	11	hands thoroughly after handling.
Response	: IF ON SKIN: Wash with plenty contaminated clothing and was occurs: Get medical attention.	y of soap and water. Take off h it before reuse. If skin irritation
Storage	: Not applicable.	

Storage:Not applicable.Disposal:Not applicable.Supplemental label elements:None known.Hazards not otherwise classified:None known.

## Section 3. Composition/information on ingredients

Substance/mixture:MixtureChemical name:MixtureOther means of identification:CC01054357

CAS number/other identifiers

Ingredient name	%	CAS number
Nickel antimony yellow rutile (C.I. Pigment Yellow 53)	25 - 50	8007-18-9
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle	10 - 25	Not available.
Titanium dioxide	5 - 10	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

### ORANGE

Version Number 1.2 Revision Date 02/28/2019 <u>PolyOne</u>

Page 3 of 17 Print Date 03/01/2019

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

Eye contact	:	No known significant effects or critical hazards
Inhalation	:	No known significant effects or critical hazards
Skin contact	:	Causes skin irritation.
Ingestion	:	No known significant effects or critical hazards

#### **Over-exposure signs/symptoms**

Potential acute health effects

### ORANGE



Version Number 1.2	Page 4 of 17
Revision Date 02/28/2019	Print Date 03/01/2019

Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness		
Inhalation	: No specific data.		
Skin contact	: Adverse symptoms may include the following: irritation redness		
Ingestion	: No specific data.		
Indication of immediate medical attention and special treatment needed, if necessary			
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.		
Specific treatments	: No specific treatment.		
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.		

See toxicological information (Section 11)

# Section 5. Firefighting measures

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$ . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### ORANGE

Version Number 1.2 Revision Date 02/28/2019

# PolyOne

Page 5 of 17 Print Date 03/01/2019

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	nt a	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

#### Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	5/17

### ORANGE



Version Number 1.2 Revision Date 02/28/2019		Page 6 of 17 Print Date 03/01/2019
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Nickel antimony yellow rutile (C.I. Pigment Yellow 53)	OSHA PEL (1993-06-30) TWA 1 mg/m3 (as Ni) OSHA PEL 1989 (1989-03-01) TWA 0.1 mg/m3 (as Ni) Form: Soluble ACGIH TLV (1998-09-01) TWA 0.1 mg/m3 (as Ni) Form: Inhalable fraction OSHA PEL (1993-06-30) TWA 1 mg/m3 (as Ni) OSHA PEL 1989 (1989-03-01) TWA 1 mg/m3 (as Ni)
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle	None.
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3

Appropriate engineering controls : Good general ventilation should be sufficient to control worker

### ORANGE



Version Number 1.2 Revision Date 02/28/2019		Page 7 of 17 Print Date 03/01/2019
Environmental exposure controls	:	exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

### ORANGE

Version Number 1.2 Revision Date 02/28/2019

# <u>PolyOne</u>

Page 8 of 17 Print Date 03/01/2019

#### Appearance

Physical state	:	liquid [liquid]
Color	:	ORANGE
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### ORANGE

Version Number 1.2 Revision Date 02/28/2019

Page 9 of 17 Print Date 03/01/2019

Ine

## Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Information on toxicological effects**

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure		
Remarks - Oral:	No applicable toxicity data					
<b>Remarks - Inhalation:</b>	No applicable toxic	No applicable toxicity data				
Remarks - Dermal:	No applicable toxic	city data				
Remarks - Oral:	No applicable toxic	city data				
Remarks - Inhalation:	No applicable toxic	No applicable toxicity data				
Remarks - Dermal:	No applicable toxic	city data				
Titanium dioxide						
Remarks - Oral:	No applicable toxic	city data				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h		
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-		
Conclusion/Summary	: Mixtu	re.Not fully tested.				

**Conclusion/Summary** 

#### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
<b>Conclusion/Summary</b>					
Skin		/ixture.Not fu			
Eyes	: N	/ixture.Not fu	Illy tested.		
Respiratory	: N	lixture.Not fu	illy tested.		
<u>Sensitization</u>					
Conclusion/Summary					
Skin	: N	/ixture.Not fu	Illy tested.		
Respiratory	: N	lixture.Not fu	Illy tested.		
<b>Mutagenicity</b>					
Conclusion/Summary	: N	/lixture.Not fu	illy tested.		
<b>Carcinogenicity</b>					



### ORANGE

Version Number 1.2 Revision Date 02/28/2019 Page 10 of 17 Print Date 03/01/2019

Product/ingredient O	SHA	IARC	NTP	
name				
Nickel antimony yellow		1		
rutile (C.I. Pigment Yellow 53)				
Titanium dioxide		2B		
Thumum dioxide		20		
<u>Reproductive toxicity</u>				
Conclusion/Summary	:	Mixture.Not fu	ally tested.	
<b>Feratogenicity</b>				
Conclusion/Summary	:	Mixture.Not fu	ally tested.	
Specific target organ toxicity (si	ingle exp	osure)		
Not available.				
Specific target organ toxicity (r	anastad a	who canned		
SDECITIC LATYEL OF 9AU LOXICILY (T	epeated e	xposure)		
Not available.				
Not available. Aspiration hazard Product/ingredient name			Result	
Not available. Aspiration hazard roduct/ingredient name fiscellaneous Compounds Distill			Result ASPIRATION HAZARD - Category 1	
Not available. Aspiration hazard Product/ingredient name Aiscellaneous Compounds Distill				
Not available. Aspiration hazard roduct/ingredient name Aiscellaneous Compounds Distill ydrotreated middle	ates, petro	bleum,		
Not available. Aspiration hazard Product/ingredient name Aiscellaneous Compounds Distill ydrotreated middle nformation on likely routes of				
Not available. Aspiration hazard Product/ingredient name Aiscellaneous Compounds Distill ydrotreated middle nformation on likely routes of	ates, petro	bleum,		
Not available. Aspiration hazard roduct/ingredient name discellaneous Compounds Distill ydrotreated middle nformation on likely routes of xposure	ates, petro	bleum,		
Not available. Aspiration hazard Product/ingredient name Miscellaneous Compounds Distill ydrotreated middle nformation on likely routes of xposure Potential acute health effects	ates, petro	bleum, Not available.	ASPIRATION HAZARD - Category 1	
Not available. Aspiration hazard Product/ingredient name Miscellaneous Compounds Distill ydrotreated middle nformation on likely routes of xposure Potential acute health effects Eye contact	ates, petro	Dleum, Not available. No known sigr	ASPIRATION HAZARD - Category 1	
Not available. Aspiration hazard roduct/ingredient name fiscellaneous Compounds Distill ydrotreated middle nformation on likely routes of xposure rotential acute health effects Eye contact (nhalation	ates, petro	Dleum, Not available. No known sigr	ASPIRATION HAZARD - Category 1 nificant effects or critical hazards. nificant effects or critical hazards.	
Not available. Aspiration hazard roduct/ingredient name Aiscellaneous Compounds Distill ydrotreated middle nformation on likely routes of xposure otential acute health effects Eye contact Inhalation Skin contact	ates, petro	Not available. Not available. No known sigr No known sigr Causes skin irr	ASPIRATION HAZARD - Category 1 nificant effects or critical hazards. nificant effects or critical hazards.	
Not available. Aspiration hazard roduct/ingredient name discellaneous Compounds Distill ydrotreated middle nformation on likely routes of xposure detential acute health effects Eye contact (nhalation Skin contact Ingestion	ates, petro	Not available. Not available. No known sigr No known sigr Causes skin irr No known sigr	ASPIRATION HAZARD - Category 1 nificant effects or critical hazards. nificant effects or critical hazards. ritation. nificant effects or critical hazards.	
Not available. Aspiration hazard Product/ingredient name Aiscellaneous Compounds Distill ydrotreated middle nformation on likely routes of xposure Potential acute health effects Eye contact Inhalation Skin contact Ingestion Eymptoms related to the physica	ates, petro	Dleum, Not available. No known sigr No known sigr Causes skin irr No known sigr <b>cal and toxicolo</b> Adverse sympt	ASPIRATION HAZARD - Category 1 nificant effects or critical hazards. nificant effects or critical hazards. itation. nificant effects or critical hazards. <b>gical characteristics</b> coms may include the following:	
Not available. Aspiration hazard Product/ingredient name Aiscellaneous Compounds Distill ydrotreated middle nformation on likely routes of xposure Potential acute health effects Eye contact Inhalation Skin contact Ingestion ymptoms related to the physica	ates, petro	Not available. Not available. No known sigr Causes skin irr No known sigr <b>cal and toxicolo</b> Adverse sympt pain or irritatic	ASPIRATION HAZARD - Category 1 nificant effects or critical hazards. nificant effects or critical hazards. itation. nificant effects or critical hazards. <b>gical characteristics</b> coms may include the following:	
Not available. Aspiration hazard Product/ingredient name Aiscellaneous Compounds Distill ydrotreated middle nformation on likely routes of xposure Potential acute health effects Eye contact Inhalation Skin contact Ingestion Eymptoms related to the physica	ates, petro	Not available. Not available. No known sigr Causes skin irr No known sigr <b>cal and toxicolo</b> Adverse sympt pain or irritatic watering	ASPIRATION HAZARD - Category 1 nificant effects or critical hazards. nificant effects or critical hazards. itation. nificant effects or critical hazards. <b>gical characteristics</b> coms may include the following:	
Not available. Aspiration hazard Product/ingredient name Aiscellaneous Compounds Distill ydrotreated middle	ates, petro	Not available. Not available. No known sigr Causes skin irr No known sigr <b>cal and toxicolo</b> Adverse sympt pain or irritatic	ASPIRATION HAZARD - Category 1 hificant effects or critical hazards. hificant effects or critical hazards. hificant effects or critical hazards. hificant effects or critical hazards. gical characteristics coms may include the following: on	

### ORANGE

<u>PolyOne</u>

Version Number 1.2 Revision Date 02/28/2019		Page 11 of 17 Print Date 03/01/2019
Skin contact		dverse symptoms may include the following:
Ingestion	re	ritation edness o specific data.
Delayed and immediate effects as v	vell as ch	ronic effects from short and long-term exposure
Short term exposure		
Potential immediate effects Potential delayed effects	-	lot available. lot available.
Long term exposure		
Potential immediate effects Potential delayed effects	• -	lot available. lot available.
Potential chronic health effects		
Conclusion/Summary	: N	fixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	: N : N : N	To known significant effects or critical hazards. To known significant effects or critical hazards.

#### Numerical measures of toxicity

#### Acute toxicity estimates

Route	ATE value
Inhalation (dusts and mists)	7.914 mg/l

# Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Miscellaneous Compounds Dis	stillates, petroleum, hydrotreated middl	e	
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
	11/17		



### ORANGE

Version Number 1.2 Revision Date 02/28/2019

Page 12 of 17 Print Date 03/01/2019

invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
<b>Remarks - Chronic -</b>	No applicable toxicity data		
Aquatic invertebrates.:			
Nickel antimony yellow rutile			
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:	Marchard 11 and 11 and 12 and 12 and 12		
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.: Titanium dioxide			
	A sute LC50 $> 1.000$ Mg/l Marina	Fish - Fish	96 h
	Acute LC50 > 1,000 Mg/l Marine water	F1S11 - F1S11	90 11
Remarks - Acute - Fish:	Acute		
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
Remarks - Acute - Aquatic invertebrates.:	Acute		
mvertebrates.	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
Remarks - Acute - Aquatic invertebrates.:	Acute		
Remarks - Acute - Aquatic plants:	No applicable toxicity data		
Remarks - Chronic - Fish:	No applicable toxicity data		
<b>Remarks - Chronic -</b>	No applicable toxicity data		
Aquatic invertebrates.:			
Conclusion/Summary	: Not available.		

#### Persistence and degradability

Conclusion/Summary

Not available. :

#### **Bioaccumulative potential**

Not available.

### ORANGE

Version Number 1.2 Revision Date 02/28/2019

# <u>PolyOne</u>

Page 13 of 17 Print Date 03/01/2019

#### <u>Mobility in soil</u>

Soil/water partition coefficient:Not available.(KOC):No known significant effects or critical hazards.

### Section 13. Disposal considerations

**Disposal methods** 

The generation of waste should be avoided or minimized wherever : possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

### Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

### Section 15. Regulatory information

**U.S. Federal regulations** 

: United States - TSCA 12(b) - Chemical export notification: None

13/17

### ORANGE

Version Number 1.2 Revision Date 02/28/2019



Page 14 of 17 Print Date 03/01/2019

of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Nickel antimony yellow rutile (C.I. Pigment Yellow 53) United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed Listed

Clean Air Act Section 112(b)	:
Hazardous Air Pollutants (HAPs)	
Clean Air Act Section 602 Class I	:
Substances	
Clean Air Act Section 602 Class II	:
Substances	
DEA List I Chemicals (Precursor	:
Chemicals)	
DEA List II Chemicals (Essential	:
Chemicals)	

- \_\_\_\_\_
- Not listed
- Not listed
- Not listed
- Not listed

### ORANGE

Version Number 1.2 Revision Date 02/28/2019 Page 15 of 17 Print Date 03/01/2019

ne

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

not applicable

SARA 311/312

Classification

SKIN IRRITATION - Category 2

#### **Composition/information on ingredients**

Name	%	Classification
Miscellaneous Compounds	>= 10 - <= 25	Immediate (acute) health hazard
Distillates, petroleum,		
hydrotreated middle		
Nickel antimony yellow	>= 25 - <= 50	CARCINOGENICITY - Category 1A
rutile (C.I. Pigment Yellow		
53)		
Titanium dioxide	>= 5 - <= 10	CARCINOGENICITY - Category 2

#### SARA 313

State regulations

	Product name	CAS number	%	
Form R - Reporting	Nickel antimony yellow	8007-18-9	25 - 50	
requirements	rutile (C.I. Pigment Yellow			
_	53)			
Supplier notification	Nickel antimony yellow	8007-18-9	25 - 50	
	rutile (C.I. Pigment Yellow			
	53)			

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	: None	of the components are listed.
New York	: None	of the components are listed.
New Jersey	: The fo	llowing components are listed:
	Titan	ium dioxide
	Nick	el antimony yellow rutile (C.I. Pigment Yellow 53)
Pennsylvania	: The fo	llowing components are listed:
	Titan	ium dioxide
	Nick	el antimony yellow rutile (C.I. Pigment Yellow 53)
<u>California Prop. 65</u>		

### ORANGE

Version Number 1.2 Revision Date 02/28/2019

Page 16 of 17 Print Date 03/01/2019

**WARNING:** This product can expose you to chemicals including Nickel antimony yellow rutile (C.I. Pigment Yellow 53), Titanium dioxide, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Nickel antimony yellow rutile (C.I. Pigment Yellow 53)	No.	No.
Titanium dioxide	No.	No.

#### United States inventory (TSCA 8b) :

All components are listed or exempted.

**Canada inventory** 

All components are listed or exempted.

#### **International regulations**

**Inventory list** 

AustraliaCanadaChinaEurope inventoryJapanNew ZealandPhilippinesRepublic of KoreaTaiwanTurkeyUnited States	Not determined. All components are listed or exempted. All components are listed or exempted. All components are listed or exempted. Not determined. Not determined. All components are listed or exempted. Not determined. Not determined. Not determined. All components are listed or exempted.
---	--

:

### Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	2
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark

### ORANGE

Version Number 1.2 Revision Date 02/28/2019 <u>PolyOne</u>

Page 17 of 17 Print Date 03/01/2019

and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Date of printing	:	03/01/2019
Date of issue/Date of revision	:	02/28/2019
Date of previous issue	:	06/03/2015
Version	:	1.2
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		$\hat{U}N = United Nations$
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.