#### MM-83393D QS CURACAO NIGHT NPT-37-0860

Version Number 1.0 Revision Date 07/01/2018

Page 1 of 16

Print Date 07/03/2018

# SAFETY DATA SHEET

#### MM-83393D QS CURACAO NIGHT NPT-37-0860

Section 1. Identification	n	
GHS product identifier Chemical name CAS number	:	MM-83393D QS CURACAO NIGHT NPT-37-0860 Mixture Mixture
Other means of identification Product type	:	CC01064191 solid
<u>Relevant identified uses of the subs</u> Supplier's details	tance :	e or mixture and uses advised against Mesa Industries 230 N 48th Avenue Phoenix, AZ 85043
		(602) 269-3199
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

# Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	COMBUSTIBLE DUSTS
GHS label elements		
Signal word Hazard statements	:	Warning May form combustible dust concentrations in air.

#### **Precautionary statements**



Version Number 1.0 Revision Date 07/01/2018 Page 2 of 16 Print Date 07/03/2018

General	: Not applicable.
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	: Keep container tightly closed.
Hazards not otherwise classified	: None known.

## Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC01064191

CAS number/other identifiers

Ingredient name	%	CAS number
Carbon black	50 - 75	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

#### **Section 4. First aid measures**

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health



effects persist or are severe. If unconscious, place in recovery position

### MM-83393D QS CURACAO NIGHT NPT-37-0860

Version Number 1.0	Page 3 of 16
Revision Date 07/01/2018	Print Date 07/03/2018

	and get medical attention immediately. Maintain an open airway.
	Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated
	clothing and shoes. Get medical attention if symptoms occur. Wash
	clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. Remove victim
-	to fresh air and keep at rest in a position comfortable for breathing. If
	material has been swallowed and the exposed person is conscious,
	give small quantities of water to drink. Stop if the exposed person
	feels sick as vomiting may be dangerous. Do not induce vomiting
	unless directed to do so by medical personnel. If vomiting occurs, the
	head should be kept low so that vomit does not enter the lungs. Get
	medical attention if adverse health effects persist or are severe. Never
	give anything by mouth to an unconscious person. If unconscious,
	place in recovery position and get medical attention immediately.
	Maintain an open airway. Loosen tight clothing such as a collar, tie,
	belt or waistband.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects			
Eye contact	:	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.	
Inhalation	:	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.	
Skin contact	:	No known significant effects or critical hazards.	
Ingestion	:	No known significant effects or critical hazards.	
Over-exposure signs/symptoms			
Eye contact	:	Adverse symptoms may include the following: irritation redness	
Inhalation	:	Adverse symptoms may include the following: respiratory tract irritation coughing	
Skin contact	:	No specific data.	
Ingestion	:	No specific data.	
Indication of immediate medical attention and special treatment needed, if necessary			
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.	
3/16			



#### MM-83393D QS CURACAO NIGHT NPT-37-0860

Version Number 1.0	Page 4 of 16
Revision Date 07/01/2018	Print Date 07/03/2018

Specific treatments:No specific treatment.Protection of first-aiders:No action shall be taken involving any personal risk or without<br/>suitable training. It may be dangerous to the person providing aid to<br/>give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

# **Section 5. Firefighting measures**

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	Use dry chemical powder. Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.
Specific hazards arising from the chemical	:	May form explosible dust-air mixture if dispersed.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire- exposed containers cool.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note



### MM-83393D QS CURACAO NIGHT NPT-37-0860

Version Number 1.0 Revision Date 07/01/2018	Page 5 of 16 Print Date 07/03/2018
	of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions :	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment	t and cleaning up
Small spill :	Move containers from spill area. Use spark-proof tools and explosion- proof equipment. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill :	

# Section 7. Handling and storage

#### **Precautions for safe handling**

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See
		5/16





also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

### Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits	
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 TWA 0.1 mgPAH/m <sup>3</sup> ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction	
Appropriate engineering controls	fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.	







Individual protection measures		
Hygiene measures Eye/face protection	<ul> <li>Wash hands, forearms and face thoroughly after handling chemic products, before eating, smoking and using the lavatory and at the of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.</li> <li>Safety eyewear complying with an approved standard should be when a risk assessment indicates this is necessary to avoid expose liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates higher degree of protection: safety glasses with side-shields. If operating conditions cause high dust concentrations to be product use dust goggles.</li> </ul>	used sure to cates a
Skin protection		
Hand protection	: Chemical-resistant, impervious gloves complying with an appro- standard should be worn at all times when handling chemical pro- if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during us the gloves are still retaining their protective properties. It should noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtur consisting of several substances, the protection time of the glove cannot be accurately estimated.	oducts se that l be be res,
Body protection	<ul> <li>Personal protective equipment for the body should be selected by on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>	
Other skin protection	<ul> <li>Approved by a spectalist before handling this product.</li> <li>Appropriate footwear and any additional skin protection measure should be selected based on the task being performed and the ris involved and should be approved by a specialist before handling product.</li> </ul>	sks
Respiratory protection	<ul> <li>Based on the hazard and potential for exposure, select a respirator meets the appropriate standard or certification. Respirators must used according to a respiratory protection program to ensure pro fitting, training, and other important aspects of use.</li> </ul>	be

# **Section 9. Physical and chemical properties**

#### **Appearance**

Physical state Color	<ul><li>solid [Powder.]</li><li>Not determined</li></ul>



# MM-83393D QS CURACAO NIGHT NPT-37-0860

#### Version Number 1.0 Revision Date 07/01/2018

#### Page 8 of 16 Print Date 07/03/2018

Odor	: Not available.
Odor threshold	: Not available.
рН	: Not available.
Melting point	Not available.
Boiling point	: Not available.
Flash point	Not available.
Burning time	: Not available.
Burning rate	: Not available.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive	: Lower: Not available.
(flammable) limits	Upper: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: Not available.
Solubility	: Not available.
Solubility in water	: Not available.
Partition coefficient: n-	: Not available.
octanol/water	
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
SADT	: Not available.
Viscosity	: <b>Dynamic:</b> Not available.
-	Kinematic: Not available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation.
Incompatible materials	:	Reactive or incompatible with the following materials: oxidizing materials
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### MM-83393D QS CURACAO NIGHT NPT-37-0860

Version Number 1.0 Revision Date 07/01/2018 Page 9 of 16 Print Date 07/03/2018

# Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose		Exposure		
Carbon black	•						
	LD50 Oral	Rat	15,400 1	mg/kg	-		
<b>Remarks - Inhalation:</b>		No applicable toxicity data					
Remarks - Dermal:	No applicable to						
<b>Conclusion/Summary</b>	: Mi	xture.Not fully	tested.				
Irritation/Corrosion							
Conclusion/Summary							
Skin		xture.Not fully					
Eyes		xture.Not fully					
Respiratory	: Mi	xture.Not fully	tested.				
<u>Sensitization</u>							
Conclusion/Summary							
Skin	: Mi	xture.Not fully	tested.				
Respiratory	: Mi	xture.Not fully	tested.				
<b>Mutagenicity</b>							
Conclusion/Summary	: Mi	xture.Not fully	tested.				
<b>Carcinogenicity</b>							
Conclusion/Summary Classification	: Mi	xture.Not fully	tested.				
Product/ingredient name	OSHA	IARC	NTP				
Carbon black		2B					
<u>Reproductive toxicity</u>							
Conclusion/Summary	: Mi	xture.Not fully	tested.				
		9/16					



### MM-83393D QS CURACAO NIGHT NPT-37-0860

Version Number 1.0Page 10 of 16Revision Date 07/01/2018Print Date 07/03/2018

<u>Teratogenicity</u>		
Conclusion/Summary	:	Mixture.Not fully tested.
Specific target organ toxicity (single Not available.	e exp	osure)
Specific target organ toxicity (rependent) Not available.	ated (	exposure)
Aspiration hazard Not available.		
Information on likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
Inhalation	:	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
Skin contact Ingestion	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
Symptoms related to the physical, c	hemi	cal and toxicological characteristics
Eye contact	:	Adverse symptoms may include the following: irritation redness
Inhalation	:	Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Delayed and immediate effects as w	ell as	chronic effects from short and long-term exposure
Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		



#### MM-83393D QS CURACAO NIGHT NPT-37-0860

Version Number 1.0 Revision Date 07/01/2018 Page 11 of 16 Print Date 07/03/2018

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	10,535 mg/kg

# Section 12. Ecological information

**Toxicity** 

Product/ingredient name	Result	Species	Exposure		
Carbon black					
Remarks - Acute - Fish:	No applicable toxicity data				
	Acute EC50 37.563 Mg/l Fresh	Aquatic invertebrates.	48 h		
	water	Daphnia			
Remarks - Acute - Aquatic	Acute				
invertebrates.:					
Remarks - Acute - Aquatic	No applicable toxicity data				
plants:					
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:					
Conclusion/Summary	: Not available.				

Persistence and degradability

#### MM-83393D QS CURACAO NIGHT NPT-37-0860

Version Numbe	er 1.0
Revision Date	07/01/2018

Page 12 of 16 Print Date 07/03/2018

 Conclusion/Summary
 : Not available.

 Bioaccumulative potential
 Not available.

<u>Mobility in soil</u>

Soil/water partition coefficient:Not available.(KOC):No known significant effects or critical hazards.

### Section 13. Disposal considerations

The generation of waste should be avoided or minimized wherever **Disposal methods** : possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

### Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules





### MM-83393D QS CURACAO NIGHT NPT-37-0860

Version Number 1.0 Revision Date 07/01/2018 Page 13 of 16 Print Date 07/03/2018

International Water IMO/IMDG : Consult mode specific transport rules

# Section 15. Regulatory information

	United States TSCA 12(h) Chamical amout notification. None
U.S. Federal regulations	: United States - TSCA 12(b) - Chemical export notification: None of the components are listed.
	<b>United States - TSCA 4(a) - Final Test Rules:</b> Not listed
	United States - TSCA 4(a) - ITC Priority list: Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed
	United States - TSCA 5(a)2 - Final significant new use rules: Not
	listed
	United States - TSCA 5(a)2 - Proposed significant new use rules:
	Not listed
	United States - TSCA 5(e) - Substances consent order: Not listed
	United States - TSCA 6 - Final risk management: Not listed
	United States - TSCA 6 - Proposed risk management: Listed
	Lead
	United States - TSCA 8(a) - Chemical risk rules: Not listed
	<b>United States - TSCA 8(a) - Dioxin/Furane precusor:</b> Not listed
	United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
	determined
	United States - TSCA 8(a) - Preliminary assessment report
	(PAIR): Not listed
	United States - TSCA 8(c) - Significant adverse reaction (SAR):
	Not listed
	United States - TSCA 8(d) - Health and safety studies: Not listed
	United States - EPA Clean water act (CWA) section 307 - Priority
	pollutants: Listed Lead Cadmium
	United States - EPA Clean water act (CWA) section 311 -
	Hazardous substances: Not listed
	United States - EPA Clean air act (CAA) section 112 - Accidental
	release prevention - Flammable substances: Not listed
	United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed
	United States - Department of commerce - Precursor chemical:
	Not listed

Clean Air Act Section 112(b)

: Listed

### MM-83393D QS CURACAO NIGHT NPT-37-0860

Version Number 1.0 Revision Date 07/01/2018 Page 14 of 16 Print Date 07/03/2018

Hazardous Air Pollutants (HAPs)		
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

#### SARA 311/312

Classification

Fire hazard

:

#### **Composition/information on ingredients**

Name	%	Classification
Carbon black	50 - 75	СН

#### SARA 313

	Product name	CAS number	%
Form R - Reporting	Lead	7439-92-1	0 - 0.1
requirements			
Supplier notification	Lead	7439-92-1	0 - 0.1

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations	
Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	: The following components are listed: Carbon black
Pennsylvania	: The following components are listed: Carbon black

#### California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

#### MM-83393D QS CURACAO NIGHT NPT-37-0860

Version Number 1.0 Revision Date 07/01/2018 Page 15 of 16 Print Date 07/03/2018

United States inventory (TSCA 8b)	:	: All components are listed or exempted.	
Canada inventory	:	Not determined.	
International regulations			
<u>Inventory list</u>			
Australia	:	Not determined.	
Canada	:	Not determined.	
China	:	Not determined.	
Europe inventory	:	Not determined.	
Japan	:	Not determined.	
New Zealand	:	Not determined.	
Philippines	:	Not determined.	
Republic of Korea	:	Not determined.	
Taiwan	:	Not determined.	
Turkey	:	Not determined.	
United States	:	All components are listed or exempted.	

## Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		3
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

07/03/2018
07/01/2018
00/00/0000
1.0
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of
15/16

#### MM-83393D QS CURACAO NIGHT NPT-37-0860

Chemicals

Not available.

Version Number 1.0 Revision Date 07/01/2018



Page 16 of 16

Print Date 07/03/2018

IATA = International Air Transport Association IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.