MC-52252PV SAND T1261101

Version Number 1.2 Revision Date 01/04/2019 Page 1 of 16 Print Date 01/05/2019

SAFETY DATA SHEET

MC-52252PV SAND T1261101

Section 1. Identificati	on	
GHS product identifier Chemical name CAS number Other means of identification Product type	:	MC-52252PV SAND T1261101 Mixture Mixture CC01065418 solid
••	stance :	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	Mesa Industries 230 N 48th Avenue Phoenix, AZ 85043
		(602) 269-3199
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. All ingredients are bound in a PVC polymer matrix and potential for hazardous exposure as shipped is minimal. PVC resin is manufactured from Vinyl Chloride Monomer (VCM). PVC resin manufacturers take special efforts to strip residual VCM from their resins. Residual VCM in the resin is typically below 8.5 ppm. However, VCM is a known carcinogen. The end-user (fabricator) should take necessary precautions (mechanical ventilation, local exhaust, respiratory protection, etc.) to protect employees from exposure to any vapors or dusts that may be released during heating or fabrication. See Sections 8 and 11 for special precautions.After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.



01/04/2019

MC-52252PV SAND T1261101

Version Number 1.2 Revision Date 01/04/2019



Page 2 of 16 Print Date 01/05/2019

Precautionary statements

Signal word Hazard statements	:	No signal word. No known significant effects or critical hazards.

General:Not applicable.Prevention:Not applicable.Response:Not applicable.

1 i c v chition	•	riot apprication.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC01065418

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	25 - 50	13463-67-7
Quartz	0 - 0.3	14808-60-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures



MC-52252PV SAND T1261101

Version Number 1.2	Page 3 of 16
Revision Date 01/04/2019	Print Date 01/05/2019

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact Inhalation Skin contact Ingestion Over-exposure signs/symptoms	:::::::::::::::::::::::::::::::::::::::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical a	ttentio	n and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media



MC-52252PV SAND T1261101

Version Number 1.2 Revision Date 01/04/2019 Page 4 of 16 Print Date 01/05/2019

Suitable extinguishing media Unsuitable extinguishing media	 In case of fire, use water spray (fog), foam, dry chemical or CO₂. None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.
Hazardous thermal	: May emit Hydrogen Chloride (HCl).
decomposition products	Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	nt a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a



MC-52252PV SAND T1261101

Version Number 1.2 Revision Date 01/04/2019

Page 5 of 16 Print Date 01/05/2019

licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Exposure limits	
OSHA PEL 1989 (1989-03-01)	
TWA 0.1 mg/m3 (Calculated as Quartz) Form: Respirable dust	
OSHA PEL Z3 (1997-09-03)	
TWA 250 MPPCF / (%SiO2+5) Form: Respirable	
TWA 10 MG /M3 / (%SiO2+2) Form: Respirable	
TWA 30 MG /M3 / (%SiO2+2) Form: Total dust	
NIOSH REL (1994-06-01)	
TWA 0.05 mg/m3 Form: Respirable dust	
ACGIH TLV (2005-12-09)	
TWA 0.025 mg/m3 Form: Respirable fraction	
OSHA PEL (2016-06-23)	
TWA 0.05 mg/m3 Form: Respirable dust	

MC-52252PV SAND T1261101

Version Number 1.2 Revision Date 01/04/2019

Page 6 of 16 Print Date 01/05/2019

Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Appropriate engineering controls Environmental exposure controls	 Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures Eye/face protection	 Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	 Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.



MC-52252PV SAND T1261101

Version Number 1.2 Revision Date 01/04/2019



Page 7 of 16 Print Date 01/05/2019

Section 9. Physical and chemical properties

Appearance

Physical state		solid [Pellets.]
Color	:	TAN
Odor		Not available.
Odor threshold		Not available.
pH		Not available.
Melting point		Not available.
Boiling point		Not available.
Flash point		Not available.
Burning time		Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
	•	
(flammable) limits	•	Upper: Not available.
	:	
(flammable) limits		Upper: Not available.
(flammable) limits Vapor pressure		Upper: Not available. Not available.
(flammable) limits Vapor pressure Vapor density		Upper: Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density		Upper: Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility	:	Upper: Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water	:	Upper: Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n-	:	Upper: Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water	: : : : : : : : : : : : : : : : : : : :	Upper: Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature	: : : : : : : : : : : : : : : : : : : :	Upper: Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature		Upper: Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.			
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).			
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.			
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.			
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.			
Hazardous decomposition	:	Under normal conditions of storage and use, hazardous decomposition			
7/16					

MC-52252PV SAND T1261101

Version Number 1.2 Revision Date 01/04/2019

Page 8 of 16 Print Date 01/05/2019

products

products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure				
Remarks - Oral:	No applicable toxic	No applicable toxicity data						
Remarks - Inhalation:	No applicable toxic	No applicable toxicity data						
Remarks - Dermal:	No applicable toxic	No applicable toxicity data						
Titanium dioxide	Fitanium dioxide							
Remarks - Oral:	No applicable toxicity data							
	LC50 Inhalation Rat - Male 6.82 Mg/l 4 h							
	LD50 Dermal Rabbit > 5,000 mg/kg -							
Conclusion/Summary : Mixture.Not fully tested.								

Conclusion/Summary

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
Conclusion/Summary					
Skin		/lixture.Not fu			
Eyes	: N	/lixture.Not fu	illy tested.		
Respiratory	: N	/lixture.Not fu	illy tested.		
Sensitization					
Conclusion/Summary					
Skin	: N	/lixture.Not fu	illy tested.		
Respiratory	: N	/lixture.Not fu	illy tested.		
Mutagenicity					
Conclusion/Summary	: N	/lixture.Not fu	ally tested.		
Carcinogenicity					
Conclusion/Summary	: N	/lixture.Not fu	ally tested.		
		8/1	6		



MC-52252PV SAND T1261101

Version Number 1.2 Revision Date 01/04/2019



Page 9 of 16 Print Date 01/05/2019

roduct/ingredient	OSHA	IARC	NTP
ame			
Quartz		1	Known to be a human carcinogen.
itanium dioxide		2B	
nclusion/Summary ntogenicity	:	Mixture.Not fu	,
<u>catogenicity</u>			
nclusion/Summary	:	Mixture.Not fu	lly tested.
ecific target organ toxicit ot available.	y (single expo	osure)	

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
Quartz	Category 1		

Aspiration hazard Not available.		
Information on likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the physical,	chemi	cal and toxicological characteristics
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

Short term exposure

MC-52252PV SAND T1261101

Version Number 1.2 Revision Date 01/04/2019



Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
<u>Potential chronic health effects</u> Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure					
Quartz								
Remarks - Acute - Fish:	No applicable toxicity data	No applicable toxicity data						
Remarks - Acute - Aquatic	No applicable toxicity data							
invertebrates.:								
Remarks - Acute - Aquatic	No applicable toxicity data							
plants:								
Remarks - Chronic - Fish:	No applicable toxicity data							
Remarks - Chronic -	No applicable toxicity data							
Aquatic invertebrates.:								
Titanium dioxide								
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h					

Page 10 of 16 Print Date 01/05/2019



Version Number 1.2 Revision Date 01/04/2019 Page 11 of 16 Print Date 01/05/2019

	water				
Remarks - Acute - Fish:	Acute				
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h		
Remarks - Acute - Aquatic invertebrates.:	Acute				
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h		
Remarks - Acute - Aquatic invertebrates.:	Acute				
Remarks - Acute - Aquatic plants:	No applicable toxicity data				
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic - Aquatic invertebrates.:	No applicable toxicity data				
MC-52252PV SAND T126110)1				
Remarks - Acute - Aquatic invertebrates.:	Chemicals are not readily available as they are bound within the polymer matrix.				
Conclusion/Summary	: Chemicals are not rea polymer matrix.	dily available as they are bou	nd within the		
Persistence and degradability					
Conclusion/Summary	: Chemicals are not reapplymer matrix.	dily available as they are bou	nd within the		
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulative potential Not available.					
<u>Mobility in soil</u>					
Soil/water partition coefficie (KOC)	ent : Not available.				
Other adverse effects	: No known significant effects or critical hazards.				
Section 13. Dispos	al considerations				

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products
	44/40





MC-52252PV SAND T1261101

Version Number 1.2 Revision Date 01/04/2019



Page 12 of 16 Print Date 01/05/2019

should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

Section 15. Regulatory information

	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed
--	--



Version Number 1.2 Revision Date 01/04/2019



Page 13 of 16 Print Date 01/05/2019

		United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Zinc ferrite brown spinel (C.I. Pigment Yellow 119) Nickel Vinyl chloride monomer Chromium Arsenic
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed
US. EPA CERCLA Hazardous Subs	tanc	es (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable. :

Composition/information on ingredients

MC-52252PV SAND T1261101

Version Number 1.2 Revision Date 01/04/2019 Page 14 of 16 Print Date 01/05/2019

No products were found.

Name	%	Classification
Titanium dioxide	>= 25 - <= 50	Delayed (chronic) health hazard
Quartz	> 0 - <= 0.3	CARCINOGENICITY - Category 1A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1

SARA 313

	Product name	CAS number	%
Form R - Reporting	Zinc ferrite brown spinel	68187-51-9	3 - 5
requirements (C.I. Pigment Yellow 119)			
Supplier notificationZinc ferrite brown spinel		68187-51-9	3 - 5
	(C.I. Pigment Yellow 119)		

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

<u>State regulations</u> Massachusetts New York New Jersey	::	None of the components are listed. None of the components are listed. The following components are listed: Quartz Zinc ferrite brown spinel (C.I. Pigment Yellow 119)
Pennsylvania	:	Calcium carbonate Titanium dioxide Ethene, chloro-, homopolymer The following components are listed: Quartz
		Zinc ferrite brown spinel (C.I. Pigment Yellow 119)
		Calcium carbonate
		Titanium dioxide

California Prop. 65

WARNING: This product can expose you to chemicals including Titanium dioxide, Quartz, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
	14/16	





MC-52252PV SAND T1261101

Version Number 1.2		
Revision Date 01/04/2019		

Page 15 of 16 Print Date 01/05/2019

Titanium dioxide	No.	No.
Quartz	No.	No.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	Not determined.
International regulations		
Inventory list		
Australia	:	Not determined.
Canada	:	Not determined.
China	:	Not determined.
Europe inventory	:	Not determined.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Date of printing	:	01/05/2019
Date of issue/Date of revision	:	01/04/2019

MC-52252PV SAND T1261101

Version Number 1.2 Revision Date 01/04/2019 Page 16 of 16 Print Date 01/05/2019

Date of previous issue	:	12/04/2018
Version	:	1.2
Key to abbreviations	:	ATE = Acute Toxicity Estimate
		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.