

# MD-87284 PMS 10 WARM GRAY

Version Number 1.0
Revision Date 01/04/2019

Page 1 of 17 Print Date 01/08/2019

# SAFETY DATA SHEET

### **MD-87284 PMS 10 WARM GRAY**

# **Section 1. Identification**

**GHS product identifier** : MD-87284 PMS 10 WARM GRAY

Chemical name: MixtureCAS number: MixtureOther means of identification: CC01066730

**Product type** : solid

Relevant identified uses of the substance or mixture and uses advised against

Supplier's details : Mesa Industries

230 N 48th Avenue Phoenix, AZ 85043

(602) 269-3199

**Emergency telephone number** (with hours of operation)

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or

accident).

# Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Classification of the substance or

mixture

COMBUSTIBLE DUSTS

# GHS label elements

Signal word : Warning

**Hazard statements** : May form combustible dust concentrations in air.

### **Precautionary statements**



# MD-87284 PMS 10 WARM GRAY

Version Number 1.0 Page 2 of 17 Revision Date 01/04/2019 Print Date 01/08/2019

General: Not applicable.Prevention: Not applicable.Response: Not applicable.Storage: Not applicable.Disposal: Not applicable.

**Supplemental label elements** : Keep container tightly closed.

**Hazards not otherwise classified** : None known.

# Section 3. Composition/information on ingredients

Substance/mixture: MixtureChemical name: MixtureOther means of identification: CC01066730

#### **CAS** number/other identifiers

Ingredient name	9/0	CAS number
Titanium dioxide	25 - 50	13463-67-7
Carbon black	1 - 3	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

#### **Description of necessary first aid measures**

**Eye contact**: Immediately flush eyes with plenty of water, occasionally lifting the

upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if

irritation occurs.

**Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable

for breathing. If not breathing, if breathing is irregular or if respiratory





# MD-87284 PMS 10 WARM GRAY

Version Number 1.0 Revision Date 01/04/2019 Page 3 of 17 Print Date 01/08/2019

arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

**Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated

clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

**Ingestion** : Wash out mouth with water. Remove dentures if any. Remove victim

to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie,

belt or waistband.

# Most important symptoms/effects, acute and delayed

#### Potential acute health effects

**Eye contact**: Exposure to airborne concentrations above statutory or recommended

exposure limits may cause irritation of the eyes.

**Inhalation** : Exposure to airborne concentrations above statutory or recommended

exposure limits may cause irritation of the nose, throat and lungs.

Skin contactNo known significant effects or critical hazards.IngestionNo known significant effects or critical hazards.

Over-exposure signs/symptoms

**Eye contact**: Adverse symptoms may include the following:

irritation redness

**Inhalation** : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact : No specific data.

# TIESA INDUSTRIES

Page 4 of 17

Print Date 01/08/2019

## SAFETY DATA SHEET

# MD-87284 PMS 10 WARM GRAY

Version Number 1.0 Revision Date 01/04/2019

**Ingestion** : No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms

may be delayed. The exposed person may need to be kept under

medical surveillance for 48 hours.

**Specific treatments** : No specific treatment.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without

suitable training. It may be dangerous to the person providing aid to

give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

# Section 5. Firefighting measures

### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media Use dry chemical powder.

Avoid high pressure media which could cause the formation of a

potentially explosible dust-air mixture.

Specific hazards arising from the chemical

cnemicai

May form explosible dust-air mixture if dispersed.

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides

Special protective actions for firefighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any

personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-

exposed containers cool.

Special protective equipment for

fire-fighters

: Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated

in positive pressure mode.

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures



# MD-87284 PMS 10 WARM GRAY

Version Number 1.0 Revision Date 01/04/2019 Page 5 of 17 Print Date 01/08/2019

For non-emergency personnel : No active

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** 

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

Small spill

: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill

Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

#### Precautions for safe handling

**Protective measures** 

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire



# MD-87284 PMS 10 WARM GRAY

Version Number 1.0 Revision Date 01/04/2019 Page 6 of 17 Print Date 01/08/2019

Advice on general occupational hygiene

and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container. Eating, drinking and smoking should be prohibited in areas where this

or explosion, dissipate static electricity during transfer by grounding

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### Occupational exposure limits

Ingredient name	Exposure limits
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 TWA 0.1 mgPAH/m³ ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18)



# MD-87284 PMS 10 WARM GRAY

Version Number 1.0 Revision Date 01/04/2019 Page 7 of 17 Print Date 01/08/2019

Appropriate engineering controls  Use only with adequate ventilation. If user operations go fumes, gas, vapor or mist, use process enclosures, local ventilation or other engineering controls to keep worker airborne contaminants below any recommended or statu. The engineering controls also need to keep gas, vapor or concentrations below any lower explosive limits. Use exventilation equipment.  Environmental exposure controls  Environmental exposure controls  Environmental exposure controls  Wash fands, forearms and face thoroughly after handling products, before eating, smoking and using the lavatory of the working period. Appropriate techniques should be remove potentially contaminated clothing. Wash contamically only with an exposure to a showers are close to the workstation location.  Eye/face protection  Eye/face protection  Eye/face protection  Cyalify eye-wear complying with an approved standard shad a risk assessment indicates this is necessary to avoing the gree of protection: safety glasses with side-shioperating conditions cause high dust concentrations to be used dust goggles.  Skin protection  Hand protection  Chemical-resistant, impervious gloves complying with a standard should be worn at all times when handling che if a risk assessment indicates this is necessary. Consider parameters specified by the glove manufacturer, check of the gloves are still retaining their protective properties. In the manufacturer, check of the gloves are still retaining their protective properties.	
Hygiene measures  : Wash hands, forearms and face thoroughly after handling products, before eating, smoking and using the lavatory of the working period. Appropriate techniques should be remove potentially contaminated clothing. Wash contain clothing before reusing. Ensure that eyewash stations are showers are close to the workstation location.  Eye/face protection  : Safety eyewear complying with an approved standard slewhen a risk assessment indicates this is necessary to avoid liquid splashes, mists, gases or dusts. If contact is possift following protection should be worn, unless the assessment higher degree of protection: safety glasses with side-shid operating conditions cause high dust concentrations to be used dust goggles.  Skin protection  : Chemical-resistant, impervious gloves complying with a standard should be worn at all times when handling che if a risk assessment indicates this is necessary. Consider parameters specified by the glove manufacturer, check of the gloves are still retaining their protective properties. In noted that the time to breakthrough for any glove material.	eal exhaust exer exposure to atutory limits. r or dust e explosion-proof int should be s of fume scrubbers,
products, before eating, smoking and using the lavatory of the working period. Appropriate techniques should be remove potentially contaminated clothing. Wash contain clothing before reusing. Ensure that eyewash stations are showers are close to the workstation location.  Eye/face protection  : Safety eyewear complying with an approved standard slowhen a risk assessment indicates this is necessary to avoid liquid splashes, mists, gases or dusts. If contact is possible following protection should be worn, unless the assessment higher degree of protection: safety glasses with side-shi operating conditions cause high dust concentrations to be use dust goggles.  Skin protection  : Chemical-resistant, impervious gloves complying with a standard should be worn at all times when handling che if a risk assessment indicates this is necessary. Consider parameters specified by the glove manufacturer, check of the gloves are still retaining their protective properties. In noted that the time to breakthrough for any glove material.	
of the working period. Appropriate techniques should be remove potentially contaminated clothing. Wash contant clothing before reusing. Ensure that eyewash stations are showers are close to the workstation location.  Eye/face protection  : Safety eyewear complying with an approved standard shown a risk assessment indicates this is necessary to avoid liquid splashes, mists, gases or dusts. If contact is possible following protection should be worn, unless the assessment higher degree of protection: safety glasses with side-shit operating conditions cause high dust concentrations to be use dust goggles.  Skin protection  : Chemical-resistant, impervious gloves complying with a standard should be worn at all times when handling che if a risk assessment indicates this is necessary. Consider parameters specified by the glove manufacturer, check of the gloves are still retaining their protective properties. In noted that the time to breakthrough for any glove material.	
Hand protection  : Chemical-resistant, impervious gloves complying with a standard should be worn at all times when handling che if a risk assessment indicates this is necessary. Consider parameters specified by the glove manufacturer, check the gloves are still retaining their protective properties. In noted that the time to breakthrough for any glove material.	d be used to taminated and safety d should be used avoid exposure to ssible, the ssment indicates a shields. If
standard should be worn at all times when handling che if a risk assessment indicates this is necessary. Consider parameters specified by the glove manufacturer, check the gloves are still retaining their protective properties. Inoted that the time to breakthrough for any glove material.	
different for different glove manufacturers. In the case of consisting of several substances, the protection time of the cannot be accurately estimated.  Body protection  Personal protective equipment for the body should be seen on the task being performed and the risks involved and approved by a specialist before handling this product.	chemical products dering the clk during use that is. It should be terial may be the of mixtures, of the gloves the selected based and should be

# TIESA INDUSTRIES

### SAFETY DATA SHEET

# MD-87284 PMS 10 WARM GRAY

Version Number 1.0 Revision Date 01/04/2019 Page 8 of 17 Print Date 01/08/2019

Other skin protection : Appropriate footwear and any additional skin protection measures

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this

product.

**Respiratory protection**: Based on the hazard and potential for exposure, select a respirator that

meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper

fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### **Appearance**

Physical state : solid [Powder.]

Color : GREY

Odor Not available. **Odor threshold** Not available. Not available. pН **Melting point** Not available. **Boiling point** Not available. Flash point Not available. **Burning time** Not available. **Burning rate** Not available. **Evaporation rate** Not available.

Lower and upper explosive : Lower: Not available. (flammable) limits : Upper: Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.SolubilityNot available.Solubility in waterNot available.Partition coefficient: n-Not available.

octanol/water

Flammability (solid, gas)

Auto-ignition temperature: Not available.Decomposition temperature: Not available.SADT: Not available.

Viscosity : Dynamic: Not available.

Kinematic: Not available.

# Section 10. Stability and reactivity

**Reactivity**: No specific test data related to reactivity available for this product or

its ingredients.

Not available.



# MD-87284 PMS 10 WARM GRAY

Version Number 1.0 Page 9 of 17 Revision Date 01/04/2019 Print Date 01/08/2019

Chemical stability : Stable under recommended storage and handling conditions (see

Section 7).

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will

not occur.

**Conditions to avoid** : Avoid the creation of dust when handling and avoid all possible

sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers

and equipment before transferring material. Prevent dust

accumulation.

**Incompatible materials**: Reactive or incompatible with the following materials:

oxidizing materials

**Hazardous decomposition** 

products

Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

# **Section 11. Toxicological information**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

# Information on toxicological effects

# **Acute toxicity**

Product/ingredient name	Result	Species	Exposure			
Carbon black						
	LD50 Oral	Rat	15,400 mg/kg	-		
Remarks - Inhalation:	No applicable toxic	No applicable toxicity data				
Remarks - Dermal:	No applicable toxic	No applicable toxicity data				
Titanium dioxide						
Remarks - Oral:	No applicable toxic	city data				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h		
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-		

Conclusion/Summary : Mixture.Not fully tested.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				

Conclusion/Summary

Skin: Mixture.Not fully tested.Eyes: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.



# **SAFETY DATA SHEET**

# MD-87284 PMS 10 WARM GRAY

Version Number 1.0 Page 10 of 17 Revision Date 01/04/2019 Print Date 01/08/2019

**Sensitization** 

Conclusion/Summary

Skin: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

**Mutagenicity** 

**Conclusion/Summary** : Mixture.Not fully tested.

**Carcinogenicity** 

**Conclusion/Summary** : Mixture.Not fully tested.

Classification

Product/ingredient	OSHA	IARC	NTP
name			
Carbon black		2B	
Titanium dioxide		2B	

**Reproductive toxicity** 

**Conclusion/Summary** : Mixture.Not fully tested.

**Teratogenicity** 

Conclusion/Summary : Mixture.Not fully tested.

**Specific target organ toxicity (single exposure)** 

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

**Aspiration hazard** 

Not available.

Information on likely routes of

exposure

Not available.

Potential acute health effects

**Eye contact** : Exposure to airborne concentrations above statutory or recommended

exposure limits may cause irritation of the eyes.

**Inhalation** : Exposure to airborne concentrations above statutory or recommended



## SAFETY DATA SHEET

# MD-87284 PMS 10 WARM GRAY

Version Number 1.0 Page 11 of 17 Revision Date 01/04/2019 Print Date 01/08/2019

exposure limits may cause irritation of the nose, throat and lungs.

Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

# Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following:

irritation redness

**Inhalation** : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact: No specific data.Ingestion: No specific data.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

## **Short term exposure**

Potential immediate effects : Not available.

Potential delayed effects : Not available.

# Long term exposure

Potential immediate effects: Not available.Potential delayed effects: Not available.

#### **Potential chronic health effects**

**Conclusion/Summary** : Mixture. Not fully tested.

General : Repeated or prolonged inhalation of dust may lead to chronic

respiratory irritation.

Carcinogenicity: No known significant effects or critical hazards.Mutagenicity: No known significant effects or critical hazards.Teratogenicity: No known significant effects or critical hazards.Developmental effects: No known significant effects or critical hazards.Fertility effects: No known significant effects or critical hazards.

## Numerical measures of toxicity

### **Acute toxicity estimates**

Not available.



# MD-87284 PMS 10 WARM GRAY

Version Number 1.0 Revision Date 01/04/2019 Page 12 of 17 Print Date 01/08/2019

# Section 12. Ecological information

# **Toxicity**

Product/ingredient name	Result	Species	Exposure
Carbon black			
Remarks - Acute - Fish:	No applicable toxicity data		
	Acute EC50 37.563 Mg/l Fresh	Aquatic invertebrates.	48 h
D 1 4 4 4 4	water	Daphnia	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
Titanium dioxide			
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h
	water		
Remarks - Acute - Fish:	Acute		
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
Remarks - Acute - Aquatic	Acute		
invertebrates.:		T	Lini
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates.  Daphnia	48 h
Remarks - Acute - Aquatic invertebrates.:	Acute		
Remarks - Acute - Aquatic plants:	No applicable toxicity data		
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:	N. 4 11.11		

Conclusion/Summary : Not available.

Persistence and degradability

Conclusion/Summary : Not available.

**Bioaccumulative potential** 



# MD-87284 PMS 10 WARM GRAY

Version Number 1.0 Page 13 of 17 Revision Date 01/04/2019 Print Date 01/08/2019

Not available.

### **Mobility in soil**

Soil/water partition coefficient

(KOC)

Not available.

Other adverse effects : No known significant effects or critical hazards.

# Section 13. Disposal considerations

**Disposal methods** 

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

# **Section 14. Transport information**

U.S.DOT 49CFR : Not regulated for transportation. Ground/Air/Water

International Air ICAO/IATA

: Consult mode specific transport rules

International Water IMO/IMDG

: Consult mode specific transport rules



# MD-87284 PMS 10 WARM GRAY

Version Number 1.0 Revision Date 01/04/2019 Page 14 of 17 Print Date 01/08/2019

# Section 15. Regulatory information

U.S. Federal regulations

United States - TSCA 12(b) - Chemical export notification: None

of the components are listed.

United States - TSCA 4(a) - Final Test Rules: Not listed
United States - TSCA 4(a) - ITC Priority list: Not listed
United States - TSCA 4(a) - Proposed test rules: Not listed
United States - TSCA 4(f) - Priority risk review: Not listed
United States - TSCA 5(a)2 - Final significant new use rules: Not listed

United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed

United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not

United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed

United States - TSCA 8(c) - Significant adverse reaction (SAR):

United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Zinc ferrite brown spinel (C.I. Pigment Yellow 119)

Nickel Arsenic Chromium

determined

United States - EPA Clean water act (CWA) section 311 -

Hazardous substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Flammable substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Toxic substances: Not listed

**United States - Department of commerce - Precursor chemical:** 

Not listed

Not listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I Listed

Substances

ion 602 Class II : Not listed

Clean Air Act Section 602 Class II

14/17



# **SAFETY DATA SHEET**

# MD-87284 PMS 10 WARM GRAY

Version Number 1.0 Page 15 of 17 Revision Date 01/04/2019 Print Date 01/08/2019

**Substances** 

**DEA List I Chemicals (Precursor**:

Chemicals)

**DEA List II Chemicals (Essential** 

**Chemicals**)

Not listed

Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

**SARA 311/312** 

Classification : COMBUSTIBLE DUSTS

# **Composition/information on ingredients**

Name	%	Classification
Titanium dioxide	>= 25 - <= 50	Delayed (chronic) health hazard
Carbon black	>= 1 - <= 3	Delayed (chronic) health hazard
Arsenic	> 0 - < 0.1	Fire hazard - Immediate (acute) health hazard - Delayed (chronic) health hazard

#### **SARA 313**

	Product name	CAS number	%	
Form R - Reporting	Zinc ferrite brown spinel	68187-51-9	10 - 25	
requirements	(C.I. Pigment Yellow 119)			
Supplier notification	Zinc ferrite brown spinel	68187-51-9	10 - 25	
	(C.I. Pigment Yellow 119)			

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

**State regulations** 

Massachusetts: None of the components are listed.New York: None of the components are listed.New Jersey: The following components are listed:

Titanium dioxide

Zinc ferrite brown spinel (C.I. Pigment Yellow 119)

Iron oxide Carbon black

**Pennsylvania** : The following components are listed:



### SAFETY DATA SHEET

# MD-87284 PMS 10 WARM GRAY

Version Number 1.0 Revision Date 01/04/2019 Page 16 of 17 Print Date 01/08/2019

Titanium dioxide

Carbon black

Iron oxide

Zinc ferrite brown spinel (C.I. Pigment Yellow 119)

# California Prop. 65

**WARNING:** This product can expose you to chemicals including Titanium dioxide, Carbon black, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable
		dosage level
Titanium dioxide	No.	No.
Carbon black	No.	No.

**United States inventory (TSCA 8b)** : All components are listed or exempted.

**Canada inventory** : All components are listed or exempted.

### **International regulations**

# **Inventory list**

Australia: All components are listed or exempted.Canada: All components are listed or exempted.China: All components are listed or exempted.Europe inventory: All components are listed or exempted.

Japan : Not determined.

New ZealandAll components are listed or exempted.PhilippinesAll components are listed or exempted.Republic of KoreaAll components are listed or exempted.TaiwanAll components are listed or exempted.TurkeyAll components are listed or exempted.United StatesAll components are listed or exempted.

# **Section 16. Other information**

#### **Hazardous Material Information System (U.S.A.)**

Health	/	0	
Flammability		3	
	1	6/17	



# MD-87284 PMS 10 WARM GRAY

Version Number 1.0 Revision Date 01/04/2019

Page 17 of 17 Print Date 01/08/2019

Physical hazards	0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

**History** 

Date of printing 01/08/2019 Date of issue/Date of revision 01/04/2019 : Date of previous issue 00/00/0000

Version 1.0

Key to abbreviations ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

UN = United Nations

Not available. References

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.