MATERIAL SAFETY DATA SHEET **TR. DREAMY PINK 204C**

Version Number 1.1 Revision Date 01/28/2005

Page 1 of 5 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
:	TR. DREAMY PINK 204C
:	CC10030222
:	Mixture
:	Mixture
:	Industrial Applications
	:

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	:	Inhalation, Skin contact, Ingestion	
Acute exposure			
Inhalation Ingestion Eyes Skin	:	Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	:	Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	:	None known.	
		4. FIRST AID MEASURES	

1/5



MATERIAL SAFETY DATA SHEET **TR. DREAMY PINK 204C**

sion Number 1.1 ision Date 01/28/2005	Page 2 Print Date 11/17/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXP0	DSURE CONTROLS / PERSONAL PROTECTION
	2/5

blvUne

MATERIAL SAFETY DATA SHEET TR. DREAMY PINK 204C

Version Number 1.1 Revision Date 01/28/2005 Page 3 of 5 Print Date 11/17/2011

: Not determined

: Not applicable

: Not applicable

: Not applicable

Respiratory protection		iratory protective equipment normally occur wear appropriate respiratory pro	
Eye/Face Protection	: Safety glasses with	th side-shields.	
Hand protection	: Protective gloves	. Refer to equipment supplier to ensure	e protection.
Skin and body protection	: Long sleeved clot	thing.	
Additional Protective Measures	: Safety shoes.		
General Hygiene Considerations		ance with good industrial hygiene and a re breaks and at the end of workday.	safety practice.
Engineering measures	•	s with appropriate exhaust ventilation. ust ventilation at machinery.	Provide
Exposure limit(s)			
There are no known hazardou	is components above regi	ulatory thresholds in this product.	
9.	PHYSICAL AND CHE	EMICAL PROPERTIES	
Form Appearance	: Solid : powder, granular		t applicable t applicable

Appearance : powder, granular Color : PINK Bulk density Odor : Very faint Vapor pressure Melting point/range : Not determined Vapour density **Boiling Point:** : Not applicable pН Water solubility : Insoluble

10. STABILITY AND REACTIVITY : Stable. Stability Hazardous Polymerization Will not occur. : Conditions to avoid : To avoid thermal decomposition, do not overheat. Keep away from oxidizing agents and open flame. Incompatible Materials : Incompatible with strong acids and oxidizing agents. Hazardous decomposition : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. products

11. TOXICOLOGICAL INFORMATION

There are no known hazardous components above regulatory thresholds in this product.

PolyOne.

MATERIAL SAFETY DATA SHEET **TR. DREAMY PINK 204C**

Version Number 1.1 Revision Date 01/28/2005 Page 4 of 5 Print Date 11/17/2011

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	

<u>PolyOne</u>

Page 5 of 5

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET **TR. DREAMY PINK 204C**

Version Number 1.1

evision Date 01/28/2005 Print Date 11		Print Date 11/17/20
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Extr Not applicable	rem	ely Hazardous Substance
SARA Title III Section 313 Tox	ic C	Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Release	se Iı	nventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.