MATERIAL SAFETY DATA SHEET PG 62047.00 METAL BU PP

Version Number 1.0 Revision Date 11/29/2004

Page 1 of 6 Print Date 11/16/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number		Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 62047.00 METAL BU PP
Product code	:	CC10062047
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Aluminum	7429-90-5	1 - 5
Mica	12001-26-2	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET PG 62047.00 METAL BU PP

Version Number 1.0 Revision Date 11/29/2004 Page 2 of 6 Print Date 11/16/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET PG 62047.00 METAL BU PP

Version Number 1.0 Revision Date 11/29/2004

Page 3 of 6 Print Date 11/16/2011

	ar	nd contamination. Keep in a	dry, cool place.			
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: N	o personal respiratory protect	tive equipment normally r	equired.		
Eye/Face Protection	: Sa	afety glasses with side-shield	S.			
Hand protection	: P1	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.					
Additional Protective Measures	: Sa	afety shoes.				
General Hygiene Considerations		andle in accordance with goo Vash hands before breaks and		afety practice.		
Engineering measures	Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Aluminum	10 mg/m3	Time Weighted Average (TWA):	Dust.	ACGIH		
	15 mg/m3	PEL:	Total dust. as Al	OSHA Z1		
	5 mg/m3	PEL:	Respirable dust. as Al	OSHA Z1		
Mica	20 mppcf	PEL:	Total dust.	OSHA		
	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH		
	9. PH 15IC	CAL AND CHEMICAL PR	UPERTIES			
Form	: Solid	Evapo	oration rate : Not	applicable		
Appearance	: Pelle		Specific Gravity: : Not determined			
Color	: BLU		Bulk density : Not established			
Odor	: Very			applicable		
Melting point/range				applicable		
Boiling Point:		pplicable pH	: Not	applicable		
Water solubility	: Insol	uble				
	10. S	TABILITY AND REACTI	VITY			
Stability	: St	able.				
Hazardous Polymerization	n : W	ill not occur.				
Conditions to avoid	: K	eep away from oxidizing age	nts and open flame. To a	void thermal		
		2/2				
		3/6				

PolyOne.

MATERIAL SAFETY DATA SHEET PG 62047.00 METAL BU PP

Version Number 1.0 Revision Date 11/29/2004 Page 4 of 6 Print Date 11/16/2011

	de	composition,	do not overheat.	
Hazardous decomposition : Carb		Incompatible with strong acids and oxidizing agents. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.		
health data for the ind Toxicity Overview	ividual componer	nts which com	prise the mixture.	re effects listed are based on ex
This product contains	the following con	nponents whi	ch in their pure form	have the following characteristi
CAS-No.	Chemica	l Name	Effect	Target Organ
7429-90-5	Aluminum		Irritant	Skin, Respiratory system.
	<u> </u>		Systemic effects	Eyes, Skin, Respiratory system
12001-26-2	Mica		Systemic effects	Respiratory system.
Bioaccumulation Pote Additional advice	рс	 Chemicals are not readily available as they are bound within the polymer matrix. No data available 		
	10 5	TODOGAL C		
	13. L	DISPUSAL C	ONSIDERATIONS	
Product	: Li pc ge cli	ke most thern ossible recycli enerator of wa assification, tr	noplastic plastics the ng is preferred to dis ste material has the r	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with
	: Li pc ge cla ap ing : Re ha an	ke most thern ossible recycli enerator of wa assification, tr oplicable feder ecycling is pre- ts the responsi	noplastic plastics the ng is preferred to dis ste material has the r ansportation and disp ral, state/provincial a eferred when possible ibility for proper was accordance with appl	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Product Contaminated packag	: Li pc ge cla ap ing : Re ha an an	ke most thern ossible recycli enerator of wa assification, tr oplicable feder ecycling is pre- ts the responsi- ad disposal in ad local regula	noplastic plastics the ng is preferred to dis ste material has the r ansportation and disp ral, state/provincial a eferred when possible ibility for proper was accordance with appl	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. b. The generator of waste materi te classification, transportation

Poh	<u>vOne</u> .

MATERIAL SAFETY DATA SHEET PG 62047.00 METAL BU PP

Version Number 1.0 Revision Date 11/29/2004 Page 5 of 6 Print Date 11/16/2011

ICAO/IATA (air)	: Refer to specific	regulation.		
IMO / IMDG (maritime)	: Refer to specific	regulation.		
	15. REGULATOR	Y INFORMATION		
US Regulations:				
OSHA Status	: Classified as haz	ardous based on comp	oonents.	
TSCA Status	: All components Inventory.	of this product are list	ed on or exemj	pt from the TSCA
US. EPA CERCLA Hazardous	s Substances (40 CFR 3	02)		
Not applicable				
65 SARA Title III Section 302 E	xtremely Hazardous Sul	ostance		
	-	ostance		
SARA Title III Section 302 Ex Not applicable	-	CAS-No.	Weight	%
SARA Title III Section 302 Ex Not applicable SARA Title III Section 313 To	oxic Chemicals:		Weight 2.57	%
SARA Title III Section 302 Ex Not applicable SARA Title III Section 313 To Chemical Name ALUMINUM (FUME Canadian Regulations: National Pollutant Rele Chemical Name Aluminum	oxic Chemicals:	CAS-No. 7429-90-5 CAS-No. 7429-90-5	2.57 Weight % 2.57	NPRI ID# 12
SARA Title III Section 302 Ex Not applicable SARA Title III Section 313 To Chemical Name ALUMINUM (FUME Canadian Regulations: National Pollutant Rele Chemical Name	oxic Chemicals:	CAS-No. 7429-90-5 CAS-No.	2.57	NPRI ID#

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 62047.00 METAL BU PP**

Version Number 1.0 Revision Date 11/29/2004 Page 6 of 6 Print Date 11/16/2011

	Substances List (DSL) or are exempt.			
National Inventories:				
Australia AICS	: Listed			
China IECS	: Listed			
Europe EINECS	: Not determined			
Japan ENCS	: Not determined			
Korea KECI	: Listed			
Philippines PICCS	: Listed			
16. OTHER INFORMATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.