MATERIAL SAFETY DATA SHEET **RAINBOW RED**

Version Number 1.1 Revision Date 01/11/2005

Page 1 of 6 Print Date 11/16/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RAINBOW RED
Product code	:	CC10062636
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Zinc stearate	557-05-1	5 - 10
D&C red No. 9	5160-02-1	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET RAINBOW RED

Version Number 1.1 Revision Date 01/11/2005 Page 2 of 6 Print Date 11/16/2011

Aggravated by Exposure:					
	4. FIRST AID MEASURES				
Inhalation : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.					
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.				
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.				
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.				
	5. FIRE-FIGHTING MEASURES				
Flash point	: Not applicable				
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. 				
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 				
	6. ACCIDENTAL RELEASE MEASURES				
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.				
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.				
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods.				
	7. HANDLING AND STORAGE				
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.				

PolyOne

MATERIAL SAFETY DATA SHEET RAINBOW RED

Version Number 1.1 Revision Date 01/11/2005 Page 3 of 6 Print Date 11/16/2011

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
D&C red No. 9	0.5 mg/m3	Time Weighted Average	as Ba	ACGIH
		(TWA):		
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
	20 mppcf	PEL:	Total dust.	Z3
	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Zinc stearate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average	as stearates	ACGIH
		(TWA):		

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Solid
Pellets
RED
Very faint
Not determined
Not applicable
Insoluble

Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH Not applicable
Not determined
Not established
Not applicable
Not applicable
Not applicable

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **RAINBOW RED**

Version Number 1.1 Revision Date 01/11/2005

_

.

Page 4 of 6 Print Date 11/16/2011

	10. STABILITY AND REACTIVITY			
Stability	: Stable.			
Hazardous Polymerization	: Will not occur.			
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid therma decomposition, do not overheat.			
Incompatible Materials	: Incompatible with strong acids and oxidizing agents.			
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.			

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
557-05-1	Zinc stearate	Systemic effects	Eyes, Skin, Respiratory system.
5160-02-1	D&C red No. 9	Irritant	Eyes, Skin.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	(Chemical Name	Route	Value	Species	
557-05-1	Zinc s	tearate	Oral LD50	> 10 gm/kg	rat	
		12. ECOLOGIO	CAL INFORMAT	ION		
Persistence and de	gradability	: Not readily b	iodegradable.			
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Potential		: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice		: No data avail	able			
		13. DISPOSAL	CONSIDERATIO	DNS		
Product		: Like most the	ermoplastic plastics	the product can be	e recycled. Whe	



MATERIAL SAFETY DATA SHEET RAINBOW RED

sion Number 1.1				Page 5
ision Date 01/11/2005				Print Date 11/16/2
		possible recycling is p	referred to disposal	or incineration. The
				nsibility for proper waste
		classification, transpor		
		applicable federal, stat	te/provincial and lo	cal regulations.
Contaminated packaging		Recycling is preferred	when possible. Th	e generator of waste materia
Containinated packaging	•			assification, transportation
				le federal, state/provincial
		and local regulations.		-
	1	4. TRANSPORT INFO	ORMATION	
U.S. DOT Classification		Not regulated for trans	nortation	
U.S. DOT Classification	•	Not regulated for trans	sportation.	
ICAO/IATA (air)	:	Refer to specific regul	ation.	
IMO / IMDG (maritime)	:	Refer to specific regul	ation.	
	15	. REGULATORY INI	FORMATION	
US Regulations:				
OSHA Status		Classified as hazardou	is based on compon	ants
OSHA Status	·	Classified as hazardou	is based on compon	lents.
TSCA Status	:	•	s product are listed	on or exempt from the TSCA
		Inventory.		
US. EPA CERCLA Hazardoo	us Sub	stances (40 CFR 302)		
Not applicable				
i tot applicació				
California Proposition	n :			emical known to the State of
65		California to cause can	ncer.	
SARA Title III Section 302 H	Extrem	elv Hazardous Substanc	e.	
Not applicable				
SARA Title III Section 313 7	'oxic (chemicals:		
Chemical Name			CAS-No.	Weight %
BARIUM COMPOU		EXCEPT BASO4]	15782-06-6	2.34
BARIUM COMPOU			5160-02-1	11.21
	n		557-05-1	5.00
ZINC COMPOUNDS	5		557-05-1	5.00



Page 6 of 6

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET RAINBOW RED

Version Number 1.1

on Date 01/11/2005				Drin	nt Date 11/16
on Date 01/11/2005				FIII	
National Pollutant Relea	se I	nventory (NPRI)			
Chemical Name			CAS-No.	Weight %	NPRI ID#
Zinc stearate			557-05-1	5.00	231
WHMIS Classification	:	Not controlled.			
DSL	:	All components of	this product are o	n the Canadian	Domestic
2.2	•	Substances List (D			20110010
tional Inventories:					
Australia AICS	:	Not determined			
China IECS	:	Not determined			
Europe EINECS	:	Listed			
_					
Japan ENCS	:	Not determined			
Korea KECI	•	Not determined			
	•				
Philippines PICCS	:	Not determined			
		16. OTHER INFO	URMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.