MATERIAL SAFETY DATA SHEET

TEAL BLUE

Version Number 1.0 Revision Date 01/18/2005 Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	TEAL BLUE
Product code	CC10064274
Chemical Name	Mixture
CAS-No.	Mixture
Product Use	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	1 - 5
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **TEAL BLUE**

Version Number 1.0 Revision Date 01/18/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
	0. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET **TEAL BLUE**

Version Number 1.0 Revision Date 01/18/2005 Page 3 of 6 Print Date 11/17/2011

8. H	EXPOSURE	CONTROLS / PERSONAL	PROTECTION				
Respiratory protection	: No personal respiratory protective equipment normally required.						
Eye/Face Protection	: S	: Safety glasses with side-shields.					
Hand protection	: P	: Protective gloves.					
Skin and body protection	: L	ong sleeved clothing.					
Additional Protective Measures	: S	afety shoes.					
General Hygiene Considerations		andle in accordance with good Vash hands before breaks and		afety practic			
Engineering measures		eat only in areas with appropription propriate exhaust ventilation		Provide			
Exposure limit(s)							
Components	Value	Exposure time	Exposure type	List:			
Carbon black	3.5 mg/m3	Time Weighted Average (TWA):	Total dust. as carbon black	ACGIH			
	3.5 mg/m3	PEL:	Total dust. as carbon black	OSHA ZI			
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH			
	15 mg/m3	PEL:	Total dust.	OSHA ZI			
	9. PHYSIC	CAL AND CHEMICAL PRO	OPERTIES				
Form	: Solid	Evono	oration rate : Not	annliachla			
Appearance	: Pelle			applicable determined			
Color	: BLU			established			
Odor	: Very	faint Vapor	pressure : Not	applicable			
Melting point/range				applicable			
Boiling Point:		applicable pH	: Not	applicable			
Water solubility	: Insol	uble					
	10.8	TABILITY AND REACTIV	VITY				
Stability	: S	table.					
Hazardous Polymerization	n : W	/ill not occur.					
Conditions to avoid	· K	eep away from oxidizing age	nts and open flame To a	void thermal			



MATERIAL SAFETY DATA SHEET

TEAL BLUE

Version Number 1.0 Revision Date 01/18/2005

Page 4 of 6 Print Date 11/17/2011

decomposition, do not overheat.

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	No data available



MATERIAL SAFETY DATA SHEET **TEAL BLUE**

Version Number 1.0 Revision Date 01/18/2005 Page 5 of 6 Print Date 11/17/2011

Product	: Like most thermo	plastic plastics the prod	uct can be recycled. W		
	possible recycling	g is preferred to disposa	l or incineration. The		
		e material has the responsion network the responsion and disposal			
		l, state/provincial and lo			
Contaminated packaging		erred when possible. Th			
		ility for proper waste cla ccordance with applicab			
	and local regulati				
	14. TRANSPORT	INFORMATION			
U.S. DOT Classification	: Not regulated for	transportation.			
	-	-			
ICAO/IATA (air)	: Refer to specific				
IMO / IMDG (maritime)	: Refer to specific	regulation.			
	15. REGULATORY	INFORMATION			
US Regulations:					
OSHA Status	: Classified as haza	: Classified as hazardous based on components.			
TSCA Status	: All components of this product are listed on or exempt from the TSCA				
	Inventory.				
US. EPA CERCLA Hazardo	us Substances (40 CFR 30	02)			
Not applicable					
California Proposition	n : This product does	s not contain a substance	e listed by California Pro		
65					
SARA Title III Section 302 I Not applicable	Extremely Hazardous Sub	stance			
SARA Title III Section 313	Foxic Chemicals:				
Chemical Name	2	CAS-No.	Weight %		
ZINC COMPOUND	S	68187-51-9	1.87		

PolyOne

MATERIAL SAFETY DATA SHEET

TEAL BLUE

Version Number 1.0 Revision Date 01/18/2005 Page 6 of 6 Print Date 11/17/2011

Canadian Regulations:

Chemical Name			CAS-No.	Weight %	NPRI ID#
Zinc ferrite brown spinel (C.I. Pigment Yellow 119)		68187-51-9	1.87	231	
Phthalocyanine green			1328-53-6	0.76	71
WHMIS Classification WHMIS Ingredient Disc					
CAS-No. 1333-86-4					
DSL	:	All components of th Substances List (DSL		the Canadian	Domestic
ional Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Not determined			
Korea KECI	:	Listed			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.