MATERIAL SAFETY DATA SHEET

PG 64361.00 PU PE

Version Number 1.0 Revision Date 01/24/2005

Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 64361.00 PU PE
Product code	:	CC10064361
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.
: None known.



MATERIAL SAFETY DATA SHEET **PG 64361.00 PU PE**

Version Number 1.0 Revision Date 01/24/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET PG 64361.00 PU PE

Version Number 1.0 Revision Date 01/24/2005 Page 3 of 6 Print Date 11/17/2011

8. E	XPOSURE	CONTROLS / PERSO	NAL I	PROTECTION		
Respiratory protection	: N	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: S	: Safety glasses with side-shields.				
Hand protection	: P	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.					
Additional Protective Measures	: Safety shoes.					
General Hygiene Considerations		andle in accordance with Vash hands before breaks				afety practice
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure time		Exposure type		List:
Titanium dioxide	10 mg/m3	Time Weighted Aver (TWA):	age		-	ACGIH
	15 mg/m3	PEL:		Total dust.		OSHA Z1
	9. PHYSIC	CAL AND CHEMICAI	L PRO	PERTIES		
F					NT /	1. 1.1
Form Appearance	: Solic : Pelle			ation rate :		applicable determined
Color	: PUR		Specific Gravity: : Not determine Bulk density : Not establishe			
Odor	: Very			pressure :		applicable
Melting point/range				density :		applicable
Boiling Point:			рН	:		applicable
Water solubility	: Insol		-			
	10. 5	STABILITY AND REA	CTIV	ITY		
Stability	: S	table.				
Hazardous Polymerization	n : W	/ill not occur.				
Conditions to socie		eep away from oxidizin ecomposition, do not ov		s and open flame.	To a	void thermal
Conditions to avoid		-				



MATERIAL SAFETY DATA SHEET

PG 64361.00 PU PE

Version Number 1.0 Revision Date 01/24/2005

Page 4 of 6 Print Date <u>11/1</u>7/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGIO	CAL INFORMATION	N			
Persistence and degrada	bility : Not readily b	iodegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice	: No data avail	vailable				
	13. DISPOSAL	CONSIDERATIONS	5			
Product Contaminated packagin	g : Recycling is phase the response of the recycling is phase the response of	 Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 				
	14. TRANSPO	RT INFORMATION				
U.S. DOT Classification	n : Not regulated	for transportation.				
ICAO/IATA (air)	: Refer to spec	cific regulation.				
IMO / IMDG (maritime	e) : Refer to speci	ific regulation.				
	15. REGULATO	DRY INFORMATION	N			

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 64361.00 PU PE**

rsion Number 1.0					Page 5 d
vision Date 01/24/2005				Prin	t Date 11/17/20
US Regulations:					
OSHA Status	:	Classified as hazardou	s based on compo	nents	
TSCA Status	•	All components of this			at from the $TSC\Lambda$
ISCA Status	•	Inventory.	s product are listed	on or exemp	thom the TSCA
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)			
Not applicable					
California Proposition 65	:	This product does not	contain a substanc	e listed by Ca	alifornia Prop 65.
SARA Title III Section 302 Ex Not applicable	trem	ely Hazardous Substanc	e		
SARA Title III Section 313 To	oxic (Chemicals:			
Not applicable Canadian Regulations:					
National Pollutant Rele	ase Iı	iventory (NPRI)			
Chemical Name Aluminum oxide			CAS-No. 1344-28-1	Weight % 0.11	NPRI ID# 13
WHMIS Classification	:	Not controlled.			
DSL	:	All components of thi Substances List (DSL)		ne Canadian I	Domestic
National Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed Listed			
	: : :				
China IECS	: : : :	Listed			
China IECS Europe EINECS	::	Listed Listed			
China IECS Europe EINECS Japan ENCS	:	Listed Listed Listed			
China IECS Europe EINECS Japan ENCS Korea KECI	: : : :	Listed Listed Listed Listed	MATION		



MATERIAL SAFETY DATA SHEET **PG 64361.00 PU PE**

Version Number 1.0 Revision Date 01/24/2005

Page 6 of 6 Print Date 11/17/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.