MATERIAL SAFETY DATA SHEET GREAT LASH GREEN

Version Number 1.0 Revision Date 01/27/2005

Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GREAT LASH GREEN
Product code	:	CC10064625
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET GREAT LASH GREEN

Version Number 1.0 Revision Date 01/27/2005 Page 2 of 6 Print Date 11/17/2011

Ieast 15 minutes. If eye irritation p Skin : Wash off with soap and plenty of w medical attention. 5. FIRE-FIGHTING MEASURES Flash point : Not applicable Flammable Limits : Not applicable Lower explosion limit : Not applicable Autoignition temperature : Not applicable Suitable extinguishing media : Carbon dioxide blanket, water spra Special Fire Fighting : Fullface self-contained breathing a Procedures : Carbon dioxide (CO2), carbon mon Unusual Fire/Explosion : Carbon dioxide (CO2), carbon mon Hazards : Nox, other hazardous materials,	symptoms persist or in all cases of edical advice. When symptoms medical advice. water, also under the eyelids, for at persists, seek medical attention. vater. If skin irritation persists seek s
Eyes:Rinse immediately with plenty of v least 15 minutes. If eye irritation pSkin:Wash off with soap and plenty of v medical attention.Skin:Wash off with soap and plenty of v medical attention.Flash point:Strike-FIGHTING MEASURESFlash point:Not applicableFlammable Limits Upper explosion limit Lower explosion limit Suitable extinguishing media:Not applicableSpecial Fire Fighting Procedures:Fullface self-contained breathing a pressure mode should be worn to p contaminants.:Unusual Fire/Explosion Hazards:Carbon dioxide (CO2), carbon mon (NOx), other hazardous materials,	medical advice. water, also under the eyelids, for at bersists, seek medical attention. water. If skin irritation persists seel
Iteast 15 minutes. If eye irritation pSkin: Wash off with soap and plenty of w medical attention.Skin: Wash off with soap and plenty of w medical attention.5. FIRE-FIGHTING MEASURESFlash point: Not applicableFlammable Limits Upper explosion limit Lower explosion limit Suitable extinguishing media: Not applicableSpecial Fire Fighting Procedures: Fullface self-contained breathing a pressure mode should be worn to p contaminants.Unusual Fire/Explosion Hazards: Carbon dioxide (CO2), carbon mode 	bersists, seek medical attention. vater. If skin irritation persists seek y, dry powder, foamnone. pparatus (SCBA) used in positive prevent inhalation of airborne
medical attention. 5. FIRE-FIGHTING MEASURES Flash point : Not applicable Flammable Limits : Not applicable Lower explosion limit : Not applicable Autoignition temperature : Not applicable Suitable extinguishing media : Carbon dioxide blanket, water spra Special Fire Fighting : Fullface self-contained breathing a pressure mode should be worn to p contaminants. Unusual Fire/Explosion : Carbon dioxide (CO2), carbon mon (NOx), other hazardous materials,	y, dry powder, foamnone. pparatus (SCBA) used in positive revent inhalation of airborne
Flash point: Not applicableFlammable Limits Upper explosion limit: Not applicableLower explosion limit: Not applicableAutoignition temperature: Not applicableSuitable extinguishing media: Carbon dioxide blanket, water spraSpecial Fire Fighting Procedures: Fullface self-contained breathing a pressure mode should be worn to p contaminants.Unusual Fire/Explosion Hazards: Carbon dioxide (CO2), carbon mode (NOx), other hazardous materials,	ny, dry powder, foamnone. pparatus (SCBA) used in positive prevent inhalation of airborne
Flammable Limits Upper explosion limit : Not applicable Lower explosion limit : Not applicable Autoignition temperature : Not applicable Suitable extinguishing media : Carbon dioxide blanket, water spra Special Fire Fighting : Fullface self-contained breathing a procedures Unusual Fire/Explosion : Carbon dioxide (CO2), carbon mon (NOx), other hazardous materials,	pparatus (SCBA) used in positive revent inhalation of airborne
Upper explosion limit Lower explosion limit: Not applicableAutoignition temperature Suitable extinguishing media: Not applicableSpecial Fire Fighting Procedures: Fullface self-contained breathing a pressure mode should be worn to p contaminants.Unusual Fire/Explosion Hazards: Carbon dioxide (CO2), carbon mode (NOx), other hazardous materials,	pparatus (SCBA) used in positive revent inhalation of airborne
	and smoke are all possible.
6. ACCIDENTAL RELEASE MEASU	RES
Personal precautions : Wear appropriate personal protecti impervious gloves, boots and cove	
Environmental precautions : Should not be released into the environmental precautions be allowed to enter drains, water co	
Methods for cleaning up : Clean up promptly by sweeping or plastic, cardboard or metal contained of this MSDS for proper disposal r	ers for disposal. Refer to Section 13
7. HANDLING AND STORAGE	
Handling : Take measures to prevent the build only in areas with appropriate exha	
Storage : Keep containers dry and tightly clo	osed to avoid moisture absorption

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET **GREAT LASH GREEN**

Version Number 1.0 Revision Date 01/27/2005 Page 3 of 6 Print Date 11/17/2011

8. 1	XPOSURE	CONTROLS / PERSO	NAL PRC	DTECTION	
Respiratory protection	: N	o personal respiratory p	rotective ec	quipment normally	required.
Eye/Face Protection	: S	afety glasses with side-sl	hields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		andle in accordance with ash hands before breaks			safety practice
Engineering measures		leat only in areas with ap			Provide
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Avera	age	T	ACGIH
	15 mg/m3	PEL:		Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL	PROPER	RTIES	
Form	: Solid	L F	Evaporatio	n rate : Not	t applicable
Appearance	: Pelle		Specific Gravity: : Not determin Bulk density : Not establish		
Color	: GRE				
Odor	: Very	faint	Vapor press	sure : Not	t applicable
Melting point/range	: Not o	determined V	Vapour density : Not applicable		
Boiling Point:			эΗ	: Not	t applicable
Water solubility	: Insol	uble			
	10. 8	STABILITY AND REA	CTIVITY	•	
Stability	: S	table.			
Hazardous Polymerization	n : W	/ill not occur.			
		eep away from oxidizing ecomposition, do not over		d open flame. To a	avoid thermal
Conditions to avoid	u				

PolyOne

MATERIAL SAFETY DATA SHEET GREAT LASH GREEN

Version Number 1.0

Revision Date 01/27/2005

Page 4 of 6 Print Date 11/17/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGI	CAL INFORMATION	I			
Persistence and degrada	bility : Not readily b	iodegradable.				
Environmental Toxicity	Chemicals ar polymer mat		as they are bound within the			
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice	: No data avai	lable				
	13. DISPOSAL	CONSIDERATIONS				
Product Contaminated packagin	g : Recycling is has the respo and disposal	 Like most thermoplastic plastics the product can be recycled. When possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste mater has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal. 				
	14. TRANSPO	RT INFORMATION				
U.S. DOT Classification	n : Not regulated	l for transportation.				
ICAO/IATA (air)	: Refer to spec	ific regulation.				
IMO / IMDG (maritime	e) : Refer to spec	ific regulation.				
	15. REGULAT	ORY INFORMATION	1			

PolyOne.

MATERIAL SAFETY DATA SHEET GREAT LASH GREEN

vision Date 01/27/2005				Prin		ge 5 o 17/20
US Regulations:						
OSHA Status	:	Classified as hazardo	us based on compo	onents.		
TSCA Status	:	All components of th Inventory.	is product are listed	d on or exemp	ot from the T	SCA
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)				
Not applicable						
California Proposition 65	:	This product does not	t contain a substanc	e listed by Ca	alifornia Pro	p 65.
SARA Title III Section 302 Ext Not applicable	rem	ely Hazardous Substan	ice			
SARA Title III Section 313 Tox	cic C	Chemicals:				
Not applicable Canadian Regulations:						
National Pollutant Relea	se Iı	nventory (NPRI)	CAS No	Weight %	NIDRI ID#	7
National Pollutant Relea Chemical Name Phthalocyanine green	se Iı	ventory (NPRI)	CAS-No. 1328-53-6	Weight % 0.42	NPRI ID# 71]
Chemical Name	se Iı	nventory (NPRI)]
Chemical Name Phthalocyanine green		Not controlled.]
Chemical Name Phthalocyanine green			1328-53-6	0.42	71]
Chemical Name Phthalocyanine green WHMIS Classification		Not controlled. All components of th	1328-53-6	0.42	71]
Chemical Name Phthalocyanine green WHMIS Classification DSL		Not controlled. All components of th	1328-53-6	0.42	71]
Chemical Name Phthalocyanine green WHMIS Classification DSL National Inventories:	:	Not controlled. All components of th Substances List (DSI	1328-53-6	0.42	71]
Chemical Name Phthalocyanine green WHMIS Classification DSL National Inventories: Australia AICS	:	Not controlled. All components of th Substances List (DSI Listed	1328-53-6	0.42	71]
Chemical Name Phthalocyanine green WHMIS Classification DSL National Inventories: Australia AICS China IECS	:	Not controlled. All components of th Substances List (DSL Listed Listed	1328-53-6	0.42	71]
Chemical Name Phthalocyanine green WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS	::	Not controlled. All components of th Substances List (DSL Listed Listed Listed	1328-53-6	0.42	71	
Chemical Name Phthalocyanine greenWHMIS Classification DSLNational Inventories: Australia AICS China IECS Europe EINECS Japan ENCS	::	Not controlled. All components of th Substances List (DSL Listed Listed Listed Listed	1328-53-6	0.42	71	



MATERIAL SAFETY DATA SHEET GREAT LASH GREEN

Version Number 1.0 Revision Date 01/27/2005

Page 6 of 6 Print Date 11/17/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.