MATERIAL SAFETY DATA SHEET

GLOW ORANGE

Version Number 1.0 Revision Date 01/26/2005

Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GLOW ORANGE
Product code	:	CC10064670
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Ingestion, Skin contact	
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES



MATERIAL SAFETY DATA SHEET GLOW ORANGE

ion Number 1.0 sion Date 01/26/2005	Page Print Date 11/17	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.	
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.	
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.	
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. 	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.	
Unusual Fire/Explosion Hazards	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.	

PolyOne.

MATERIAL SAFETY DATA SHEET **GLOW ORANGE**

Version Number 1.0 Revision Date 01/26/2005 Page 3 of 6 Print Date 11/17/2011

Respiratory protection	: No personal respirat	ory protective equipment normally required.	
Eye/Face Protection	: Safety glasses with	side-snields.	
Hand protection	: Protective gloves.		
Skin and body protection	: Long sleeved clothi	ng.	
Additional Protective Measures	: Safety shoes.		
General Hygiene Considerations		e with good industrial hygiene and safety pra preaks and at the end of workday.	ctice
Engineering measures		ith appropriate exhaust ventilation. Provide ventilation at machinery.	
Exposure limit(s)			
9.	PHYSICAL AND CHEM	ICAL PROPERTIES	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Solid Pellets ORANGE Very faint Not determined Not applicable Insoluble 	Evaporation rate: Not applicatSpecific Gravity:: Not determiBulk density: Not establistVapor pressure: Not applicatVapour density: Not applicatpH: Not applicat	ned hed ble ble
	10. STABILITY AND	REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from ox decomposition, do r	dizing agents and open flame. To avoid the ot overheat.	rmal
Incompatible Materials	: Incompatible with s	rong acids and oxidizing agents.	
Hazardous decomposition products		2), carbon monoxide (CO), oxides of nitrogeous materials, and smoke are all possible.	en

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET **GLOW ORANGE**

Version Number 1.0 Revision Date 01/26/2005 Page 4 of 6 Print Date 11/17/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION					
Persistence and degradability : Not readily biodegradable.						
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.					
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.					
Additional advice	: No data available					
	13. DISPOSAL CONSIDERATIONS					
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.					
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.					
	14. TRANSPORT INFORMATION					
U.S. DOT Classification	: Not regulated for transportation.					
ICAO/IATA (air)	: Refer to specific regulation.					
IMO / IMDG (maritime)	: Refer to specific regulation.					
	15. REGULATORY INFORMATION					
US Regulations:						
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.					
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.					
US. EPA CERCLA Hazardous	Substances (40 CFR 302)					
Not applicable						

MATERIAL SAFETY DATA SHEET GLOW ORANGE

Version Number 1.0				
Revision Date 01/26/2005				

Page 5 of 6 Print Date 11/17/2011

California Proposition : This product does not contain a substance listed by California Prop 65. 65

SARA Title III Section 302 Extremely Hazardous Substance Not applicable

SARA Title III Section 313 Toxic Chemicals:

Chemical Name	CAS-No.	Weight %
ZINC COMPOUNDSCOPPER COMPOUNDS	68611-70-1	35.27
(WITH EXCEPTIONS)		

Canadian Regulations:

Philippines PICCS

:

Listed

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight %	NPRI ID#
Zinc sulfide (ZnS), copper chloride-doped	68611-70-1	35.27	71
Zinc sulfide (ZnS), copper chloride-doped	68611-70-1	35.27	231

WHMIS Classification : Not controlled. DSL All components of this product are on the Canadian Domestic ÷ Substances List (DSL) or are exempt. National Inventories: Australia AICS Listed · China IECS Listed ÷ **Europe EINECS** Listed : Japan ENCS Not determined · Korea KECI Listed :

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.

PolyOne.

MATERIAL SAFETY DATA SHEET GLOW ORANGE

Version Number 1.0 Revision Date 01/26/2005 Page 6 of 6 Print Date 11/17/2011