MATERIAL SAFETY DATA SHEET

RED 159C

Version Number 1.0 Revision Date 02/01/2005 Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RED 159C
Product code	:	CC10064777
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. 	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	
4. FIRST AID MEASURES		



MATERIAL SAFETY DATA SHEET **RED 159C**

sion Date 02/01/2005	Page 2 Print Date 11/17/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

PolyOne.

MATERIAL SAFETY DATA SHEET **RED 159C**

Version Number 1.0 Revision Date 02/01/2005 Page 3 of 6 Print Date 11/17/2011

Respiratory protection	: N	No personal respiratory	protectiv	ve equipment normal	ly required. If	
	d	usty conditions occur	wear app	ropriate respiratory p	rotection.	
Eye/Face Protection	: safety glasses					
Hand protection	: Protective gloves.					
Skin and body protection	: Long sleeved clothing.					
Additional Protective Measures	: Safety shoes.					
General Hygiene Considerations	p	Vash hands and face be roduct. Handle in acco ractice for diagnostics	ordance w			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure time	e	Exposure type	List:	
Calcium carbonate	5 mg/m3	PEL:		Respirable fraction		
	15 mg/m3	PEL:		Total dust.	OSHA Z1	
	9. PHYSI	CAL AND CHEMIC	AL PRO	PERTIES		
Form	: Solie	d	Evapor	ation rate : N	lot applicable	
Appearance	: flake	28	Specifi	c Gravity: : N	lot determined	
C 1	: REL		Bulk de	2	Not determined	
Color		/ faint			lot determined	
Odor	: Greater than 130 °C Vapour density : Not determin					
Odor Melting point/range						
Odor Melting point/range Boiling Point:	: Not	applicable	pН	: N		
Odor Melting point/range		applicable	рН	: N		
Odor Melting point/range Boiling Point:	: Not : Inso	applicable	-			
Odor Melting point/range Boiling Point:	: Not : Inso 10. \$	applicable luble	-			
Odor Melting point/range Boiling Point: Water solubility	: Not : Inso 10.5 : S	applicable luble STABILITY AND RE	-			
Odor Melting point/range Boiling Point: Water solubility Stability	: Not : Inso 10.5 : S : V	applicable luble STABILITY AND RE	EACTIV	ΠΥ		
Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: Not : Inso 10.5 : S : V : T	applicable luble STABILITY AND RE stable. Vill not occur.	EACTIV	ITY , do not overheat.		

PolyOne

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET

RED 159C

Version Number 1.0

Revision Date 02/01/2005

Page 4 of 6 Print Date 11/17/2011

products

(NOx), dense black smoke.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Not inherently biodegradable.
Additional advice	: Chemicals are not readily available as they are bound within the polymer matrix.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	



MATERIAL SAFETY DATA SHEET **RED 159C**

	Page 5 of 6 Print Date 11/17/2011				
•	Classified as hazardous based on components.				
:	All components of this product are listed on or exempt from the TSCA				
	Inventory.				
Sub	stances (40 CFR 302)				
:	WARNING! This product contains a chemical known to the State of California to cause cancer.				
SARA Title III Section 302 Extremely Hazardous Substance Not applicable					
ic (Chemicals:				
Not applicable Canadian Regulations:					
National Pollutant Release Inventory (NPRI)					
:	Not controlled.				
:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.				
:	Listed				
:	Listed				
:	Listed				
:	Not determined				
:	Listed				
:	Listed				
	16. OTHER INFORMATION				
	Sub : rem ic C : : :				



MATERIAL SAFETY DATA SHEET

RED 159C

Version Number 1.0 Revision Date 02/01/2005 Page 6 of 6 Print Date 11/17/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.