# MATERIAL SAFETY DATA SHEET

### **RIMULA GREY**

Version Number 1.0 Revision Date 01/27/2005 Page 1 of 6 Print Date 11/17/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RIMULA GREY
Product code	:	CC10064790
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Aluminum	7429-90-5	1 - 5
Mica	12001-26-2	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	



### MATERIAL SAFETY DATA SHEET **RIMULA GREY**

Version Number 1.0 Revision Date 01/27/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive</li> </ul>
Unusual Fire/Explosion Hazards	<ul> <li>pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

### MATERIAL SAFETY DATA SHEET **RIMULA GREY**

Version Number 1.0 Revision Date 01/27/2005 Page 3 of 6 Print Date 11/17/2011

8. E	XPOSURE	CONTROLS / PERSON	AL PROTECTION	
Respiratory protection	: N	o personal respiratory pro	tective equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-sh	ields.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations			good industrial hygiene and s and at the end of workday.	safety practic
Engineering measures		eat only in areas with app ppropriate exhaust ventila	ropriate exhaust ventilation. tion at machinery.	Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Aluminum	10 mg/m3	Time Weighted Averag (TWA):	ge Dust.	ACGIH
	15 mg/m3	PEL:	Total dust. as Al	OSHA Z1
	5 mg/m3	PEL:	Respirable dust. as Al	OSHA ZI
Mica	20 mppcf	PEL:	Total dust.	OSHA
	3 mg/m3 Time Weighted Average Respirable fraction. ACGI (TWA):			
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES	
Form	: Solic			applicable
Appearance	: Pelle	1	5	determined
Color	: GRE		•	established
Odor Melting point/range				applicable applicable
Boiling Point:		<ul><li>Not determined Vapour density</li><li>Not applicable pH</li></ul>		
Water solubility	: Not applicable pH : Not applicable : Insoluble			
	10. 8	STABILITY AND REAC	CTIVITY	
Stability	: S	table.		
Hazardous Polymerization	n : W	/ill not occur.		
Conditions to avoid	· K	een away from oxidizing	agents and open flame. To a	woid thermal

3/6

POLYONE	<b>CORPORATION</b>



# MATERIAL SAFETY DATA SHEET **RIMULA GREY**

sion Number 1.0 rision Date 01/27/200	5			Page 4 Print Date 11/17/2
		decomposition,	do not overheat.	
Incompatible Materials	;	Incompatible w	ith strong acids and o	oxidizing agents.
Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitroge (NOx), other hazardous materials, and smoke are all possible.				
	11.	TOXICOLOGIO	CAL INFORMATIO	ON
health data for the indi-				ure effects listed are based on exis
<u>Toxicity Overview</u> This product contains t	he following	g components whi	ch in their pure form	have the following characteristic
CAS-No.		nical Name	Effect	Target Organ
7429-90-5	Aluminum	1	Irritant	Skin, Respiratory system.
			Systemic effects	Eyes, Skin, Respiratory system
12001-26-2	Mica		Systemic effects	Respiratory system.
	1		L INFORMATION	I
		Chemicals are not readily available as they are bound within the polymer matrix. Chemicals are not readily available as they are bound within the polymer matrix.		
Additional advice	:	: No data available		
	1	3. DISPOSAL C	ONSIDERATIONS	
Product		: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging		: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	-	14. TRANSPOR	<b>T INFORMATION</b>	
U.S. DOT Classification	on :	Not regulated for	or transportation.	

IATERIAL SAFETY DATA SI	TION	I	olyOne.
RIMULA GREY			
	1EET		
Version Number 1.0 Revision Date 01/27/2005			Page 5 o Print Date 11/17/20
ICAO/IATA (air)	: Refer to specific	regulation.	
IMO / IMDG (maritime)	: Refer to specific	regulation.	
	15. REGULATORY	Y INFORMATION	
US Regulations:			
OSHA Status	: Classified as haz	ardous based on compor	nents.
TSCA Status	: All components Inventory.	of this product are listed	on or exempt from the TSCA
US. EPA CERCLA Hazardou	us Substances (40 CFR 3	02)	
Not applicable		02)	
California Propositior	: WARNING! Th	is product contains a che	emical known to the State of
California Propositior 65 SARA Title III Section 302 E Not applicable	California to cau	se cancer.	emical known to the State of
65 SARA Title III Section 302 E	California to cau Extremely Hazardous Sub	se cancer.	emical known to the State of
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Chemical Name	California to cau Extremely Hazardous Sub Yoxic Chemicals:	se cancer. ostance CAS-No.	Weight %
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T	California to cau Extremely Hazardous Sub Yoxic Chemicals:	se cancer.	
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Chemical Name	California to cau Extremely Hazardous Sub Yoxic Chemicals:	se cancer. ostance CAS-No.	Weight %
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Chemical Name ALUMINUM (FUMI Canadian Regulations:	California to cau Extremely Hazardous Sub Yoxic Chemicals:	se cancer. ostance CAS-No.	Weight %

PolyOne

### MATERIAL SAFETY DATA SHEET **RIMULA GREY**

Version Number 1.0 Revision Date 01/27/2005

Page 6 of 6 Print Date 11/17/2011

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	: 1	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.