MATERIAL SAFETY DATA SHEET PENNZOIL YELLOW

Version Number 1.0 Revision Date 01/31/2005

Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PENNZOIL YELLOW
Product code	:	CC10064801
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET PENNZOIL YELLOW

Version Number 1.0 Revision Date 01/31/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET PENNZOIL YELLOW

Version Number 1.0 Revision Date 01/31/2005 Page 3 of 6 Print Date 11/17/2011

8. E	XPOSURE	CONTROLS / PERSC	ONAL I	PROTECTION	
Respiratory protection	: N	lo personal respiratory p	orotectiv	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-s	shields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		landle in accordance wit Vash hands before break			safety practice
Engineering measures		leat only in areas with appropriate exhaust venti			Provide
Exposure limit(s)					
Components	Value	Exposure time	[Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Aver (TWA):	rage		ACGIH
	15 mg/m3	PEL:		Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICA	L PRO	PERTIES	
Form	: Solid	1	Evapor	ation rate : Not	t applicable
Appearance	: Pelle				t determined
Color	: YEL		Bulk de		t established
Odor	: Very	faint	Vapor	pressure : Not	t applicable
Melting point/range	: Not o	determined	Vapour	r density : Not	t applicable
Boiling Point:			pН	: Not	t applicable
Water solubility	: Insol	uble			
	10. 8	STABILITY AND REA	ACTIV	ITY	
Stability	: S	table.			
	n : W	Vill not occur.			
Hazardous Polymerization	12	leep away from oxidizin			avoid thermal
Hazardous Polymerization		ecomposition, do not ov	erheat.		



MATERIAL SAFETY DATA SHEET PENNZOIL YELLOW

Version Number 1.0

Revision Date 01/31/2005

Page 4 of 6 Print Date 11/17/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
	12. ECOLOGIC	CAL INFORMATION	I
Persistence and degrada	bility : Not readily bi	odegradable.	
Environmental Toxicity	: Chemicals are polymer matri		as they are bound within the
Bioaccumulation Potent	ial : Chemicals are polymer matri		as they are bound within the
Additional advice	: No data availa	able	
	13. DISPOSAL	CONSIDERATIONS	\$
Product Contaminated packagin	possible recyc generator of w classification, applicable fed g : Recycling is p	ling is preferred to dis vaste material has the r transportation and dis leral, state/provincial a	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation
		n accordance with app	licable federal, state/provincial
	14. TRANSPOL	RT INFORMATION	
U.S. DOT Classification	n : Not regulated	for transportation.	
ICAO/IATA (air)	: Refer to speci	fic regulation.	
IMO / IMDG (maritime) : Refer to speci	fic regulation.	
	15. REGULATO	ORY INFORMATION	N

PolyOne.

MATERIAL SAFETY DATA SHEET PENNZOIL YELLOW

sion Date 01/31/2005				Page Print Date 11/17
US Regulations:				
OSHA Status		Classified as beyond	ous based on some	coonto
	:	Classified as hazard	-	
TSCA Status	:	All components of t Inventory.	this product are liste	ed on or exempt from the TSC
US. EPA CERCLA Hazardous	s Sub	stances (40 CFR 302))	
Not applicable				
California Proposition 65	:	This product does no	ot contain a substar	ce listed by California Prop (
SARA Title III Section 302 Ex Not applicable	xtrem	ely Hazardous Substa	ince	
SARA Title III Section 313 To	oxic (Chemicals:		
Condian Domilation				
Canadian Regulations: National Pollutant Rele Chemical Name	ase Ii	nventory (NPRI)	CAS-No.	Weight % NPRI ID#
National Pollutant Rele	ase Ii	nventory (NPRI)	CAS-No. 1344-28-1	Weight % NPRI ID# 0.26 13
National Pollutant Rele Chemical Name		nventory (NPRI)		
National Pollutant Rele Chemical Name Aluminum oxide		Not controlled.	1344-28-1 been determined.	
National Pollutant Rele Chemical Name Aluminum oxide WHMIS Classification		Not controlled. DSL status has not	1344-28-1 been determined.	0.26 13
National Pollutant Rele Chemical Name Aluminum oxide WHMIS Classification DSL		Not controlled. DSL status has not	1344-28-1 been determined.	0.26 13
National Pollutant Rele Chemical Name Aluminum oxide WHMIS Classification DSL National Inventories:	ı : :	Not controlled. DSL status has not restricted by regulat	1344-28-1 been determined.	0.26 13
National Pollutant Rele Chemical Name Aluminum oxide WHMIS Classification DSL National Inventories: Australia AICS	ı : :	Not controlled. DSL status has not restricted by regulat Not determined	1344-28-1 been determined.	0.26 13
National Pollutant Rele Chemical Name Aluminum oxide WHMIS Classification DSL National Inventories: Australia AICS China IECS	. : : :	Not controlled. DSL status has not restricted by regulat Not determined Not determined	1344-28-1 been determined.	0.26 13
National Pollutant Rele Chemical Name Aluminum oxide WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS	. : : :	Not controlled. DSL status has not restricted by regulat Not determined Not determined Not determined	1344-28-1 been determined.	0.26 13
National Pollutant Rele Chemical Name Aluminum oxide WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS Japan ENCS	. : : :	Not controlled. DSL status has not restricted by regulat Not determined Not determined Not determined Not determined	1344-28-1 been determined.	0.26 13



MATERIAL SAFETY DATA SHEET **PENNZOIL YELLOW**

Version Number 1.0 Revision Date 01/31/2005

Page 6 of 6 Print Date 11/17/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.