### MATERIAL SAFETY DATA SHEET

### TL. PURPLE IRIS 2592C

Version Number 1.0 Revision Date 01/28/2005 Page 1 of 6 Print Date 11/17/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone : Emergency telephone : number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TL. PURPLE IRIS 2592C
Product code	:	CC10064870
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET **TL. PURPLE IRIS 2592C**

Version Number 1.0 Revision Date 01/28/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

# MATERIAL SAFETY DATA SHEET **TL. PURPLE IRIS 2592C**

Version Number 1.0 Revision Date 01/28/2005 Page 3 of 6 Print Date 11/17/2011

8. E	XPOSURE	<b>CONTROLS / PERS</b>	SONAL P	ROTECTION	
Respiratory protection	: N	lo personal respiratory	protective	e equipment normally r	equired.
Eye/Face Protection : Safety glasses with side-shields.					
Hand protection	protection : Protective gloves.				
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations		landle in accordance w Vash hands before brea		ndustrial hygiene and s the end of workday.	afety practice
Engineering measures	Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	2	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:		Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:		Total dust.	OSHA Z1
	9. 11130	CAL AND CHEMIC	AL PROP		
Form	: Solic	1	Evapora	tion rate : Not	applicable
Appearance	: Pelle	ets	Specific	Gravity: : Not	determined
	, DUD	DIE	Bulk der	nsity : Not	established
Color	: PUR				ampliachta
Color Odor	: Very	y faint	Vapor pi		
Color Odor Melting point/range	: Very : Not o	faint determined	Vapor pr Vapour o	density : Not	applicable
Color Odor Melting point/range Boiling Point:	: Very : Not of : Not a	r faint determined applicable	Vapor pi	density : Not	
Color Odor Melting point/range Boiling Point:	: Very : Not o	r faint determined applicable	Vapor pr Vapour o	density : Not	applicable
Color Odor Melting point/range Boiling Point:	: Very : Not o : Not a : Insol	r faint determined applicable	Vapor pr Vapour o pH	density : Not : Not	applicable
Color Odor Melting point/range Boiling Point:	: Very : Not o : Not a : Insol <b>10. S</b>	r faint determined applicable luble	Vapor pr Vapour o pH	density : Not : Not	applicable
Color Odor Melting point/range Boiling Point: Water solubility	: Very : Not a : Not a : Insol <b>10. S</b> : S	y faint determined applicable luble STABILITY AND RE	Vapor pr Vapour o pH	density : Not : Not	applicable
Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: Very : Not a : Not a : Insol 10. S : S n : W : K	y faint determined applicable luble STABILITY AND RE table. Vill not occur.	Vapor pr Vapour o pH EACTIVI	density : Not : Not	applicable applicable
Color Odor Melting point/range Boiling Point: Water solubility Stability	: Very : Not a : Not a : Insol 10. S : S n : W : K d	y faint determined applicable luble STABILITY AND RH table. Vill not occur. Geep away from oxidiz	Vapor pr Vapour o pH EACTIVI ing agents overheat.	density : Not : Not TY and open flame. To a	applicable applicable

PolyOne

## MATERIAL SAFETY DATA SHEET *TL. PURPLE IRIS 2592C*

#### Version Number 1.0

Revision Date 01/28/2005

Page 4 of 6 Print Date 11/17/2011

products

(NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION

PolyOne.

## MATERIAL SAFETY DATA SHEET **TL. PURPLE IRIS 2592C**

Version Number 1.0 Revision Date 01/28/2005		Page 5 of Print Date 11/17/201			
US Regulations:					
OSHA Status	:	Classified as hazardous based on components.			
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardous S	ub	stances (40 CFR 302)			
Not applicable					
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.			
SARA Title III Section 302 Extre Not applicable	SARA Title III Section 302 Extremely Hazardous Substance Not applicable				
SARA Title III Section 313 Toxi	c C	Chemicals:			
Not applicable Canadian Regulations:					
National Pollutant Release Inventory (NPRI)					
Not applicable					
WHMIS Classification	:	Not controlled.			
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.			
National Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Listed			
Korea KECI	:	Listed			
Philippines PICCS	:	Listed			
		16. OTHER INFORMATION			



## MATERIAL SAFETY DATA SHEET **TL. PURPLE IRIS 2592C**

Version Number 1.0 Revision Date 01/28/2005

Page 6 of 6 Print Date 11/17/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.