MATERIAL SAFETY DATA SHEET WHITE LIGHT 1 SHADE V2

Version Number 1.0 Revision Date 02/04/2005 Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WHITE LIGHT 1 SHADE V2
Product code	:	CC10065229
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET WHITE LIGHT 1 SHADE V2

Version Number 1.0 Revision Date 02/04/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation : Move to fresh air in case of accidental inhalation of fumes fr overheating or combustion. When symptoms persist or in al doubt seek medical advice.	
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards Personal precautions	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 6. ACCIDENTAL RELEASE MEASURES Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET WHITE LIGHT 1 SHADE V2

Version Number 1.0 Revision Date 02/04/2005 Page 3 of 6 Print Date 11/17/2011

8. H	XPOSURE	CONTROLS / PERSO	DNAL	PROTECTION		
Respiratory protection	: N	lo personal respiratory p	rotecti	ve equipment norm	ally r	equired.
Eye/Face Protection	: S	afety glasses with side-s	shields			
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		landle in accordance wit Vash hands before break				afety practice
Engineering measures		leat only in areas with a ppropriate exhaust venti			tion.	Provide
Exposure limit(s)						
Components	Value	Exposure time		Exposure type	<u>,</u>	List:
Titanium dioxide	10 mg/m3	Time Weighted Aver (TWA):	age		<u> </u>	ACGIH
	15 mg/m3	PEL:		Total dust.		OSHA Z1
	9. PHYSIC	CAL AND CHEMICA	L PRC	PERTIES		
P						
Form Appearance	: Solid : Pelle			c Gravity: :		applicable determined
Color	: WHI		Bulk d	•		established
Odor	• • • • = = =			pressure :		applicable
Melting point/range				r density :		applicable
Boiling Point:	: Not a		pH	:		applicable
Water solubility	: Insol	uble	-			
	10. 8	STABILITY AND REA	ACTIV	TTY		
Stability	: S	table.				
Hazardous Polymerization	n : W	Vill not occur.				
Conditions to avoid		eep away from oxidizin	00	1	To a	void thermal

PolyOne

MATERIAL SAFETY DATA SHEET WHITE LIGHT 1 SHADE V2

Version Number 1.0 Revision Date 02/04/2005

Page 4 of 6 Print Date 11/17/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGI	CAL INFORMATION	I			
Persistence and degrada	bility : Not readily b	viodegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Potent		: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice	: No data avai	lable				
	13. DISPOSAL	CONSIDERATIONS				
Product Contaminated packagin	g : Recycling is has the respondent	 Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 				
	14. TRANSPO	ORT INFORMATION				
U.S. DOT Classification	n : Not regulated	d for transportation.				
ICAO/IATA (air)	: Refer to spec	cific regulation.				
IMO / IMDG (maritime) : Refer to spec	tific regulation.				
	15. REGULAT	ORY INFORMATION	٧			

PolyOne.

MATERIAL SAFETY DATA SHEET WHITE LIGHT 1 SHADE V2

ion Number 1.0 sion Date 02/04/2005				Prin	Page 5 t Date 11/17/2
US Regulations:					
OSHA Status	:	Classified as hazardo	-		
TSCA Status	:	All components of the Inventory.	nis product are listed	l on or exemp	ot from the TSC.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)			
Not applicable					
California Proposition 65	:	This product does not	t contain a substanc	e listed by Ca	alifornia Prop 6:
SARA Title III Section 302 Ext Not applicable	rem	ely Hazardous Substan	nce		
SARA Title III Section 313 Tox	ic (Chemicals:			
Not applicable Canadian Regulations:					
National Pollutant Releas	se Ir	nventory (NPRI)	CAS-No.	Weight %	NPRI ID#
Aluminum oxide			1344-28-1	0.35	13
WHMIS Classification	:	Not controlled.			
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.				
National Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Not determined			
Korea KECI	:	Listed			
		T 1			
Philippines PICCS	:	Listed			

PolyOne

MATERIAL SAFETY DATA SHEET WHITE LIGHT 1 SHADE V2

Version Number 1.0 Revision Date 02/04/2005 Page 6 of 6 Print Date 11/17/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.