# MATERIAL SAFETY DATA SHEET

## **UV BROWN**

Version Number 1.0 Revision Date 02/25/2005 Page 1 of 6 Print Date 11/17/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	UV BROWN
Product code	CC10065726
Chemical Name	Mixture
CAS-No.	Mixture
Product Use	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Phenol,	25973-55-1	5 - 10
2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimeth		
ylpropyl)-		
Carbon black	1333-86-4	1 - 5
Iron oxide	1309-37-1	1 - 5
Calcium carbonate	1317-65-3	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>



### MATERIAL SAFETY DATA SHEET UV BROWN

Version Number 1.0 Revision Date 02/25/2005 Page 2 of 6 Print Date 11/17/2011

Medical Conditions	: None known.
Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen</li> </ul>
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



### MATERIAL SAFETY DATA SHEET UV BROWN

Version Number 1.0 Revision Date 02/25/2005		Page 3 of 6 Print Date <i>11/17/2011</i>
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXP	OSUF	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Carbon black	3.5 mg/m3	Time Weighted Average	Total dust. as carbon	ACGIH
		(TWA):	black	
	3.5 mg/m3	PEL:	Total dust. as carbon	OSHA Z1
			black	
Iron oxide	5 mg/m3	Time Weighted Average	Dust and fume. as Fe	ACGIH
		(TWA):		

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odor Melting point/range Boiling Point: Water solubility
- Solid
  Pellets
  BROWN
  Very faint
  Not determined
  Not applicable
  Insoluble
- Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH
- Not applicable
  Not determined
  Not established
  Not applicable
  Not applicable
  Not applicable
- **10. STABILITY AND REACTIVITY**



### MATERIAL SAFETY DATA SHEET UV BROWN

Version Number 1.0 Revision Date 02/25/2005

Page 4 of 6 Print Date 11/17/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
25973-55-1	Phenol, 2-(2H-benzotriazol-2-yl)-4 ,6-bis(1,1-dimethylpropyl)	Systemic effects	Kidney, Liver, reproductive system.
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
1309-37-1	Iron oxide	Systemic effects	Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

#### Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.



### MATERIAL SAFETY DATA SHEET UV BROWN

#### Version Number 1.0 Revision Date 02/25/2005

Page 5 of 6 Print Date 11/17/2011

Environmental Toxicity : Cipo Bioaccumulation Potential : Cipo Additional advice : N Product : Lipo ge cl ag Contaminated packaging : R	ossible recycling is preferred to disposal or incineration. The enerator of waste material has the responsibility for proper waste lassification, transportation and disposal in accordance with oplicable federal, state/provincial and local regulations. ecycling is preferred when possible. The generator of waste materia
Bioaccumulation Potential : Ct pd Additional advice : N Product : Li po ge cl ap Contaminated packaging : R	olymer matrix. hemicals are not readily available as they are bound within the olymer matrix. To data available DISPOSAL CONSIDERATIONS ike most thermoplastic plastics the product can be recycled. Where ossible recycling is preferred to disposal or incineration. The enerator of waste material has the responsibility for proper waste lassification, transportation and disposal in accordance with opplicable federal, state/provincial and local regulations. ecycling is preferred when possible. The generator of waste materia
Additional advice : N Additional advice : N Product : Li po ge cl ap Contaminated packaging : R ha	olymer matrix. To data available <b>DISPOSAL CONSIDERATIONS</b> ike most thermoplastic plastics the product can be recycled. Where ossible recycling is preferred to disposal or incineration. The enerator of waste material has the responsibility for proper waste lassification, transportation and disposal in accordance with pplicable federal, state/provincial and local regulations. ecycling is preferred when possible. The generator of waste materia
13. I         Product       : Li         po       ge         cl       ap         Contaminated packaging       : Re         ha	DISPOSAL CONSIDERATIONS ike most thermoplastic plastics the product can be recycled. Where ossible recycling is preferred to disposal or incineration. The enerator of waste material has the responsibility for proper waste lassification, transportation and disposal in accordance with oplicable federal, state/provincial and local regulations. ecycling is preferred when possible. The generator of waste materia
Product : Li po ge cl ap Contaminated packaging : Ro ha	ike most thermoplastic plastics the product can be recycled. Where ossible recycling is preferred to disposal or incineration. The enerator of waste material has the responsibility for proper waste lassification, transportation and disposal in accordance with pplicable federal, state/provincial and local regulations. ecycling is preferred when possible. The generator of waste materia
Contaminated packaging : Raha	ossible recycling is preferred to disposal or incineration. The enerator of waste material has the responsibility for proper waste lassification, transportation and disposal in accordance with pplicable federal, state/provincial and local regulations. ecycling is preferred when possible. The generator of waste materia
ha	
	as the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
14.	TRANSPORT INFORMATION
U.S. DOT Classification : N	ot regulated for transportation.
ICAO/IATA (air) : Re	efer to specific regulation.
IMO / IMDG (maritime) : Re	efer to specific regulation.
15. R	EGULATORY INFORMATION
US Regulations:	
OSHA Status : C	lassified as hazardous based on components.
	All components of this product are listed on or exempt from the TSCA aventory.
US. EPA CERCLA Hazardous Substar	nces (40 CFR 302)
Not applicable	



### MATERIAL SAFETY DATA SHEET UV BROWN

Version Number	er 1.0
<b>Revision Date</b>	02/25/2005

Page 6 of 6 Print Date 11/17/2011

California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Ex Not applicable	trem	ely Hazardous Substance
SARA Title III Section 313 To	xic (	Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Relea	ise Ii	nventory (NPRI)
Not applicable		
WHMIS Classification	:	D2A
WHMIS Ingredient Disc	closu	ire List
CAS-No. 1333-86-4 1309-37-1		
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.