MATERIAL SAFETY DATA SHEET

TL. GREEN VINE 625C

Version Number 1.0 Revision Date 02/24/2005 Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone Emergency telephone number | : | Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|--|---|---|
| Product name | : | TL. GREEN VINE 625C |
| Product code | : | CC10065908 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight % |
|----------------------|-----------|----------|
| Calcium carbonate | 1317-65-3 | 1 - 5 |
| Chromium (III) oxide | 1308-38-9 | 1 - 5 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact | | | | |
|---|---|--|--|--|--|
| Acute exposure | | | | | |
| Inhalation Ingestion Eyes | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. | | | | |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. | | | | |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. | | | | |
| Medical Conditions Aggravated by Exposure: | : None known. | | | | |



MATERIAL SAFETY DATA SHEET **TL. GREEN VINE 625C**

Version Number 1.0 Revision Date 02/24/2005 Page 2 of 6 Print Date 11/17/2011

| | 4. FIRST AID MEASURES |
|---|--|
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists see medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures | Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne |
| Unusual Fire/Explosion Hazards | contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |
| Storage | : Keep containers dry and tightly closed to avoid moisture absorption |

PolyOne.

MATERIAL SAFETY DATA SHEET **TL. GREEN VINE 625C**

Version Number 1.0 Revision Date 02/24/2005 Page 3 of 6 Print Date 11/17/2011

| 8. ł | EXPOSURE | CONTROLS / PERSO | ONAL PI | ROTECTION | | |
|-----------------------------------|-----------|--|------------|----------------------|----------------|--|
| Respiratory protection | : N | o personal respiratory p | orotective | equipment normally | required. | |
| Eye/Face Protection | : S | afety glasses with side-s | shields. | | | |
| Hand protection | : P | : Protective gloves. | | | | |
| Skin and body protection | : L | ong sleeved clothing. | | | | |
| Additional Protective Measures | : S | afety shoes. | | | | |
| General Hygiene Considerations | | andle in accordance with ash hands before break | | | afety practice | |
| Engineering measures | | eat only in areas with appropriate exhaust ventil | | | Provide | |
| Exposure limit(s) | | | | | | |
| Components | Value | Exposure time | | Exposure type | List: | |
| Calcium carbonate | 5 mg/m3 | PEL: | | Respirable fraction. | OSHA Z1 | |
| | 15 mg/m3 | PEL: | | Total dust. | OSHA Z1 | |
| Chromium (III) oxide | 0.5 mg/m3 | Time Weighted Average (TWA): | | as Cr | ACGIH | |
| | 0.5 mg/m3 | | | as Cr | OSHA Z1 | |
| | 9. PHYSIC | CAL AND CHEMICAI | L PROP | ERTIES | | |
| Form | : Solid | | Evaporat | ion rate · Not | applicable | |
| Appearance | : Pelle | | Specific | | determined | |
| Color | : GRE | | Bulk den | | established | |
| Odor | : Very | | Vapor pr | • | applicable | |
| Melting point/range | | | Vapour d | | applicable | |
| Boiling Point: | : Not a | applicable | pH | | applicable | |
| Water solubility | : Insol | uble | | | | |
| | 10. 8 | STABILITY AND REA | ACTIVIT | ГҮ | | |
| Stability | : S | table. | | | | |
| Stability | | Vill not occur. | | | | |
| Hazardous Polymerization | n : V | in not occur. | | | | |



MATERIAL SAFETY DATA SHEET **TL. GREEN VINE 625C**

Version Number 1.0

Revision Date 02/24/2005

Page 4 of 6 Print Date 11/17/2011

| Incompatible Materials | : | Incompatible with strong acids and oxidizing agents. |
|----------------------------------|---|--|
| Hazardous decomposition products | : | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ |
|-----------|----------------------|------------------|---------------------------------|
| 1317-65-3 | Calcium carbonate | Irritant | Eyes, Skin. |
| | | Systemic effects | Eyes, Skin, Respiratory system. |
| 1308-38-9 | Chromium (III) oxide | Irritant | Eyes, Skin. |
| | | sensitizer | Skin. |

Additional Health Hazard Information:

Chromium (III) oxide 1308-38-9 The bi and trivalent forms of chrome have a low order of acute toxicity but may cause skin sensitization and irritation to the eyes. No effects have been reported for chromium (III) oxide. Chromium (III) componds are not considered carcinogenic in animals or humans.

12. ECOLOGICAL INFORMATION

| Persistence and degradability | : Not readily biodegradable. |
|-------------------------------|---|
| Environmental Toxicity | : Chemicals are not readily available as they are bound within the polymer matrix. |
| Bioaccumulation Potential | : Chemicals are not readily available as they are bound within the polymer matrix. |
| Additional advice | : No data available |
| | 13. DISPOSAL CONSIDERATIONS |
| Product | : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging | : Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| | 14. TRANSPORT INFORMATION |

PolyOne.

MATERIAL SAFETY DATA SHEET **TL. GREEN VINE 625C**

Version Number 1.0 Revision Date 02/24/2005 Page 5 of 6 Print Date 11/17/2011

| ICAO/IATA (air) | | Refer to specific reg | ulation | | | |
|--|-------------------------------------|--|---------------------------------------|--------------------|------------------------|--------------------|
| | • | | | | | |
| IMO / IMDG (maritime) | : | Refer to specific reg | ulation. | | | |
| | 15 | S. REGULATORY IN | NFORMA | ΓΙΟΝ | | |
| US Regulations: | | | | | | |
| OSHA Status | : | Classified as hazardo | ous based o | n comp | onents. | |
| TSCA Status | : | All components of the Inventory. | his product | are liste | ed on or exem | pt from the TSC |
| US. EPA CERCLA Hazardou | is Sub | stances (40 CFR 302) | | | | |
| Not applicable | | | | | | |
| | | | | | | |
| California Proposition 65 | ı : | WARNING! This p California to cause c | | ains a c | hemical know | wn to the State of |
| - | xtrem | California to cause c ely Hazardous Substat | ancer. | ains a c | hemical knov | wn to the State o |
| 65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T | xtrem | California to cause c ely Hazardous Substat | ancer. | | | |
| 65 SARA Title III Section 302 E Not applicable | oxic C | California to cause c ely Hazardous Substar Chemicals: | ancer. | -No. | hemical know Weight | |
| 65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Chemical Name | oxic C | California to cause c ely Hazardous Substar Chemicals: | ancer. | -No. | Weight | |
| 65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Chemical Name CHROMIUM III COM | Coxic C | California to cause c ely Hazardous Substar Chemicals: JNDS | ancer. | -No. | Weight | |
| 65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Chemical Name CHROMIUM III COM Canadian Regulations: National Pollutant Rele Chemical Name | Coxic C | California to cause c ely Hazardous Substar Chemicals: JNDS | ancer. nce CAS 1308 CAS-N | -No. 38-9 D. | Weight 1.76 | t % NPRI ID#_ |
| 65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Chemical Name CHROMIUM III COM Canadian Regulations: National Pollutant Rele | Coxic C | California to cause c ely Hazardous Substar Chemicals: JNDS | ancer. nce CAS 1308 | -No. 38-9 D. | Weight 1.76 | t % |
| 65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Chemical Name CHROMIUM III COM Canadian Regulations: National Pollutant Rele Chemical Name | xtrem Foxic C MPOL ease In | California to cause c ely Hazardous Substar Chemicals: JNDS nventory (NPRI) D2B | ancer. nce CAS 1308 CAS-N | -No. 38-9 D. | Weight 1.76 | t % NPRI ID#_ |



MATERIAL SAFETY DATA SHEET TL. GREEN VINE 625C

Version Number 1.0 Revision Date 02/24/2005 Page 6 of 6 Print Date 11/17/2011

| | DSL | : | All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. | |
|----|---------------------|---|--|---|
| Na | tional Inventories: | | | |
| | Australia AICS | : | Listed | |
| | China IECS | : | Listed | |
| | Europe EINECS | : | Listed | |
| | Japan ENCS | : | Listed | |
| | Korea KECI | : | Listed | |
| | Philippines PICCS | : | Listed | |
| | | | | ┞ |

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.