### MATERIAL SAFETY DATA SHEET DARK BRUNETTE INNER

Version Number 1.1 Revision Date 03/10/2005

Page 1 of 6 Print Date 11/17/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	DARK BRUNETTE INNER
Product code :	CC10066566
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	1 - 5
Iron oxide	1309-37-1	1 - 5

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET **DARK BRUNETTE INNER**

Version Number 1.1 Revision Date 03/10/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

# MATERIAL SAFETY DATA SHEET **DARK BRUNETTE INNER**

Version Number 1.1 Revision Date 03/10/2005 Page 3 of 6 Print Date 11/17/2011

8. H	XPOSURE	<b>CONTROLS / PERSONAL</b>	PROTECTION	
Respiratory protection	: N	lo personal respiratory protect	ive equipment normally r	equired.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and		afety practice
Engineering measures		leat only in areas with appropr ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Carbon black	3.5 mg/m3	Time Weighted Average (TWA):	Total dust. as carbon black	ACGIH
	3.5 mg/m3	PEL:	Total dust. as carbon black	OSHA Z1
Iron oxide	5 mg/m3	Time Weighted Average (TWA):	Dust and fume. as Fe	ACGIH
	9. PHYSIC	CAL AND CHEMICAL PRO	<b>DPERTIES</b>	
Form	: Solid	ł Evano	ration rate : Not	applicable
Appearance	: Pelle			determined
	: BRO	-	•	established
Color	: Very			applicable
Color Odor	: Not o			applicable
		-	· Not	applicable
Odor	: Not a	applicable pH	. 100	
Odor Melting point/range	: Not a : Insol		. Not	
Odor Melting point/range Boiling Point:	: Insol			
Odor Melting point/range Boiling Point:	: Insol 10. S	uble		
Odor Melting point/range Boiling Point: Water solubility	: Insol 10. S : S	TABILITY AND REACTIV		

## MATERIAL SAFETY DATA SHEET **DARK BRUNETTE INNER**

Version Number 1.1 Revision Date 03/10/2005 Page 4 of 6 Print Date 11/17/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
1309-37-1	Iron oxide	Systemic effects	Respiratory system.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

#### Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

#### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	No data available

PolyOne

# MATERIAL SAFETY DATA SHEET **DARK BRUNETTE INNER**

Version Number 1.1 Revision Date 03/10/2005 Page 5 of 6 Print Date 11/17/2011

Draduat	Like most the most	lastic plastics the prod	ust can be reavaled. Who
Product	possible recycling i generator of waste classification, trans	is preferred to disposa	nsibility for proper waste in accordance with
Contaminated packaging	has the responsibili	ty for proper waste cla ordance with applicab	e generator of waste mate assification, transportation le federal, state/provincial
	14. TRANSPORT IN	NFORMATION	
U.S. DOT Classification	: Not regulated for tr	ansportation.	
ICAO/IATA (air)	: Refer to specific re	gulation.	
IMO / IMDG (maritime)	: Refer to specific re	gulation.	
	15. REGULATORY	NFORMATION	
US Regulations:			
OSHA Status	: Classified as hazard	dous based on compor	ents.
TSCA Status	: All components of Inventory.	this product are listed	on or exempt from the TS
US. EPA CERCLA Hazardo	us Substances (40 CFR 302	)	
Not applicable			
California Propositio 65	n : This product does r	not contain a substance	listed by California Prop
SARA Title III Section 302 I Not applicable	Extremely Hazardous Subst	ance	
SARA Title III Section 313	Foxic Chemicals:		
Chemical Name		CAS-No.	Weight %
ZINC COMPOUND	S	12063-19-3	14.40

PolyOne.

# MATERIAL SAFETY DATA SHEET **DARK BRUNETTE INNER**

### Version Number 1.1 Revision Date 03/10/2005

Page 6 of 6 Print Date 11/17/2011

Chemical Name		ventory (NPRI)	CAS-No.	Weight %	NPRI ID#
Zinc iron oxide			12063-19-3	14.40	231
WHMIS Classification	n :	D2A			
WHMIS Ingredient Di	sclosure	e List			
CAS-No. 1333-86-4 1309-37-1					
DSL	:	All components of the Substances List (DSI		the Canadian	Domestic
DSL Jational Inventories:	-			the Canadian	Domestic
				the Canadian	Domestic
Vational Inventories:	:	Substances List (DSI		the Canadian	Domestic
Vational Inventories: Australia AICS	:	Substances List (DSI		the Canadian	Domestic
lational Inventories: Australia AICS China IECS	:	Substances List (DSI Listed Listed		the Canadian	Domestic
Vational Inventories: Australia AICS China IECS Europe EINECS	: : :	Substances List (DSI Listed Listed Listed		the Canadian	Domestic

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.