## MATERIAL SAFETY DATA SHEET **DARK BLONDE INNER V2**

Version Number 1.0 Revision Date 03/16/2005

Page 1 of 6 Print Date 11/17/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number		Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DARK BLONDE INNER V2
Product code	:	CC10067299
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5
Titanium dioxide	13463-67-7	10 - 30

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET **DARK BLONDE INNER V2**

Version Number 1.0 Revision Date 03/16/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

## MATERIAL SAFETY DATA SHEET DARK BLONDE INNER V2

Version Number 1.0 Revision Date 03/16/2005 Page 3 of 6 Print Date 11/17/2011

8. H	XPOSURE	CONTROLS / PERSONA	AL PROTECTION	
Respiratory protection	: N	o personal respiratory prot	ective equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shie	elds.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		landle in accordance with g Vash hands before breaks an	ood industrial hygiene and s nd at the end of workday.	afety practice
Engineering measures		leat only in areas with appropriate exhaust ventilati	opriate exhaust ventilation. on at machinery.	Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average (TWA):		ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	2	ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL P	PROPERTIES	
Form	: Solid	I Fv	aporation rate : Not	applicable
Appearance	: Pelle			determined
Color	: BRO			established
Odor	: Very	faint Vaj	por pressure : Not	applicable
Melting point/range		-		applicable
Boiling Point:		applicable pH	: Not	applicable
Water solubility	: Insol	uble		
	10. 8	STABILITY AND REAC	ΓΙVITY	
	: S	table.		
Stability		7:11		
Stability Hazardous Polymerization	n : W	Vill not occur.		

P<u>olyOne</u>

## MATERIAL SAFETY DATA SHEET **DARK BLONDE INNER V2**

#### Version Number 1.0 Revision Date 03/16/2005

Page 4 of 6 Print Date 11/17/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-37-1	Iron oxide	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	<ul> <li>Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation</li> </ul>
	and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.

PolyOne.

# MATERIAL SAFETY DATA SHEET **DARK BLONDE INNER V2**

Version Number 1.0 Revision Date 03/16/2005 Page 5 of 6 Print Date 11/17/2011

	1	5. REGULATO	RY INFORMATION		
US Regulations:					
OSHA Status	:	Classified as h	azardous based on com	ponents.	
TSCA Status	:	All componen Inventory.	ts of this product are list	ted on or exemp	ot from the TSCA
US. EPA CERCLA Hazard	lous Sut	ostances (40 CFR	R 302)		
Not applicable					
California Propositi 65	ion :	This product de	oes not contain a substa	nce listed by C	alifornia Prop 65
SARA Title III Section 302 Not applicable	2 Extren	nely Hazardous S	Substance		
		~			
Not applicable	5 TOXIC	Chemicals:			
Not applicable Canadian Regulations: National Pollutant R					
Not applicable Canadian Regulations: <u>National Pollutant R</u> Chemical Name			CAS-No.	Weight %	NPRI ID#
Not applicable Canadian Regulations: National Pollutant R				Weight % 0.26	NPRI ID# 13
Not applicable Canadian Regulations: <u>National Pollutant R</u> Chemical Name	Release 1	(nventory (NPRI)	CAS-No. 1344-28-1		
Canadian Regulations: National Pollutant R Chemical Name Aluminum oxide	Release 1	Inventory (NPRI)	CAS-No. 1344-28-1	0.26	13
Not applicable Canadian Regulations: <u>National Pollutant R</u> Chemical Name Aluminum oxide WHMIS Classificat DSL	Release I	Inventory (NPRI)	CAS-No. 1344-28-1	0.26	13
Not applicable Canadian Regulations: <u>National Pollutant R</u> Chemical Name Aluminum oxide WHMIS Classificat DSL	Release I	Inventory (NPRI)	CAS-No. 1344-28-1	0.26	13
Not applicable Canadian Regulations: <u>National Pollutant R</u> Chemical Name Aluminum oxide WHMIS Classificat DSL National Inventories:	tion :	Inventory (NPRI) Not controlled All componen Substances Lis	CAS-No. 1344-28-1	0.26	13
Not applicable Canadian Regulations: <u>National Pollutant R</u> Chemical Name Aluminum oxide WHMIS Classificat DSL National Inventories: Australia AICS	tion :	Inventory (NPRI)	CAS-No. 1344-28-1	0.26	13
Not applicable Canadian Regulations: <u>National Pollutant R</u> Chemical Name Aluminum oxide WHMIS Classificat DSL National Inventories: Australia AICS China IECS	tion :	Inventory (NPRI) Not controlled All componen Substances Lis Listed Listed	CAS-No. 1344-28-1	0.26	13



## MATERIAL SAFETY DATA SHEET **DARK BLONDE INNER V2**

Version Number 1.0 Revision Date 03/16/2005 Page 6 of 6 Print Date 11/17/2011

Philippines PICCS : Listed

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.