MATERIAL SAFETY DATA SHEET

TR. SPARKLE GREEN

Version Number 1.0 Revision Date 03/23/2005

Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TR. SPARKLE GREEN
Product code	:	CC10067314
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Aluminum	7429-90-5	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET TR. SPARKLE GREEN

Version Number 1.0 Revision Date 03/23/2005 Page 2 of 6 Print Date 11/17/2011

Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET TR. SPARKLE GREEN

Version Number 1.0 Revision Date 03/23/2005 Page 3 of 6 Print Date 11/17/2011

8. E	XPOSURE	CONTROLS / PERSON	AL PROTECTION		
Respiratory protection	: N	lo personal respiratory pro	tective equipment normally	required.	
Eye/Face Protection	: S	: Safety glasses with side-shields.			
Hand protection	: P	: Protective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		leat only in areas with app ppropriate exhaust ventilat	ropriate exhaust ventilation. tion at machinery.	Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Aluminum	10 mg/m3	Time Weighted Averag (TWA):	ge Dust.	ACGIH	
	15 mg/m3	PEL:	Total dust. as Al	OSHA Z1	
	5 mg/m3	PEL:	Respirable dust. as Al	OSHA Z1	
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES		
Form	: Solid	i Fi	vaporation rate : Not	t applicable	
Appearance	: Pelle		-	t determined	
Color	: GRE		•	t established	
Odor	: Very		-	t applicable	
Melting point/range		determined Va		t applicable	
Boiling Point:		applicable pH	H : Not	t applicable	
Water solubility	: Insol	uble			
	10. 5	STABILITY AND REAC	CTIVITY		
Stability	: S	table.			
Hazardous Polymerizatior	1 : W	Vill not occur.			
Conditions to avoid		Leep away from oxidizing ecomposition, do not over	agents and open flame. To a heat.	avoid thermal	
Incompatible Materials	T	ncompatible with strong ac			



MATERIAL SAFETY DATA SHEET **TR. SPARKLE GREEN**

Version Number 1.0 Revision Date 03/23/2005

Page 4 of 6 Print Date 11/17/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

_

_

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7429-90-5	Aluminum	Irritant	Skin, Respiratory system.
		Systemic effects	Eyes, Skin, Respiratory system.

12. ECOLOGICAL INFORMATION

: : 13	Not readily biodegradable. Chemicals are not readily available as they are bound within the polymer matrix. Chemicals are not readily available as they are bound within the polymer matrix. No data available DISPOSAL CONSIDERATIONS Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with
: : 13	polymer matrix. Chemicals are not readily available as they are bound within the polymer matrix. No data available DISPOSAL CONSIDERATIONS Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with
:	polymer matrix. No data available DISPOSAL CONSIDERATIONS Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with
13	DISPOSAL CONSIDERATIONS Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with
	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with
:	possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with
	applicable federal, state/provincial and local regulations.
:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
14	4. TRANSPORT INFORMATION
:	Not regulated for transportation.
:	Refer to specific regulation.
:	Refer to specific regulation.
:	<u>1</u>

PolyOne.

MATERIAL SAFETY DATA SHEET **TR. SPARKLE GREEN**

Version Number 1.0 Revision Date 03/23/2005 Page 5 of 6 Print Date 11/17/2011

US Regulations:					
OSHA Status	:	Classified as hazardou	is based on comp	oonents.	
TSCA Status : All components of this product are listed on or exem Inventory.				pt from the TSC	
US. EPA CERCLA Hazardo	ous Subs	stances (40 CFR 302)			
Not applicable					
California Propositio 65	on :	WARNING! This pro California to cause ca		chemical know	vn to the State o
SARA Title III Section 302 Not applicable	Extreme	ely Hazardous Substand	ce		
SARA Title III Section 313	Toxic C	Chemicals:			
Chemical Name			CAS-No.	Weight	%
ALUMINUM (FUN	⁄IE OR I	DUST)	CAS-No. 7429-90-5	Weight 11.02	%
ALUMINUM (FUN Canadian Regulations: National Pollutant Re Chemical Name			7429-90-5 CAS-No.	11.02 Weight %	NPRI ID#
ALUMINUM (FUN Canadian Regulations: National Pollutant Re Chemical Name Aluminum			7429-90-5 CAS-No. 7429-90-5	Ueight %	NPRI ID# 12
ALUMINUM (FUN Canadian Regulations: National Pollutant Re Chemical Name			7429-90-5 CAS-No.	11.02 Weight %	NPRI ID#
ALUMINUM (FUN Canadian Regulations: National Pollutant Re Chemical Name Aluminum	elease In	nventory (NPRI)	7429-90-5 CAS-No. 7429-90-5	Ueight %	NPRI ID# 12
ALUMINUM (FUN Canadian Regulations: National Pollutant Ro Chemical Name Aluminum Phthalocyanine green WHMIS Classificati WHMIS Ingredient I CAS-No.	elease In	nventory (NPRI)	7429-90-5 CAS-No. 7429-90-5 1328-53-6	Weight % 11.02 0.12	NPRI ID# 12 71
ALUMINUM (FUN Canadian Regulations: National Pollutant Ro Chemical Name Aluminum Phthalocyanine green WHMIS Classificati WHMIS Ingredient I CAS-No. 7429-90-5	elease In	nventory (NPRI) D2B re List All components of th	7429-90-5 CAS-No. 7429-90-5 1328-53-6	Weight % 11.02 0.12	NPRI ID# 12 71

PolyOne

MATERIAL SAFETY DATA SHEET **TR. SPARKLE GREEN**

Version Number 1.0 Revision Date 03/23/2005

Page 6 of 6 Print Date 11/17/2011

China IECS	: Listed
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Listed
Philippines PICCS	: Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.