## MATERIAL SAFETY DATA SHEET BLUE HELMET 292C M

Version Number 1.0 Revision Date 04/12/2005

Page 1 of 6 Print Date 11/17/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number		Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE HELMET 292C M
Product code	:	CC10068381
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	10 - 30
Titanium dioxide	13463-67-7	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin Chronic exposure	<ul> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> <li>Refer to Section 11 for Toxicological Information.</li> </ul>
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET BLUE HELMET 292C M

Version Number 1.0 Revision Date 04/12/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne.

## MATERIAL SAFETY DATA SHEET **BLUE HELMET 292C M**

Version Number 1.0 Revision Date 04/12/2005 Page 3 of 6 Print Date 11/17/2011

8. E	XPOSURE	CONTROLS / PERSO	ONAL P	ROTECTION	
Respiratory protection	: N	lo personal respiratory p	protectiv	e equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-	shields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		landle in accordance wit Vash hands before break			safety practice
Engineering measures		leat only in areas with a ppropriate exhaust venti			Provide
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:		Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:		Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Aver (TWA):	rage		ACGIH
	15 mg/m3	PEL:		Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICA	L PROI	PERTIES	
Form	: Solid	1	Evapora	ation rate : No	t applicable
Appearance	: Pelle				t determined
Color	: BLU	Έ	Bulk de	nsity : No	t established
Odor	: Very	r faint	Vapor p	oressure : No	t applicable
Melting point/range			Vapour		t applicable
Boiling Point:		11	pН	: No	t applicable
Water solubility	: Insol	luble			
	10. 8	STABILITY AND REA	ACTIVI	TY	
	: S	table.			
Stability					
Stability Hazardous Polymerization	n:W	Vill not occur.			



## MATERIAL SAFETY DATA SHEET BLUE HELMET 292C M

#### Version Number 1.0 Revision Date 04/12/2005

Page 4 of 6 Print Date <u>11/17/2011</u>

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.

PolyOne.

## MATERIAL SAFETY DATA SHEET BLUE HELMET 292C M

Version Number 1.0 Revision Date 04/12/2005 Page 5 of 6 Print Date 11/17/2011

	15.	. REGULATORY I	NFORMATION		
US Regulations:					
OSHA Status	:	Classified as hazard	lous based on com	ponents.	
TSCA Status	:	All components of Inventory.	this product are lis	sted on or exem	pt from the TSC
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)	)		
Not applicable					
California Proposition 65	:	This product does no	ot contain a substa	ance listed by C	alifornia Prop 65
SADA Title III Section 200 E-	romo	ly Hazardous Substa	ance		
SARA Title III Section 302 Ext Not applicable	lieme	ry mazardous Substa			
		-			
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations:	xic C	hemicals:			
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: <u>National Pollutant Relea</u> Chemical Name	xic C	hemicals:	CAS-No.	Weight %	NPRI ID#
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide	xic C	hemicals:	CAS-No. 1344-28-1	0.26	13
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: <u>National Pollutant Relea</u> Chemical Name	xic C	hemicals:	CAS-No.		
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide Phthalocyanine blue	xic C	Themicals:	CAS-No. 1344-28-1	0.26	13
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide Phthalocyanine blue	xic C	hemicals:	CAS-No. 1344-28-1	0.26	13
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide Phthalocyanine blue	xic C	Themicals:	CAS-No. 1344-28-1 147-14-8 this product are o	0.26 0.24	13 71
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide Phthalocyanine blue WHMIS Classification	xic C	Not controlled.	CAS-No. 1344-28-1 147-14-8 this product are o	0.26 0.24	13 71
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> <u>Aluminum oxide</u> Phthalocyanine blue WHMIS Classification DSL	xic C	Not controlled.	CAS-No. 1344-28-1 147-14-8 this product are o	0.26 0.24	13 71
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> <u>Aluminum oxide</u> Phthalocyanine blue WHMIS Classification DSL National Inventories:	xic C use In : :	Not controlled. All components of Substances List (DS	CAS-No. 1344-28-1 147-14-8 this product are o	0.26 0.24	13 71
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide Phthalocyanine blue WHMIS Classification DSL National Inventories: Australia AICS	xic C use In : :	Not controlled. All components of Substances List (DS	CAS-No. 1344-28-1 147-14-8 this product are o	0.26 0.24	13 71

## MATERIAL SAFETY DATA SHEET BLUE HELMET 292C M

Version Number 1.0 Revision Date 04/12/2005 Page 6 of 6 Print Date 11/17/2011

Korea KECI : Listed

Philippines PICCS :

**16. OTHER INFORMATION** 

Listed

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.