MATERIAL SAFETY DATA SHEET FRESH-PICKED GREEN

Version Number 1.0 Revision Date 04/22/2005

Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	FRESH-PICKED GREEN
Product code	:	CC10068849
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET FRESH-PICKED GREEN

Version Number 1.0 Revision Date 04/22/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET FRESH-PICKED GREEN

Version Number 1.0 Revision Date 04/22/2005 Page 3 of 6 Print Date 11/17/2011

8.1	EXPOSURE	CONTROLS / PERSO	DNAL	PROTECTION		
Respiratory protection		o personal respiratory pusty conditions occur w				
Eye/Face Protection	: sa	afety glasses				
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations	pi	Vash hands and face bef roduct. Handle in accor ractice for diagnostics.				
Engineering measures		eat only in areas with a ppropriate exhaust vent			tion. P	rovide
Exposure limit(s)						
Components	Value	Exposure time		Exposure type	e	List:
Silica, amorphous	20 mppcf	PEL:		Total dust.		OSHA
	20 mppcf	PEL:		Total dust.		Z3
	10 mg/m3	Time Weighted Ave (TWA):	rage			ACGIH
	0.8 mg/m3	Time Weighted Ave (TWA):	rage			Z3
Titanium dioxide	10 mg/m3	Time Weighted Ave (TWA):	rage			ACGIH
		DEI		Total dust.		OSHA Z
	15 mg/m3	PEL:		Total dust.		
		PEL: CAL AND CHEMICA	L PRO			
Form Appearance Color		C <mark>AL AND CHEMICA</mark> I s	Evapor Specifi	PERTIES ration rate : c Gravity: :	Not de	oplicable etermined etermined
Form Appearance	9. PHYSIC : Solid : flake : GRE : Very	CAL AND CHEMICA I s EN faint	Evapor Specifi Bulk de Vapor	PERTIES ration rate : c Gravity: : ensity : pressure :	Not de Not de	etermined
Form Appearance Color Odor Melting point/range	9. PHYSIC : Solid : flake : GRE : Very : Grea	CAL AND CHEMICA I s EN faint ter than 130 °C	Evapor Specifi Bulk de Vapor Vapou	PERTIES ation rate : c Gravity: : ensity :	Not de Not de Not de	etermined etermined etermined etermined
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solid : flake : GRE : Very : Grea : Not a	CAL AND CHEMICA s EN faint ter than 130 °C applicable	Evapor Specifi Bulk de Vapor	PERTIES ration rate : c Gravity: : ensity : pressure :	Not de Not de Not de	etermined etermined etermined
Form Appearance Color Odor Melting point/range	9. PHYSIC : Solid : flake : GRE : Very : Grea	CAL AND CHEMICA s EN faint ter than 130 °C applicable	Evapor Specifi Bulk de Vapor Vapou	PERTIES ration rate : c Gravity: : ensity : pressure :	Not de Not de Not de	etermined etermined etermined etermined

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET FRESH-PICKED GREEN

Version Number 1.0 Revision Date 04/22/2005 Page 4 of 6 Print Date 11/17/2011

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Not inherently biodegradable.
Additional advice	:	Chemicals are not readily available as they are bound within the polymer matrix.
	1	3. DISPOSAL CONSIDERATIONS
Product	:	Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification		Refer to specific regulation.

PolyOne.

MATERIAL SAFETY DATA SHEET FRESH-PICKED GREEN

Version Number 1.0 Revision Date 04/22/2005 Page 5 of 6 Print Date 11/17/2011

ICAO/IATA (air)	:	Refer to specific regul	lation.		
IMO / IMDG (maritime)	:	Refer to specific regul	lation.		
	15	S. REGULATORY IN	FORMATION		
US Regulations:					
OSHA Status	:	Classified as hazardou	is based on compo	nents.	
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.				
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)			
Not applicable					
California Proposition	:	Not applicable			
65					
SARA Title III Section 302 Ex Not applicable	trem	ely Hazardous Substand	ce		
SARA Title III Section 313 To	xic (Chemicals:			
Not applicable Canadian Regulations:					
	ase Iı	ventory (NPRI)			
Canadian Regulations: National Pollutant Rele Chemical Name	ase Iı	nventory (NPRI)	CAS-No.	Weight %	NPRI ID#
Canadian Regulations: National Pollutant Rele	ase Iı	nventory (NPRI)	CAS-No. 1308-38-9	Weight % 0.77	NPRI ID# 69
Canadian Regulations: National Pollutant Rele Chemical Name		nventory (NPRI)		-	
Canadian Regulations: National Pollutant Rele Chemical Name Chromium (III) oxide			1308-38-9 is product are on th	0.77	69
Canadian Regulations: National Pollutant Rele Chemical Name Chromium (III) oxide WHMIS Classification		Not controlled. All components of th	1308-38-9 is product are on th	0.77	69
Canadian Regulations: National Pollutant Relea Chemical Name Chromium (III) oxide WHMIS Classification DSL		Not controlled. All components of th	1308-38-9 is product are on th	0.77	69
Canadian Regulations: National Pollutant Relea Chemical Name Chromium (III) oxide WHMIS Classification DSL National Inventories:	:	Not controlled. All components of th Substances List (DSL	1308-38-9 is product are on th	0.77	69
Canadian Regulations: National Pollutant Relea Chemical Name Chromium (III) oxide WHMIS Classification DSL National Inventories: Australia AICS	:	Not controlled. All components of th Substances List (DSL Listed	1308-38-9 is product are on th	0.77	69

POLYONE CORPORA	PolyOne.			
MATERIAL SAFETY DATA SH	ЕЕТ			
FRESH-PICKED GREI	EN			
Version Number 1.0 Revision Date 04/22/2005			Print Date	Page 6 of 6 11/17/2011
Japan ENCS	:	Listed		
Korea KECI	:	Listed		
Philippines PICCS	:	Listed		
		16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.