MATERIAL SAFETY DATA SHEET

PET, GREEN

Version Number 1.0 Revision Date 05/05/2005 Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PET, GREEN
Product code	:	CC10069465
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous, fumed, crystal-free	112945-52-5	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	Exposure: : Inhalation, Skin contact, Ingestion			
Acute exposure				
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.			
Ingestion	: May be harmful if swallowed.			
Eyes	: Irritating to eyes and respiratory system.			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			
Medical Conditions Aggravated by Exposure:	: None known.			



MATERIAL SAFETY DATA SHEET

PET, GREEN

Version Number 1.0 Revision Date 05/05/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Greater than 200 °F (93 °C)
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	 Not applicable Not applicable Not applicable Carbon dioxide blanket, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

PET, GREEN

Version Number 1.0 Revision Date 05/05/2005 Page 3 of 6 Print Date 11/17/2011

8. I	XPOSURE	CONTROLS / PERS	ONAL	PROTECTION		
Respiratory protection	: U	nder normal handling	conditio	ons a respirator may not l	be required.	
Eye/Face Protection	: S	: Safety glasses with side-shields.				
Hand protection	: P	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.					
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance wi /ash hands before brea		industrial hygiene and s at the end of workday.	afety practice.	
Engineering measures		eat only in areas with a ppropriate exhaust vent		iate exhaust ventilation. at machinery.	Provide	
Exposure limit(s)						
Components	Value	Exposure time		Exposure type	List:	
Silica, amorphous, fumed, crystal-free	20 mppcf	PEL:		Total dust.	Z3	
	0.8 mg/m3	Time Weighted Ave (TWA):	erage		Z3	
	9 PHVSI(CAL AND CHEMICA	I PRO	PFRTIFS		
	<i><i>у</i>. П П 1510</i>					
Form	: liquio				established	
		ous, liquid		2	determined	
Appearance	: GREEN Bulk der				applicable	
Color						
Color Odor	: Very	faint	Vapor	1	determined	
Color Odor Melting point/range	: Very : Not a	faint applicable	Vapor Vapou	r density : Not	determined	
Color Odor Melting point/range Boiling Point:	: Very : Not a : Not a	faint applicable applicable	Vapor	r density : Not		
Color Odor Melting point/range	: Very : Not a : Not a	faint applicable	Vapor Vapou	r density : Not	determined	
Color Odor Melting point/range Boiling Point:	: Very : Not a : Not a : Imm	faint applicable applicable	Vapor Vapou pH	r density : Not : Not	determined	
Color Odor Melting point/range Boiling Point:	: Very : Not a : Not a : Imm 10. S	faint applicable applicable iscible	Vapor Vapou pH	r density : Not : Not	determined	
Color Odor Melting point/range Boiling Point: Water solubility	: Very : Not a : Not a : Imm: 10. S : Si	faint applicable applicable iscible TABILITY AND RE	Vapor Vapou pH	r density : Not : Not	determined	
Color Odor Melting point/range Boiling Point: Water solubility Stability	: Very : Not a : Not a : Imm 10. S : S n : W	faint applicable applicable iscible TABILITY AND RE table.	Vapor Vapou pH <u>ACTIV</u>	r density : Not : Not	determined	



MATERIAL SAFETY DATA SHEET

PET, GREEN

Version Number 1.0

Revision Date 05/05/2005

Page 4 of 6 Print Date 11/17/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
112945-52-5	Silica, amorphous, fumed, crystal-free	Irritant	Eyes, Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
112945-52-5	Silica, amorphous, fumed,	Oral LD50	3,160 mg/kg	rat
	crystal-free			

12. ECOLOGICAL INFORMATION

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use.
Bioaccumulation Potential	: Does not bioaccumulate.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Not regulated for transportation.

PolyOne.

MATERIAL SAFETY DATA SHEET

PET, GREEN

Version Number 1.0 Revision Date 05/05/2005 Page 5 of 6 Print Date 11/17/2011

15. REGULATORY INFORMATION					
US Regulations:					
OSHA Status	:	Classified as hazardous base	ed on compo	nents.	
TSCA Status	:	All components of this prod Inventory.	luct are listed	l on or exemp	ot from the TSC
US. EPA CERCLA Hazardous	Subs	tances (40 CFR 302)			
Not applicable					
California Proposition 65	:	Not applicable			
SARA Title III Section 302 Ext Not applicable					
Not applicable SARA Title III Section 313 To					
Not applicable					
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea	xic C	hemicals: ventory (NPRI)			
Not applicable SARA Title III Section 313 To Not applicable Canadian Regulations: <u>National Pollutant Relea</u> Chemical Name	xic C ase Ir	hemicals: ventory (NPRI)	5-No. 23-1	Weight % 39.07	NPRI ID# 24
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea	xic C ase Ir	hemicals: ventory (NPRI)		Weight % 39.07	NPRI ID# 24
Not applicable SARA Title III Section 313 To Not applicable Canadian Regulations: <u>National Pollutant Relea</u> Chemical Name	xic C ase Ir	hemicals: ventory (NPRI)			
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> <u>Bis (2-ethylhexyl) adipate</u>	xic C ase Ir	hemicals: ventory (NPRI) CAS 103-	23-1 duct are on th	39.07	24
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea Chemical Name Bis (2-ethylhexyl) adipate	xic C ase Ir	hemicals: ventory (NPRI) CAS 103- Not controlled. All components of this prod	23-1 duct are on th	39.07	24
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea Chemical Name Bis (2-ethylhexyl) adipate WHMIS Classification DSL	xic C ase Ir	hemicals: ventory (NPRI) CAS 103- Not controlled. All components of this prod	23-1 duct are on th	39.07	24
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> <u>Bis (2-ethylhexyl) adipate</u> WHMIS Classification DSL National Inventories:	xic C ase Ir :	hemicals: ventory (NPRI) CAS 103- Not controlled. All components of this proc Substances List (DSL) or ar	23-1 duct are on th	39.07	24
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> Bis (2-ethylhexyl) adipate WHMIS Classification DSL National Inventories: Australia AICS	xic C ase Ir :	hemicals: ventory (NPRI) CAS 103- Not controlled. All components of this proof Substances List (DSL) or ar Listed	23-1 duct are on th	39.07	24

POLYONE	CORPORAT	'ION



MATERIAL SAFETY DATA SHEET

PET, GREEN

Version Number 1.0 Revision Date 05/05/2005

Page 6 of 6 Print Date 11/17/2011

Korea KECI : Listed

Philippines PICCS :

16. OTHER INFORMATION

Listed

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.