MATERIAL SAFETY DATA SHEET

LIME GREEN

Version Number 1.0 Revision Date 05/02/2005 Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	LIME GREEN
Product code	:	CC10069605
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET LIME GREEN

Version Number 1.0 Revision Date 05/02/2005

Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET LIME GREEN

Version Number 1.0 Revision Date 05/02/2005

Page 3 of 6 Print Date 11/17/2011

	EXPOSURE	CONTROLS / PERSONA	L PROTECTION				
Respiratory protection		o personal respiratory prote usty conditions occur wear					
Eye/Face Protection	: sa	: safety glasses					
Hand protection	: Protective gloves.						
Skin and body protection	: L	ong sleeved clothing.					
Additional Protective Measures	: S	afety shoes.					
General Hygiene Considerations	pi	Vash hands and face before b roduct. Handle in accordanc ractice for diagnostics.					
Engineering measures		eat only in areas with appropriate exhaust ventilation		Provide			
Exposure limit(s)							
Components	Value	Exposure time	Exposure type	List:			
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA			
	20 mppcf	PEL:	Total dust.	Z3			
	10 mg/m3	Time Weighted Average (TWA):		ACGIH			
	0.8 mg/m3	Time Weighted Average (TWA):		Z3			
	10 mg/m3	Time Weighted Average		ACGIH			
Titanium dioxide		(TWA):		0.077.1.5			
Titanium dioxide	15 mg/m3	(TWA): PEL:	Total dust.	OSHA Z			
Titanium dioxide	Ŧ			OSHA Z			
Form Appearance Color	9. PHYSIC : Solid : flake : GRE	PEL: CAL AND CHEMICAL P I Eva s Spe EN Bul	ROPERTIES poration rate : Not cific Gravity: : Not k density : Not	applicable determined			
Form Appearance Color Odor	9. PHYSIC : Solid : flake : GRE : Very	PEL: CAL AND CHEMICAL P I Eva s Spe EN Bull faint Vap	ROPERTIES poration rate : Not cific Gravity: : Not k density : Not or pressure : Not	applicable determined determined determined			
Form Appearance Color Odor Melting point/range	9. PHYSIC : Solid : flake : GRE : Very : Grea	PEL: CAL AND CHEMICAL P. I Eva s Spe EN Bull faint Vap ter than 130 °C Vap	ROPERTIES poration rate : Not cific Gravity: : Not k density : Not por pressure : Not pour density : Not	applicable determined determined determined determined			
Form Appearance Color Odor	9. PHYSIC : Solid : flake : GRE : Very : Grea	PEL: CAL AND CHEMICAL P. I Eva s Spe EN Bull faint Vap ter than 130 °C Vap applicable pH	ROPERTIES poration rate : Not cific Gravity: : Not k density : Not por pressure : Not pour density : Not	applicable determined determined determined			



MATERIAL SAFETY DATA SHEET

LIME GREEN

Version Number 1.0 Revision Date 05/02/2005		Page 4 of 6 Print Date <i>11/17/2011</i>
Hazardous Polymerization	: Will not occur.	

Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.

Hazardous decomposition:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
(NOx), dense black smoke.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Persistence and degradability	: Not	readily biodegradable.
Environmental Toxicity		micals are not readily available as they are bound within the omer matrix.
Bioaccumulation Potential	: Not	inherently biodegradable.
Additional advice		micals are not readily available as they are bound within the mer matrix.
	13. DI	SPOSAL CONSIDERATIONS
Product	gene clas	ere possible recycling is preferred to disposal or incineration. The erator of waste material has the responsibility for proper waste sification, transportation and disposal in accordance with icable federal, state/provincial and local regulations.
Contaminated packaging	has and	ycling is preferred when possible. The generator of waste materia the responsibility for proper waste classification, transportation disposal in accordance with applicable federal, state/provincial local regulations.
	14. TI	RANSPORT INFORMATION
U.S. DOT Classification	: Refe	er to specific regulation.

DOL VONE CORDOR (TION
POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET

LIME GREEN

			Prin		Page 5 of 6 11/17/2011
:	Refer to specific regu	llation.			
:	Refer to specific regu	llation.			
15	. REGULATORY IN	FORMATION			
:	Classified as hazardo	us based on com	ponents.		
:	All components of th Inventory.	is product are list	ted on or exemp	ot from tl	ne TSCA
s Sub	stances (40 CFR 302)				
:	Not applicable				
xtrem	ely Hazardous Substar	ice			
oxic C	Chemicals:				
ease I1	nventory (NPRI)			1	
					D#
	: s Sub: x Sub: x treme	 Refer to specific regu 15. REGULATORY IN Classified as hazardo All components of th Inventory. as Substances (40 CFR 302) a : Not applicable 	 All components of this product are list Inventory. as Substances (40 CFR 302) a : Not applicable Extremely Hazardous Substance Foxic Chemicals: 	 Refer to specific regulation. 15. REGULATORY INFORMATION Classified as hazardous based on components. All components of this product are listed on or exemplining inventory. as Substances (40 CFR 302) a : Not applicable Extremely Hazardous Substance Foxic Chemicals: ease Inventory (NPRI) CAS-No. Weight % 	 Refer to specific regulation. 15. REGULATORY INFORMATION Classified as hazardous based on components. All components of this product are listed on or exempt from the Inventory. as Substances (40 CFR 302) a : Not applicable Extremely Hazardous Substance Foxic Chemicals: ease Inventory (NPRI) CAS-No. Weight % NPRI I

POLYONE CORPORA		PolyOne.	
MATERIAL SAFETY DATA SI	HEET		
LIME GREEN			
Version Number 1.0 Revision Date 05/02/2005		P Print Date 1	age 6 of 6 1/17/2011
Japan ENCS Korea KECI Philippines PICCS	: Listed : Listed : Listed		

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.