MATERIAL SAFETY DATA SHEET

BLUE

Version Number 1.0 Revision Date 05/06/2005 Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE
Product code	:	CC10069655
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Zinc stearate	557-05-1	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.0 Revision Date 05/06/2005

Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon diauida (CO2) carbon menovida (CO) caridae of nitrogen
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.0 Revision Date 05/06/2005

Page 3 of 6 Print Date 11/17/2011

		nd contamination. Keep in a c			
8. H	EXPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	o personal respiratory protect	ve equipment normally r	equired.	
Eye/Face Protection	: S	afety glasses with side-shields			
Hand protection	: P:	rotective gloves.			
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: S	: Safety shoes.			
General Hygiene Considerations		andle in accordance with good Vash hands before breaks and		afety practic	
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH	
	15 mg/m3	PEL:	Total dust.	OSHA Z	
Zinc stearate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z	
Zinc stearate		DEL	T_{1} (11)		
	15 mg/m3	PEL:	Total dust.		
	15 mg/m3 10 mg/m3	Time Weighted Average (TWA):	as stearates		
	10 mg/m3	Time Weighted Average	as stearates		
	10 mg/m3 9. PHYSIC	Time Weighted Average (TWA):	as stearates	ACGIH	
Form	10 mg/m3 9. PHYSIC : Solid	Time Weighted Average (TWA): CAL AND CHEMICAL PRO	as stearates DPERTIES ration rate : Not	ACGIH	
Form Appearance	10 mg/m3 9. PHYSIC : Solid : Pelle	Time Weighted Average (TWA): CAL AND CHEMICAL PRO I Evapo ts Specif	as stearates DPERTIES ration rate : Not ic Gravity: : Not	ACGIH applicable determined	
Form Appearance Color	10 mg/m3 9. PHYSIC : Solid : Pelle : BLU	Time Weighted Average (TWA): CAL AND CHEMICAL PRO ts Evapo ts Specif E Bulk o	as stearates DPERTIES ration rate : Not ic Gravity: : Not lensity : Not	ACGIH applicable determined established	
Form Appearance Color Odor	10 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very	Time Weighted Average (TWA): CAL AND CHEMICAL PR(E Evapo ts Specif E Bulk c faint Vapor	as stearates DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not	ACGIH applicable determined established applicable	
Form Appearance Color Odor Melting point/range	10 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not c	Time Weighted Average (TWA): CAL AND CHEMICAL PRO I Evapo ts Specif E Bulk c faint Vapor determined Vapor	as stearates DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ur density : Not	ACGIH applicable determined established applicable applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not c	Time Weighted Average (TWA): CAL AND CHEMICAL PRO I Evapo ts Specif E Bulk o faint Vapor determined Vapor applicable pH	as stearates DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ur density : Not	ACGIH applicable determined established applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not c : Not a : Insol	Time Weighted Average (TWA): CAL AND CHEMICAL PRO I Evapo ts Specif E Bulk o faint Vapor determined Vapor applicable pH	as stearates DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not	ACGIH applicable determined established applicable applicable	
Form	10 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not c : Not a : Insol 10. S	Time Weighted Average (TWA): CAL AND CHEMICAL PRO ts Specif E Bulk of faint Vapor determined Vapor applicable pH uble	as stearates DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not	determined established applicable applicable	

Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal

MATERIAL SAFETY DATA SHEET

BLUE Version Number 1.0 Page 4 of 6 Revision Date 05/06/2005 Print Date 11/17/2011 decomposition, do not overheat. **Incompatible Materials** : Incompatible with strong acids and oxidizing agents. Hazardous decomposition : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. products **11. TOXICOLOGICAL INFORMATION** This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture. **Toxicity Overview** This product contains the following components which in their pure form have the following characteristics: CAS-No. Chemical Name Effect Target Organ 557-05-1 Zinc stearate Systemic effects Eyes, Skin, Respiratory system. 13463-67-7 Titanium dioxide Systemic effects Respiratory system. LC50 / LD50 This product contains the following components which, in their pure form, have the following toxicity data: CAS-No. Chemical Name Route Value Species 557-05-1 Zinc stearate Oral LD50 > 10 gm/kg rat **12. ECOLOGICAL INFORMATION** Persistence and degradability Not readily biodegradable. • Environmental Toxicity Chemicals are not readily available as they are bound within the : polymer matrix. **Bioaccumulation Potential** Chemicals are not readily available as they are bound within the : polymer matrix. Additional advice No data available **13. DISPOSAL CONSIDERATIONS** Product : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with

Contaminated packaging Recycling is preferred when possible. The generator of waste material : has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

applicable federal, state/provincial and local regulations.



MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.0 Revision Date 05/06/2005

Page 5 of 6 Print Date 11/17/2011

	14. TRANSPO	RT INFORMATION			
J.S. DOT Classification	. Not regulated	for transportation			
J.S. DOT Classification	. Not regulated	l for transportation.			
ICAO/IATA (air)	: Refer to spec	ific regulation.			
IMO / IMDG (maritime)	: Refer to spec	ific regulation.			
	15. REGULATO	ORY INFORMATION			
US Regulations:					
OSHA Status	: Classified as	hazardous based on com	ponents.		
TSCA Status	: All compone Inventory.	ents of this product are list	ed on or exemp	ot from the TSCA	
US. EPA CERCLA Hazardo	us Substances (40 CF	R 302)			
Not applicable					
California Proposition	n : Not applicabl	٩			
65					
SARA Title III Section 302 Extremely Hazardous Substance Not applicable SARA Title III Section 313 Toxic Chemicals: Chemical Name CAS-No. Weight %					
ZINC COMPOUND	5	557-05-1	2.50		
Canadian Regulations:					
-	lease Inventory (NPR	D			
National Pollutant Re	lease Inventory (NPR	,	Weight %	NPRI ID#	
-	lease Inventory (NPR	I) CAS-No. 1344-28-1	Weight % 0.11	NPRI ID# 13	
National Pollutant Re Chemical Name	lease Inventory (NPR	CAS-No.			
Chemical Name Aluminum oxide	lease Inventory (NPR	CAS-No. 1344-28-1	0.11	13	

WHMIS Classification : Not controlled.



MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.0 Revision Date 05/06/2005		Page 6 of 6 Print Date 11/17/2011
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.