## MATERIAL SAFETY DATA SHEET PG 69713.00 PEARL GD PE

Version Number 1.0 Revision Date 05/05/2005

Page 1 of 6 Print Date 11/17/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 69713.00 PEARL GD PE
Product code	:	CC10069713
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5
Titanium dioxide	13463-67-7	5 - 10
Mica	12001-26-2	10 - 30

## 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

## POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

# MATERIAL SAFETY DATA SHEET **PG 69713.00 PEARL GD PE**

Version Number 1.0 Revision Date 05/05/2005 Page 2 of 6 Print Date 11/17/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

**POLYONE CORPORATION** 

# MATERIAL SAFETY DATA SHEET PG 69713.00 PEARL GD PE

Version Number 1.0 Revision Date 05/05/2005 Page 3 of 6 Print Date 11/17/2011

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average	Dust and fume. as Fe	ACGIH
		(TWA):		
Mica	20 mppcf	PEL:	Total dust.	OSHA
	3 mg/m3	Time Weighted Average	Respirable fraction.	ACGIH
		(TWA):		
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Solid
Pellets
YELLOW
Very faint
Not determined
Not applicable
Insoluble

Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH Not applicable
Not determined
Not established
Not applicable
Not applicable
Not applicable
Not applicable

## **10. STABILITY AND REACTIVITY**

Stability

: Stable.

<u>PolyOne</u>

# MATERIAL SAFETY DATA SHEET **PG 69713.00 PEARL GD PE**

Version Number 1.0 Revision Date 05/05/2005 Page 4 of 6 Print Date 11/17/2011

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

## 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-37-1	Iron oxide	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

<ul><li>Not readily biodegradable.</li><li>Chemicals are not readily available as they are bound within the polymer matrix.</li></ul>
• •
: Chemicals are not readily available as they are bound within the polymer matrix.
: No data available
13. DISPOSAL CONSIDERATIONS
: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
-

PolyOne.

# MATERIAL SAFETY DATA SHEET PG 69713.00 PEARL GD PE

Version Number 1.0 Revision Date 05/05/2005 Page 5 of 6 Print Date 11/17/2011

U.S. DOT Classification	•	Not regulated for tran	op of the form		
ICAO/IATA (air)	:	Refer to specific regu	lation.		
IMO / IMDG (maritime)	:	Refer to specific regu	lation.		
	15	. REGULATORY IN	FORMATION		
US Regulations:					
OSHA Status	:	Classified as hazardo	us based on compo	onents.	
TSCA Status	:	All components of th Inventory.	is product are listed	d on or exemj	pt from the TSC
US. EPA CERCLA Hazardou	us Subs	stances (40 CFR 302)			
Not applicable					
California Proposition 65 SARA Title III Section 302 E Not applicable			ce		
65 SARA Title III Section 302 E	Extrem	ely Hazardous Substan	ce		
65 SARA Title III Section 302 E Not applicable	Extrem	ely Hazardous Substan	ce CAS-No.	Weight	%
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T	Extrem Foxic C	ely Hazardous Substan		Weight 3.96	%
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Chemical Name	Extreme Foxic C S	ely Hazardous Substan Chemicals:	CAS-No.	-	% 
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Chemical Name ZINC COMPOUNDS Canadian Regulations: National Pollutant Rel Chemical Name	Extreme Foxic C S lease Ir I (C.I. 1	ely Hazardous Substan Chemicals:	CAS-No. 68187-51-9 CAS-No.	3.96 Weight %	NPRI ID#
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Chemical Name ZINC COMPOUNDS Canadian Regulations: National Pollutant Rel Chemical Name Zinc ferrite brown spine	Extreme Foxic C S lease Ir I (C.I. 1	ely Hazardous Substan Chemicals: nventory (NPRI) Pigment Yellow 119)	CAS-No. 68187-51-9 CAS-No. 68187-51-9	3.96 Weight % 3.96	NPRI ID# 231
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Chemical Name ZINC COMPOUNDS Canadian Regulations: National Pollutant Rel Chemical Name Zinc ferrite brown spine	Extreme Foxic C S lease Ir l (C.I. 5	ely Hazardous Substan Chemicals: nventory (NPRI) Pigment Yellow 119) Not controlled. All components of th	CAS-No. 68187-51-9 CAS-No. 68187-51-9	3.96 Weight % 3.96	NPRI ID# 231

PolvOne.

# MATERIAL SAFETY DATA SHEET PG 69713.00 PEARL GD PE

Version Number 1.0 Revision Date 05/05/2005

Page 6 of 6 Print Date 11/17/2011

China IECS:ListedEurope EINECS:ListedJapan ENCS:Not determinedKorea KECI:ListedPhilippines PICCS:Listed

## **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.