MATERIAL SAFETY DATA SHEET

PG 48568.01 OR PE AS

Version Number 1.0 Revision Date 06/01/2005 Page 1 of 6 Print Date 11/18/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 48568.01 OR PE AS
Product code	:	CC10070908
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.
: None known.



MATERIAL SAFETY DATA SHEET PG 48568.01 OR PE AS

Version Number 1.0 Revision Date 06/01/2005 Page 2 of 6 Print Date 11/18/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET PG 48568.01 OR PE AS

Version Number 1.0 Revision Date 06/01/2005 Page 3 of 6 Print Date 11/18/2011

8. H	XPOSURE	CONTROLS / PERSO	NAL PROTE	CTION	
Respiratory protection	: N	o personal respiratory pr	otective equip	ment normally 1	equired.
Eye/Face Protection	: S	afety glasses with side-sh	nields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		andle in accordance with ash hands before breaks			afety practice
Engineering measures		eat only in areas with ap ppropriate exhaust ventile			Provide
Exposure limit(s)					
Components	Value	Exposure time	Ext	posure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):			ACGIH
	15 mg/m3	PEL:	Т	'otal dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL	PROPERTI	ES	
Form	: Solid	a I	Evaporation ra	te · Not	applicable
Appearance	: Pelle		pecific Gravit		determined
Color	: ORA		Bulk density	•	established
Odor	: Very	faint V	apor pressure	: Not	applicable
Melting point/range	: Not o	letermined V	Vapour density : Not applica		
Boiling Point:			Н	: Not	applicable
Water solubility	: Insol	uble			
	10. 8	STABILITY AND REA	CTIVITY		
Stability	: S	table.			
Hazardous Polymerization	n : W	/ill not occur.			
		eep away from oxidizing ecomposition, do not ove		pen flame. To a	void thermal
Conditions to avoid	d	ecomposition, do not ove	incut.		

PolyOne

MATERIAL SAFETY DATA SHEET **PG 48568.01 OR PE AS**

Version Number 1.0

Revision Date 06/01/2005

Page 4 of 6 Print Date 11/18/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOG	ICAL INFORMATION	1			
Persistence and degrad	ability : Not readily	biodegradable.				
Environmental Toxicit		: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice	: No data ava	ilable				
	13. DISPOSA	L CONSIDERATIONS	6			
Product Contaminated packagir	possible rec generator of classificatio applicable f ng : Recycling is has the resp	sycling is preferred to dis f waste material has the r on, transportation and dis rederal, state/provincial a s preferred when possible onsibility for proper was l in accordance with app	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia the classification, transportation licable federal, state/provincial			
	14. TRANSPO	ORT INFORMATION				
U.S. DOT Classificatio	n : Not regulate	ed for transportation.				
ICAO/IATA (air)	: Refer to spe	ecific regulation.				
IMO / IMDG (maritime	e) : Refer to spe	ecific regulation.				
	15. REGULAT	TORY INFORMATION	N			

PolyOne.

MATERIAL SAFETY DATA SHEET PG 48568.01 OR PE AS

sion Date 06/01/2005				P	rint Date 1	age : 1/18/
US Regulations:						
OSHA Status	: C	lassified as h	azardous based o	n components.		
TSCA Status		All componen nventory.	ts of this product	are listed on or exe	mpt from the	TSC
US. EPA CERCLA Hazardous	s Substai	nces (40 CFR	302)			
Not applicable						
California Proposition 65	: N	lot applicable				
SARA Title III Section 302 Ex Not applicable	xtremely	Hazardous S	ubstance			
SARA Title III Section 313 To Not applicable Canadian Regulations:	oxic Che	emicals:				
Not applicable Canadian Regulations: National Pollutant Rele				Waight 04		4
Not applicable Canadian Regulations:) CAS-No. 1344-28-1	Weight % 0.10 - 1.00	NPRI ID 13	#
Not applicable Canadian Regulations: <u>National Pollutant Rele</u> Chemical Name	ase Inve	entory (NPRI)	CAS-No. 1344-28-1	0.10 - 1.00 are on the Canadia	13	¥
Not applicable Canadian Regulations: National Pollutant Rele Chemical Name Aluminum oxide WHMIS Classification	ase Inve	entory (NPRI)	CAS-No. 1344-28-1 .ts of this product	0.10 - 1.00 are on the Canadia	13	¥
Not applicable Canadian Regulations: <u>National Pollutant Rele</u> Chemical Name Aluminum oxide WHMIS Classification DSL	ase Inve	entory (NPRI)	CAS-No. 1344-28-1 .ts of this product	0.10 - 1.00 are on the Canadia	13	¥
Not applicable Canadian Regulations: <u>National Pollutant Rele</u> Chemical Name Aluminum oxide WHMIS Classification DSL National Inventories:	ase Inve	entory (NPRI) lot controlled All componen ubstances Lis	CAS-No. 1344-28-1 .ts of this product	0.10 - 1.00 are on the Canadia	13	¥
Not applicable Canadian Regulations: <u>National Pollutant Rele</u> Chemical Name Aluminum oxide WHMIS Classification DSL National Inventories: Australia AICS	ase Inve	entory (NPRI) lot controlled All componen ubstances Lis	CAS-No. 1344-28-1 .ts of this product	0.10 - 1.00 are on the Canadia	13	#
Not applicable Canadian Regulations: <u>National Pollutant Rele</u> Chemical Name Aluminum oxide WHMIS Classification DSL National Inventories: Australia AICS China IECS	ase Inve	entory (NPRI) lot controlled All componen ubstances Lis Listed	CAS-No. 1344-28-1 .ts of this product	0.10 - 1.00 are on the Canadia	13	¥
Not applicable Canadian Regulations: <u>National Pollutant Rele</u> Chemical Name Aluminum oxide WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS	2ase Inve	Iot controlled All componen ubstances Lis Listed Listed	CAS-No. 1344-28-1 .ts of this product	0.10 - 1.00 are on the Canadia	13	¥

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 48568.01 OR PE AS**

Version Number 1.0 Revision Date 06/01/2005 Page 6 of 6 Print Date 11/18/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.