MATERIAL SAFETY DATA SHEET

## **BLACK**

Version Number 1.0 Revision Date 06/24/2005 Page 1 of 6 Print Date 11/18/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLACK
Product code	:	CC10071846
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %	
Carbon black	1333-86-4	5 - 10	

### **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

## POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET **BLACK** 

Version Number 1.0 Revision Date 06/24/2005 Page 2 of 6 Print Date 11/18/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



# MATERIAL SAFETY DATA SHEET **BLACK**

Version Number 1.0 Revision Date 06/24/2005 Page 3 of 6 Print Date 11/18/2011

8. H	EXPOSURE	CONTROLS / PERS	ONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory	protecti	ve equipment normally r	equired.
Eye/Face Protection	: S	afety glasses with side-	shields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		andle in accordance wi Vash hands before breal		industrial hygiene and sa t the end of workday.	afety practice
Engineering measures		leat only in areas with a ppropriate exhaust vent		ate exhaust ventilation. at machinery.	Provide
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Carbon black	3.5 mg/m3	5 mg/m3 Time Weighted Average (TWA):		Total dust. as carbon ACGIH black	
	3.5 mg/m3	PEL:		Total dust. as carbon black	OSHA Z1
·	9. PHYSIO	CAL AND CHEMICA	L PRO	PERTIES	
<b>F</b>	. C. 1'	1	<b>P</b>	No.	
Form Appearance	: Solic : Pelle		-		applicable determined
Color	: BLA		Bulk d		established
Odor	: Very	faint		•	applicable
Melting point/range		determined			applicable
Boiling Point:	: Not a	applicable	pH	: Not	applicable
Water solubility	: Insol	uble			
	10. 8	STABILITY AND RE	ACTIV	TTY	
Stability	: S	table.			
Hazardous Polymerizatio	n : W	Vill not occur.			
Conditions to avoid		eep away from oxidizin ecomposition, do not ov	00	ts and open flame. To a	void thermal



MATERIAL SAFETY DATA SHEET

## BLACK

#### Version Number 1.0 Revision Date 06/24/2005

Page 4 of 6 Print Date 11/18/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

## Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where



MATERIAL SAFETY DATA SHEET	
BLACK	

on Number 1.0 sion Date 06/24/2005			Pri	Page 5 nt Date 11/18/
	generator of v classification	waste material has t , transportation and	o disposal or inciner the responsibility fo disposal in accorda ial and local regulat	r proper waste
Contaminated packaging	has the respon	nsibility for proper in accordance with	sible. The generator waste classification applicable federal,	, transportation
	14. TRANSPO	RT INFORMATI	ON	
U.S. DOT Classification	: Not regulated	for transportation.		
ICAO/IATA (air)	: Refer to spec	ific regulation.		
IMO / IMDG (maritime)	: Refer to spec	ific regulation.		
	15. REGULATO	ORY INFORMAT	ION	
US Regulations:				
OSHA Status	: Classified as	hazardous based or	n components.	
TSCA Status	: All compone Inventory.	nts of this product a	are listed on or exem	pt from the TSC
US. EPA CERCLA Hazardou	is Substances (40 CF	R 302)		
Not applicable				
California Proposition 65	n : Not applicabl	e		
SARA Title III Section 302 E Not applicable	Extremely Hazardous	Substance		
SARA Title III Section 313 7	oxic Chemicals:			
Not applicable Canadian Regulations:				
National Pollutant Rel	ease Inventory (NPR			
Chemical Name Phthalocyanine blue		CAS-No. 147-14-8	Weight % 5.00 - 10.00	NPRI ID# 71
Phinalocvanine nine				

<u>PolyOne</u>

# MATERIAL SAFETY DATA SHEET **BLACK**

Version Number 1.0 Revision Date 06/24/2005

Page 6 of 6 Print Date 11/18/2011

WHMIS Classification	:	D2A
WHMIS Ingredient Disc	losu	re List
CAS-No. 1333-86-4 147-14-8		
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.