MATERIAL SAFETY DATA SHEET

UV CAP ORANGE

Version Number 1.0 Revision Date 07/08/2005 Page 1 of 6 Print Date 11/18/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	UV CAP ORANGE
Product code	:	CC10072468
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET UV CAP ORANGE

Version Number 1.0 Revision Date 07/08/2005 Page 2 of 6 Print Date 11/18/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.	of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	at
Skin	: Wash off with soap and plenty of water. If skin irritation persists so medical attention.	eel
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne 	e
Unusual Fire/Explosion Hazards	 contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 	
	5. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should released to enter drains, water courses or the soil.	ot
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Hea only in areas with appropriate exhaust ventilation.	t
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	ı

PolyOne.

MATERIAL SAFETY DATA SHEET **UV CAP ORANGE**

Version Number 1.0 Revision Date 07/08/2005 Page 3 of 6 Print Date 11/18/2011

8. 1	XPOSURE	CONTROLS / PERSO	NAL I	PROTECTION		
Respiratory protection	: N	o personal respiratory pr	rotectiv	e equipment norm	nally r	equired.
Eye/Face Protection	: S	afety glasses with side-sl	hields.			
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance with Vash hands before breaks				afety practice
Engineering measures		eat only in areas with ap			tion.	Provide
Exposure limit(s)						
Components	Value	Exposure time		Exposure type	e	List:
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):	age		-	ACGIH
	15 mg/m3	PEL:		Total dust.		OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL	PRO	PERTIES		
Form	: Solid	I F	Tvanor	ation rate :	Not	applicable
Appearance	: Pelle			c Gravity: :		determined
Color			Sulk de			established
Odor	: Very	faint V	√apor p	pressure :	Not	applicable
Melting point/range			-	density :		applicable
Boiling Point:			Η	:	Not	applicable
Water solubility	: Insol	uble				
	10. 8	STABILITY AND REA	CTIV	ITY		
Stability	: S	table.				
Hazardous Polymerization	n : W	/ill not occur.				
	: K	eep away from oxidizing ecomposition, do not ove		s and open flame.	To a	void thermal
Conditions to avoid	d	ecomposition, do not ove	Jineut.			



MATERIAL SAFETY DATA SHEET UV CAP ORANGE

Version Number 1.0

Revision Date 07/08/2005

Page 4 of 6 Print Date 11/18/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
	12. ECOLOGIO	CAL INFORMATION	١
Persistence and degrada	bility : Not readily b	iodegradable.	
Environmental Toxicity	Chemicals are polymer matr		as they are bound within the
Bioaccumulation Poten	tial : Chemicals are polymer matr		as they are bound within the
Additional advice	: No data avail	able	
	13. DISPOSAL	CONSIDERATIONS	6
Product Contaminated packagin	g : Recycling is possible recyc generator of w classification applicable fec	cling is preferred to dis waste material has the r transportation and dis deral, state/provincial a preferred when possible nsibility for proper was in accordance with app	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation licable federal, state/provincial
	14. TRANSPO	RT INFORMATION	
U.S. DOT Classification	n : Not regulated	for transportation.	
ICAO/IATA (air)	: Refer to spec	ific regulation.	
IMO / IMDG (maritime	e) : Refer to spece	ific regulation.	
	15. REGULATO	DRY INFORMATION	Ň

PolyOne.

MATERIAL SAFETY DATA SHEET UV CAP ORANGE

sion Date 07/08/2005				Print Date	Page 9 11/18/
US Regulations:					
OSHA Status :	Classified as ha	azardous based on	components	5.	
TSCA Status :	All component Inventory.	ts of this product ar	e listed on o	or exempt from	n the TSC
US. EPA CERCLA Hazardous Sul	bstances (40 CFR	302)			
Not applicable					
California Proposition : 65 SARA Title III Section 302 Extrem Not applicable		ubstance			
SARA Title III Section 313 Toxic Chemical Name	Chemicals:	CAS-N	Jo.	Weight %	_
ZINC COMPOUNDS		68187-5		1.00 - 5.00	
ZINC COMPOUNDS Canadian Regulations:					
Canadian Regulations: National Pollutant Release	Inventory (NPRI)	68187-5	51-9	1.00 - 5.00	
Canadian Regulations: National Pollutant Release Chemical Name		68187-5	51-9 Weight	1.00 - 5.00 % NPR	I ID#
Canadian Regulations: National Pollutant Release		68187-5	51-9	1.00 - 5.00 % NPR	I ID#
Canadian Regulations: National Pollutant Release Chemical Name Zinc ferrite brown spinel (C.I. P		CAS-No. 68187-5 68187-51-9	51-9 Weight	1.00 - 5.00 % NPR	I ID#
Canadian Regulations: National Pollutant Release Chemical Name Zinc ferrite brown spinel (C.I. P 119)	igment Yellow Not controlled. All component	CAS-No. 68187-5 68187-51-9	51-9 Weight 1.00 - 5	1.00 - 5.00 % NPR .00 231	
Canadian Regulations: <u>National Pollutant Release</u> <u>Chemical Name</u> Zinc ferrite brown spinel (C.I. P 119) WHMIS Classification :	igment Yellow Not controlled. All component	68187-5 CAS-No. 68187-51-9 ts of this product at	51-9 Weight 1.00 - 5	1.00 - 5.00 % NPR .00 231	
Canadian Regulations: <u>National Pollutant Release</u> <u>Chemical Name</u> Zinc ferrite brown spinel (C.I. P 119) WHMIS Classification : DSL :	igment Yellow Not controlled. All component	68187-5 CAS-No. 68187-51-9 ts of this product at	51-9 Weight 1.00 - 5	1.00 - 5.00 % NPR .00 231	
Canadian Regulations: National Pollutant Release Chemical Name Zinc ferrite brown spinel (C.I. P 119) WHMIS Classification : DSL : National Inventories:	igment Yellow Not controlled. All component Substances List	68187-5 CAS-No. 68187-51-9 ts of this product at	51-9 Weight 1.00 - 5	1.00 - 5.00 % NPR .00 231	
Canadian Regulations: <u>National Pollutant Release</u> <u>Chemical Name</u> Zinc ferrite brown spinel (C.I. P 119) WHMIS Classification : DSL : National Inventories: Australia AICS :	igment Yellow Not controlled. All component Substances List Listed Listed	68187-5 CAS-No. 68187-51-9 ts of this product at	51-9 Weight 1.00 - 5	1.00 - 5.00 % NPR .00 231	
Canadian Regulations: National Pollutant Release Chemical Name Zinc ferrite brown spinel (C.I. P 119) WHMIS Classification : DSL : National Inventories: Australia AICS : China IECS :	igment Yellow Not controlled. All component Substances List Listed Listed	CAS-No. 68187-5 68187-51-9 ts of this product an t (DSL) or are exer	51-9 Weight 1.00 - 5	1.00 - 5.00 % NPR .00 231	



MATERIAL SAFETY DATA SHEET UV CAP ORANGE

Version Number 1.0 Revision Date 07/08/2005

Page 6 of 6 Print Date 11/18/2011

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.