## MATERIAL SAFETY DATA SHEET

### PG 72818.00 PU PP

Version Number 1.0 Revision Date 07/13/2005 Page 1 of 5 Print Date 11/18/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone : Emergency telephone : number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 72818.00 PU PP
Product code	:	CC10072818
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	:	Inhalation, Ingestion, Skin contact	
Acute exposure			
Inhalation Ingestion Eyes Skin	:	Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling.	1
Chronic exposure		Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	:	None known.	
		4. FIRST AID MEASURES	



## MATERIAL SAFETY DATA SHEET PG 72818.00 PU PP

ion Number 1.0 sion Date 07/13/2005	Page 2 Print Date 11/18/2		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.		
Skin : Wash off with soap and plenty of water. If skin irritation medical attention.			
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> </ul>		
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	pressure mode should be worn to prevent inhalation of airborne contaminants.		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	tions : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.		

PolyOne.

# MATERIAL SAFETY DATA SHEET **PG 72818.00 PU PP**

Version Number 1.0 Revision Date 07/13/2005 Page 3 of 5 Print Date 11/18/2011

Respiratory protection	: No personal respira	atory protective equipment	normally required.	
Eye/Face Protection	: Safety glasses with side-shields.			
Hand protection	: Protective gloves.			
Skin and body protection	: Long sleeved cloth	ing.		
Additional Protective Measures	: Safety shoes.	Safety shoes.		
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)				
Form	PHYSICAL AND CHEM     Solid     Duble	Evaporation rate	: Not applicable	
Appearance	: Pellets	Specific Gravity:	: Not determined	
Color Odor	: PURPLE : Very faint	Bulk density Vapor pressure	<ul><li>Not established</li><li>Not applicable</li></ul>	
Melting point/range	: Not determined	Vapour density	: Not applicable	
Boiling Point:	: Not applicable	pH	: Not applicable	
Water solubility	: Insoluble	Ĩ		
	10. STABILITY AN	D REACTIVITY		
Stability	: Stable.			
Hazardous Polymerization	: Will not occur.			
Conditions to avoid	: Keep away from or decomposition, do	xidizing agents and open fl not overheat.	ame. To avoid thermal	
Incompatible Materials	: Incompatible with	strong acids and oxidizing	agents.	
		O2), carbon monoxide (CC dous materials, and smoke		
Hazardous decomposition products				

PolyOne

# MATERIAL SAFETY DATA SHEET **PG 72818.00 PU PP**

Version Number 1.0 Revision Date 07/13/2005 Page 4 of 5 Print Date 11/18/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION	
Persistence and degradability : Not readily biodegradable.		
Environmental Toxicity	Chemicals are not readily available as they are bound within the polymer matrix.	
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.	
Additional advice	: No data available	
	13. DISPOSAL CONSIDERATIONS	
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
	14. TRANSPORT INFORMATION	
U.S. DOT Classification	Not accorded for the second station	
U.S. DOT Classification	: Not regulated for transportation.	
ICAO/IATA (air)	: Refer to specific regulation.	
IMO / IMDG (maritime)	: Refer to specific regulation.	
	15. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.	
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.	
US. EPA CERCLA Hazardous	Substances (40 CFR 302)	
Not applicable		

PolyOne

## MATERIAL SAFETY DATA SHEET **PG 72818.00 PU PP**

Version Number 1.0 Revision Date 07/13/2005			Print Date	Page 5 of 5 11/18/2011		
<u></u>						
California Proposition 65	:	Not applicable				
SARA Title III Section 302 Extremely Hazardous Substance Not applicable						
SARA Title III Section 313 Toxic Chemicals:						
Not applicable Canadian Regulations:						
National Pollutant Release	National Pollutant Release Inventory (NPRI)					
Not applicable	Not applicable					
WHMIS Classification	:	Not controlled.				
DSL	:	All components of this product are on the Car Substances List (DSL) or are exempt.	nadian Domes	tic		
National Inventories:						
Australia AICS	:	Listed				
China IECS	:	Listed				
Europe EINECS	:	Listed				
Japan ENCS	:	Listed				
Korea KECI	:	Listed				
Philippines PICCS	:	Listed				
		16. OTHER INFORMATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.