PolyOne

# MATERIAL SAFETY DATA SHEET **524Q-MULBERRY/BDT6500**

Version Number 1.1 Revision Date 10/10/2006 Page 1 of 7 Print Date 11/24/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	524Q-MULBERRY/BDT6500
Product code	:	CC10084493
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Decanedioic acid,	52829-07-9	1 - 5
bis(2,2,6,6-tetramethyl-4-piperidinyl) ester		
Carbon black	1333-86-4	1 - 5
Titanium dioxide	13463-67-7	1 - 5
Iron oxide	1309-37-1	10 - 30

### **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

Route	s of Exposure:	:	Inhalation, Ingestion, Skin contact
Acute	exposure		
	Inhalation Ingestion Eyes	:	Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to
	Skin		eyes. Experience shows no unusual dermatitis hazard from routine handling.

PolyOne.

# MATERIAL SAFETY DATA SHEET **524Q-MULBERRY/BDT6500**

Version Number 1.1 Revision Date 10/10/2006 Page 2 of 7 Print Date 11/24/2011

Medical Conditions	: None known.				
Aggravated by Exposure:					
	4. FIRST AID MEASURES				
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.				
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.				
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.				
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.				
	5. FIRE-FIGHTING MEASURES				
Flash point	: Not applicable				
Flammable Limits	Not overlight				
Upper explosion limit Lower explosion limit	<ul><li>Not applicable</li><li>Not applicable</li></ul>				
Autoignition temperature	: Not applicable				
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.				
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive				
Procedures	pressure mode should be worn to prevent inhalation of airborne				
Uniquel Fire/Eurlesion	contaminants.				
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.				
	6. ACCIDENTAL RELEASE MEASURES				
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.				
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.				
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.				
	7. HANDLING AND STORAGE				

<u>PolyOne</u>

## MATERIAL SAFETY DATA SHEET 524Q-MULBERRY/BDT6500

Version Number 1.1 Revision Date 10/10/2006		Page 3 of 7 Print Date 11/24/2011
10/10/2000		1 1111 Date 11/24/2011
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXPC	)SUI	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Carbon black	3.5 mg/m3	Time Weighted Average	Total dust. as carbon	ACGIH
		(TWA):	black	
	3.5 mg/m3	PEL:	Total dust. as carbon	OSHA Z1
			black	
Iron oxide	5 mg/m3	Time Weighted Average	as Fe	MX OEL
		(TWA):		
	10 mg/m3	Short Term Exposure Limit	as Fe	MX OEL
		(STEL):		
	5 mg/m3	Time Weighted Average	Respirable fraction.	ACGIH
		(TWA):		
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	20 mg/m3	Short Term Exposure Limit	as Ti	MX OEL
		(STEL):		

### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color
- : Solid : Pellets : RED

Bulk density

Evaporation rate: Not applicableSpecific Gravity:: Not determined : Not established

PolvOne

# MATERIAL SAFETY DATA SHEET **524Q-MULBERRY/BDT6500**

Version Number 1.1 Revision Date 10/10/2006 Page 4 of 7 Print Date 11/24/2011

Odor Melting point/range Boiling Point: Water solubility	<ul><li>Very faint</li><li>Not determined</li><li>Not applicable</li><li>Insoluble</li></ul>	Vapor pressure Vapour density pH	<ul><li>Not applicable</li><li>Not applicable</li><li>Not applicable</li></ul>
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from o decomposition, do	xidizing agents and open f not overheat.	lame. To avoid thermal
Incompatible Materials	: Incompatible with	strong acids and oxidizing	g agents.
Hazardous decomposition products		O2), carbon monoxide (C0 rdous materials, and smoke	e e

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
52829-07-9	Decanedioic acid,	Irritant	Eyes.
	bis(2,2,6,6-tetramethyl-4-p		
	iperidinyl) ester		
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
1309-37-1	Iron oxide	Systemic effects	Respiratory system.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
52829-07-9	Decanedioic acid,	Oral LD50	3,700 mg/kg	rat
	bis(2,2,6,6-tetramethyl-4-p	Dermal LD50	> 3,100 mg/kg	rabbit
	iperidinyl) ester			
1333-86-4	Carbon black	Oral LD50	> 15,400 mg/kg	rat
		Dermal LD50	> 3  gm/kg	rabbit

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

	CAS-No.	Chemical Name	OSHA	IARC	NTP
--	---------	---------------	------	------	-----

PolyOne.

# MATERIAL SAFETY DATA SHEET **524Q-MULBERRY/BDT6500**

Version Number 1.1 Revision Date 10/10/2006 Page 5 of 7 Print Date 11/24/2011

	um dioxide	no	2B	no	
13463-67-7Titanium dioxideno2BnoIARC Carcinogen Classifications: 1 - The component is carcinogenic to humans. 2A - The component is probably carcinogenic to humans. 2B - The component is possibly carcinogenic to humans.1					
NTP Carcinogen Classification 1 - The component is known to 2 - The component is reasonab	be a human carcinoge				
Additional Health Hazard In Carbon black 1333-86-4 C response observed in the refe exposure. However, the IARG "There is sufficient evidence this evaluation, along with th overall evaluation is that "Ca listing only pertains to airbor been listed as a carcinogen by Health Administration (OSH criteria document on carbon hydrocarbon) levels greater t	arcinogenicity: Man renced rat studies is C evaluation in Mono in experimental anin eir evaluation of inad arbon Black is possibl rne, unbound carbon y the National Toxico A). The National Inst black recommends th	species specific and ograph Volume 65, i nals for the carcinos lequate evidence of ly carcinogenic to h black particles of re logy Program (NTI titute of Occupation hat only carbon bla	does not correlat ssued in April 19 genicity of carbor carcinogenicity i umans (Group 21 spirable size. Ca ) or the Occupat al Safety and He ck with PAH (pol	te to human 96 concluded 1 black''. Base n humans, IA B). The IARC rbon Black ha ional Safety a alth (NIOSH)	
nyurotarbon/ ievels greater t		_	_		
nyurocarbon) icvels greater (		L INFORMATION	_		
		L INFORMATION	_		
Persistence and degradability	12. ECOLOGICA : Not readily biod	<b>L INFORMATION</b> legradable. ot readily available a	-	within the	
Persistence and degradability Environmental Toxicity	<ul> <li>12. ECOLOGICA</li> <li>Not readily biod</li> <li>Chemicals are n polymer matrix.</li> </ul>	<b>L INFORMATION</b> legradable. tot readily available a tot readily available a	s they are bound		
Persistence and degradability Environmental Toxicity Bioaccumulation Potential Additional advice	12. ECOLOGICA         : Not readily biod         : Chemicals are n polymer matrix.         : Chemicals are n	<b>L INFORMATION</b> legradable. tot readily available a tot readily available a	s they are bound		
Persistence and degradability Environmental Toxicity Bioaccumulation Potential	<ul> <li>12. ECOLOGICA</li> <li>Not readily biod</li> <li>Chemicals are n polymer matrix.</li> <li>Chemicals are n polymer matrix.</li> <li>No data available</li> </ul>	<b>L INFORMATION</b> legradable. tot readily available a tot readily available a	s they are bound		
Persistence and degradability Environmental Toxicity Bioaccumulation Potential	<ul> <li>12. ECOLOGICA</li> <li>Not readily biod</li> <li>Chemicals are n polymer matrix.</li> <li>Chemicals are n polymer matrix.</li> <li>Chemicals are n polymer matrix.</li> <li>No data available</li> <li>13. DISPOSAL Construction</li> <li>Like most therm possible recycling generator of was classification, tr</li> </ul>	<b>L INFORMATION</b> legradable. tot readily available a tot readily available a	s they are bound s they are bound product can be rec posal or incineration esponsibility for p posal in accordance	within the cycled. Where on. The roper waste e with	

**14. TRANSPORT INFORMATION** 

PolvUne

# MATERIAL SAFETY DATA SHEET **524Q-MULBERRY/BDT6500**

Page 6 of 7 Print Date <u>11/</u>24/2011 Version Number 1.1 Revision Date 10/10/2006 U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. : Refer to specific regulation. IMO / IMDG (maritime) **15. REGULATORY INFORMATION US Regulations: OSHA Status** : Classified as hazardous based on components. **TSCA Status** All components of this product are listed on or exempt from the TSCA : Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable 65 SARA Title III Section 302 Extremely Hazardous Substance Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation SARA Title III Section 313 Toxic Chemicals: Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation Canadian Regulations: National Pollutant Release Inventory (NPRI) Not applicable WHMIS Classification : D2A WHMIS Ingredient Disclosure List CAS-No. 1333-86-4

POLYONE CORPORATION

PolyOne

# MATERIAL SAFETY DATA SHEET **524Q-MULBERRY/BDT6500**

Version Number 1.1 Revision Date 10/10/2006		Page 7 of 7 Print Date <i>11/24/2011</i>
1309-37-1 DSL	:	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.