MATERIAL SAFETY DATA SHEET

KTEC Green PC

Version Number 1.0 Revision Date 10/04/2006 Page 1 of 5 Print Date 11/24/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	KTEC Green PC
Product code	:	CC10091977
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure Medical Conditions Aggravated by Exposure:	Refer to Section 11 for Toxicological Information.None known.
 	4. FIRST AID MEASURES



MATERIAL SAFETY DATA SHEET

KTEC Green PC

sion Date 10/04/2006	Page Print Date 11/24		
Inhalation	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	 Not applicable Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive prossure mode should be worn to provent inhelation of airborne. 		
Unusual Fire/Explosion Hazards	 pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.		

PolyOne.

MATERIAL SAFETY DATA SHEET

KTEC Green PC

Version Number 1.0 Revision Date 10/04/2006

Page 3 of 5 Print Date 11/24/2011

Respiratory protection	: No personal respin	atory protective equipment nor	mally required.			
Eye/Face Protection	: Safety glasses with	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.					
Skin and body protection	: Long sleeved cloth	Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.					
General Hygiene Considerations		nce with good industrial hygiend e breaks and at the end of work				
Engineering measures		Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
9.	PHYSICAL AND CHE	MICAL PROPERTIES				
Form	: Solid		Not applicable			
Appearance	: Pellets	1 2	Not determined			
Color	: GREEN	Bulk density :	Not established			
Odor	: Very faint		Not applicable			
Melting point/range	: Not determined		Not applicable			
Boiling Point: Water solubility	: Not applicable : Insoluble	pH	Not applicable			
	10. STABILITY AN	D REACTIVITY				
Stability	: Stable.					
Hazardous Polymerization	: Will not occur.					
Conditions to avoid	: Keep away from o decomposition, do	xidizing agents and open flame not overheat.	•. To avoid thermal			
Incompatible Materials	: Incompatible with	strong acids and oxidizing age	nts.			
		O2), carbon monoxide (CO), or rdous materials, and smoke are				
Hazardous decomposition products	(INOX), Oulei liaza					

PolyOne

MATERIAL SAFETY DATA SHEET

KTEC Green PC

Version Number 1.0 Revision Date 10/04/2006 Page 4 of 5 Print Date 11/24/2011

There are no known hazardous components above regulatory thresholds in this product.

Persistence and degradability	: Not readily biodegradable.		
reisistence and degradability	. Not readily blodegradable.		
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.		
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.		
Additional advice	: No data available		
	13. DISPOSAL CONSIDERATIONS		
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSPORT INFORMATION		
U.S. DOT Classification	: Not regulated for transportation.		
ICAO/IATA (air)	: Refer to specific regulation.		
IMO / IMDG (maritime)	: Refer to specific regulation.		
	15. REGULATORY INFORMATION		
US Regulations:			
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.		
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA Hazardous	Substances (40 CFR 302)		
Not applicable			

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET

KTEC Green PC

_

Version Number 1.0	Page 5 of 5
Revision Date 10/04/2006	Print Date 11/24/2011

California Proposition 65	:	Not applicable			
SARA Title III Section 302 Extra Not applicable	em	ely Hazardous Substar	ce		
SARA Title III Section 313 Toxi	ic C	bemicals:			
Not applicable Canadian Regulations:					
National Pollutant Releas	e Ir				
Chemical Name		CA	S-No.	Weight %	NPRI ID#
DSL National Inventories:	:	All components of the Substances List (DSI			an Domestic
Australia AICS	:	Not determined			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Not determined			
		Listed			
Korea KECI	:	Listed			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.