MATERIAL SAFETY DATA SHEET FRUCTIS TRANS GREEN PEARL OUTER

Version Number 1.0 Revision Date 10/02/2006

Page 1 of 6 Print Date 11/24/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	FRUCTIS TRANS GREEN PEARL OUTER
Product code :	CC10092154
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	10 - 30
Rutile (TiO2)	1317-80-2	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne

MATERIAL SAFETY DATA SHEET FRUCTIS TRANS GREEN PEARL OUTER

Version Number 1.0 Revision Date 10/02/2006 Page 2 of 6 Print Date 11/24/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne

MATERIAL SAFETY DATA SHEET FRUCTIS TRANS GREEN PEARL OUTER

Version Number 1.0 Revision Date 10/02/2006 Page 3 of 6 Print Date 11/24/2011

ð. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protect	tive equipment normally r	required.
Eye/Face Protection	: S	afety glasses with side-shield	s.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with goo Vash hands before breaks and		afety practice
Engineering measures		eat only in areas with approp ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Mica	20 mppcf	PEL:	Total dust.	OSHA
	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
	3 mg/m3	Time Weighted Average (TWA):		MX OEL
	0 PHVSI	CAL AND CHEMICAL PR	OPERTIES	
	<i>7</i> ,1115K	CAL AND CHEMICAL I K	OI ENTIES	
	: Solid	l Evapo	oration rate : Not	applicable
Form			fic Gravity: : Not	determined
Appearance	: Pelle		5	established
Appearance Color	: GRE	EN Bulk	density : Not	
Appearance Color Odor	: GRE : Very	EN Bulk faint Vapo	density : Not r pressure : Not	applicable
Appearance Color Odor Melting point/range	: GRE : Very : Not o	EN Bulk faint Vapo letermined Vapo	density: Notr pressure: Notur density: Not	applicable
Appearance Color Odor Melting point/range Boiling Point:	: GRE : Very : Not of : Not of	ENBulkfaintVapoleterminedVapoapplicablepH	density: Notr pressure: Notur density: Not	
Appearance Color Odor Melting point/range	: GRE : Very : Not o	ENBulkfaintVapoleterminedVapoapplicablepH	density: Notr pressure: Notur density: Not	applicable
Appearance Color Odor Melting point/range Boiling Point:	: GRE : Very : Not o : Not a : Insol	ENBulkfaintVapoleterminedVapoapplicablepH	density : Not r pressure : Not ur density : Not : Not	applicable
Appearance Color Odor Melting point/range Boiling Point:	: GRE : Very : Not a : Not a : Insol	EN Bulk faint Vapo determined Vapo applicable pH uble	density : Not r pressure : Not ur density : Not : Not	applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: GRE : Very : Not a : Not a : Insol 10. S : S	EN Bulk faint Vapo determined Vapo applicable pH uble	density : Not r pressure : Not ur density : Not : Not	applicable



MATERIAL SAFETY DATA SHEET FRUCTIS TRANS GREEN PEARL OUTER

Version Number 1.0 Revision Date 10/02/2006

Page 4 of 6 Print Date 11/24/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1317-80-2	Rutile (TiO2)	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with

PolyOne.

MATERIAL SAFETY DATA SHEET FRUCTIS TRANS GREEN PEARL OUTER

ion Number 1.0 sion Date 10/02/2006		Page 5 Print Date 11/24/2
		applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	is Subs	stances (40 CFR 302)
Not applicable		
California Propositior 65	1 :	Not applicable
SARA Title III Section 302 E Not applicable	lxtreme	ely Hazardous Substance
SARA Title III Section 313 T	'oxic C	Chemicals:
Not applicable Canadian Regulations:		
	ease Ir	iventory (NPRI)
National Pollutant Rel	cuse n	
National Pollutant Rel Not applicable	euse n	
		Not controlled.

PolvOne

MATERIAL SAFETY DATA SHEET FRUCTIS TRANS GREEN PEARL OUTER

Version Number 1.0 Revision Date 10/02/2006 Page 6 of 6 Print Date 11/24/2011

	Substances List (DSL) or are exempt.	
National Inventories:		
Australia AICS	: Listed	
China IECS	: Listed	
Europe EINECS	: Listed	
Japan ENCS	: Not determined	
Korea KECI	: Listed	
Philippines PICCS	: Listed	
	16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.