MATERIAL SAFETY DATA SHEET TRANS VANILLA ESSENCE

Version Number 1.0 Revision Date 10/02/2006

Page 1 of 6 Print Date 11/24/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TRANS VANILLA ESSENCE
Product code	:	CC10092265
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Rutile (TiO2)	1317-80-2	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

PolyOne.

MATERIAL SAFETY DATA SHEET TRANS VANILLA ESSENCE

Version Number 1.0 Revision Date 10/02/2006 Page 2 of 6 Print Date 11/24/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.	
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.	
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.	
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits		
Upper explosion limit	: Not applicable	
Lower explosion limit	: Not applicable	
Autoignition temperature		
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.	
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	

PolyOne.

MATERIAL SAFETY DATA SHEET TRANS VANILLA ESSENCE

Version Number 1.0 Revision Date 10/02/2006 Page 3 of 6 Print Date 11/24/2011

8. EXP	OSURE CONTROLS / PERSONAL PROTECTION		
Respiratory protection	: No personal respiratory protective equipment normally required.		
Eye/Face Protection	: Safety glasses with side-shields.		
Hand protection	: Protective gloves.		
Skin and body protection	: Long sleeved clothing.		
Additional Protective Measures	: Safety shoes.		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
	PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Not applicable		
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Not applicable : Pellets Specific Gravity: : Not determined : TAN Bulk density : Not established : Very faint Vapor pressure : Not applicable : Not determined Vapour density : Not applicable : Not applicable pH : Not applicable : Insoluble Insoluble : Not applicable		
Form Appearance Color Odor Melting point/range Boiling Point:	: Solid Evaporation rate : Not applicable : Pellets Specific Gravity: : Not determined : TAN Bulk density : Not established : Very faint Vapor pressure : Not applicable : Not determined Vapour density : Not applicable : Not applicable pH : Not applicable : Insoluble		
Form Appearance Color Odor Melting point/range Boiling Point:	: SolidEvaporation rate: Not applicable: PelletsSpecific Gravity:: Not determined: TANBulk density: Not established: Very faintVapor pressure: Not applicable: Not determinedVapour density: Not applicable: Not applicablepH: Not applicable		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: SolidEvaporation rate: Not applicable: PelletsSpecific Gravity:: Not determined: TANBulk density: Not established: Very faintVapor pressure: Not applicable: Not determinedVapour density: Not applicable: Not applicablepH: Not applicable: InsolubleInsoluble: Not applicable		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Solid Evaporation rate : Not applicable : Pellets Specific Gravity: : Not determined : TAN Bulk density : Not established : Very faint Vapor pressure : Not applicable : Not determined Vapour density : Not applicable : Not applicable pH : Not applicable : Insoluble Insoluble : Not applicable : Stable. : Stable. : Stable.		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 Solid Evaporation rate : Not applicable Pellets Specific Gravity: Not determined TAN Bulk density : Not established Very faint Vapor pressure : Not applicable Not determined Vapour density : Not applicable Not applicable pH : Not applicable Insoluble 10. STABILITY AND REACTIVITY Stable. Will not occur. Keep away from oxidizing agents and open flame. To avoid thermal 		

MATERIAL SAFETY DATA SHEET TRANS VANILLA ESSENCE

Version Number 1.0 Revision Date 10/02/2006

Page 4 of 6 Print Date 11/24/2011

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1317-80-2	Rutile (TiO2)	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	Not readily biodegradable.	
Environmental Toxicity	Chemicals are not readily available as they are bound v polymer matrix.	vithin the
Bioaccumulation Potential	Chemicals are not readily available as they are bound v polymer matrix.	vithin the
Additional advice	No data available	
	3. DISPOSAL CONSIDERATIONS	
Product	Like most thermoplastic plastics the product can be rec possible recycling is preferred to disposal or incineration generator of waste material has the responsibility for p classification, transportation and disposal in accordance applicable federal, state/provincial and local regulation	on. The roper waste e with

PolyOne.

MATERIAL SAFETY DATA SHEET TRANS VANILLA ESSENCE

Version Number 1.0 Revision Date 10/02/2006

Page 5 of 6 Print Date 11/24/2011

	14. I KANSP	PORT INFORMATIC	DN	
U.S. DOT Classification	: Not regula	ted for transportation.		
ICAO/IATA (air)	: Refer to sp	ecific regulation.		
IMO / IMDG (maritime)	: Refer to sp	ecific regulation.		
	15. REGULA	TORY INFORMATI	ON	
US Regulations:				
OSHA Status	: Classified	as hazardous based on	components.	
TSCA Status	: All compo Inventory.	onents of this product a	re listed on or exer	npt from the TSCA
US. EPA CERCLA Hazardou	s Substances (40 G	CFR 302)		
Not applicable				
California Proposition 65	: Not applica	able		
SARA Title III Section 302 E Not applicable	xtremely Hazardo	us Substance		
SARA Title III Section 313 T	oxic Chemicals:			
Not applicable Canadian Regulations:				
	ease Inventory (NI	PRI) CAS-No.	Weight %	NPRI ID#

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET TRANS VANILLA ESSENCE

Version Number 1.0 Revision Date 10/02/2006 Page 6 of 6 Print Date 11/24/2011

Australia AICS	: Listed
China IECS	: Listed
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Listed
Philippines PICCS	: Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.