### MATERIAL SAFETY DATA SHEET

### 413191 MAROON

Version Number 1.0 Revision Date 10/05/2006

Page 1 of 6 Print Date 11/24/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	413191 MAROON
Product code	:	CC10092350
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Calcium carbonate	1317-65-3	5 - 10

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET 413191 MAROON

Version Number 1.0 Revision Date 10/05/2006 Page 2 of 6 Print Date 11/24/2011

Inhalation	
milatation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ol> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ol>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

**POLYONE CORPORATION** 



# MATERIAL SAFETY DATA SHEET 413191 MAROON

Version Number 1.0 Revision Date 10/05/2006 Page 3 of 6 Print Date 11/24/2011

8.1	EXPOSURE	CONTROLS / P	ERSONAL	PROTECTION		
Respiratory protection	: N	lo personal respira	atory protecti	ve equipment normally	required.	
Eye/Face Protection	: S	afety glasses with	side-shields.			
Hand protection	: Protective gloves.					
Skin and body protection	: Long sleeved clothing.					
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations				industrial hygiene and t the end of workday.	safety practic	
Engineering measures		leat only in areas ppropriate exhaus		ate exhaust ventilation at machinery.	a. Provide	
Exposure limit(s)						
Components	Value	Exposure	Exposure time		List:	
Calcium carbonate	5 mg/m3	PEL:		Exposure type Respirable fraction.	OSHA Z	
	15 mg/m3	PEL:		Total dust.	OSHA Z	
	10 mg/m3	Time Weighted (TWA	-		MX OEI	
	20 mg/m3	Short Term Exp (STEL			MX OEI	
Titanium dioxide	10 mg/m3	Time Weighted (TWA	•		ACGIH	
	15 mg/m3	PEL:		Total dust.	OSHA Z	
	20 mg/m3	Short Term Exp (STEL		as Ti	MX OEI	
	9. PHYSIC	CAL AND CHEM	AICAL PRO	PERTIES		
Form	: Solic	1	Fyanor	ation rate : No	ot applicable	
Appearance	: Pelle				ot determined	
Color	: RED		Bulk d		ot established	
Odor		faint	•		ot applicable	
Melting point/range		determined			ot applicable	
Boiling Point:	: Not a	applicable	pH		ot applicable	
Water solubility	: Insol	11	-			
	10. 5	STABILITY ANI	<b>D REACTIV</b>	ITY		



## MATERIAL SAFETY DATA SHEET 413191 MAROON

Version Number 1.0 Revision Date 10/05/2006 Page 4 of 6 Print Date 11/24/2011

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.



## MATERIAL SAFETY DATA SHEET 413191 MAROON

Version Number 1.0 Revision Date 10/05/2006 Page 5 of 6 Print Date 11/24/2011

Product       :         Contaminated packaging       :         U.S. DOT Classification       :         ICAO/IATA (air)       :         IMO / IMDG (maritime)       :	13. DISPOSAL CONSIDERATIONS         Like most thermoplastic plastics the product can be recycled. Where         passible manufactor in product can be recycled. The
Contaminated packaging : U.S. DOT Classification : ICAO/IATA (air) : IMO / IMDG (maritime) : US Regulations:	
U.S. DOT Classification : ICAO/IATA (air) : IMO / IMDG (maritime) : US Regulations:	possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
U.S. DOT Classification : ICAO/IATA (air) : IMO / IMDG (maritime) : US Regulations:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
ICAO/IATA (air) : IMO / IMDG (maritime) : US Regulations:	14. TRANSPORT INFORMATION
ICAO/IATA (air) : IMO / IMDG (maritime) : US Regulations:	
IMO / IMDG (maritime) : US Regulations:	Not regulated for transportation.
US Regulations:	Refer to specific regulation.
US Regulations:	Refer to specific regulation.
-	5. REGULATORY INFORMATION
OSHA Status :	
	Classified as hazardous based on components.
TSCA Status :	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous Sub	bstances (40 CFR 302)
Not applicable	
California Proposition : 65	Not applicable
SARA Title III Section 302 Extrem Not applicable	nely Hazardous Substance
SARA Title III Section 313 Toxic	Chemicals:
Not applicable	

# MATERIAL SAFETY DATA SHEET 413191 MAROON

Version Number 1.0 Revision Date 10/05/2006 Page 6 of 6 Print Date 11/24/2011

Canadian Regulations: National Pollutant Release Inventory (NPRI) Not applicable WHMIS Classification : Not controlled. DSL All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt. National Inventories: Australia AICS : Listed China IECS Listed : **Europe EINECS** : Listed Japan ENCS Listed : Korea KECI Listed : **Philippines PICCS** : Listed **16. OTHER INFORMATION** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.