MATERIAL SAFETY DATA SHEET

UV Bandlock White

Version Number 1.0 Revision Date 10/10/2006

Product Use

Page 1 of 7 Print Date 11/24/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	UV Bandlock White
Product code	:	CC10092427
Chemical Name	:	Mixture
CAS-No.	:	Mixture

: Mixture : Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
1,6-Hexanediamine,	70624-18-9	5 - 10
N,N'-bis(2,2,6,6-tetramethyl-4-piperidinyl)-,		
polymer with 2,4,6-trichloro-1,3,5-triazine,		
reaction products		
Phenol,	25973-55-1	10 - 30
2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimeth		
ylpropyl)-		
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Particulates, like other inert materials can be mechanically irritating. Excessive inhalation of product vapors, especially during heating or processing, may be irritating to respiratory system.
Ingestion	: May be harmful if swallowed.



MATERIAL SAFETY DATA SHEET **UV Bandlock White**

sion Number 1.0 sion Date 10/10/2006	Page 2 Print Date 11/24/2
Eyes Skin	Particulates, like other inert materials can be mechanically irritating.Experience shows no unusual dermatitis hazard from routine handling
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Unusual Fire/Explosion Hazards	 contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
	: Should not be released into the environment. The product should no



MATERIAL SAFETY DATA SHEET **UV Bandlock White**

ion Number 1.0 sion Date 10/10/2006				Print [Page 3 Date 11/24/
Methods for cleaning up	р	Clean up promptly by swe lastic, cardboard or metal f this MSDS for proper d	containers for d	isposal. Refe	
	7.	HANDLING AND STO	ORAGE		
Handling		ake measures to prevent of a new measures to prevent of a new meas with appropriate the second secon			harge. Heat
Storage		Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.			
8. I	XPOSURE	CONTROLS / PERSO	NAL PROTEC	TION	
Respiratory protection	: N	lo personal respiratory pr	otective equipm	ent normally	required.
Eye/Face Protection	: S	afety glasses with side-sh	ields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		landle in accordance with Vash hands before breaks			safety practic
Engineering measures		leat only in areas with apppropriate exhaust ventila			Provide
Exposure limit(s)					
Components	Value	Exposure time	Expo	sure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):		51	ACGIH
	15 mg/m3	PEL:		al dust.	OSHA Z
	20 mg/m3	Short Term Exposure L (STEL):	imit	as Ti	MX OEL
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES	5	
Form	: Solid	1 5	vaporation rate	· No	t applicable
Appearance	: Pelle		pecific Gravity:		t determined
Color	: WH		ulk density		t established
Odor		v faint V	apor pressure	: No	t applicable
Melting point/range			apour density		t applicable
Boiling Point: Water solubility	: Not a : Insol		Н	: No	t applicable

P<u>olyOne</u>

MATERIAL SAFETY DATA SHEET UV Bandlock White

Version Number 1.0 Revision Date 10/10/2006

_

Page 4 of 7 Print Date 11/24/2011

	10. STABILITY AND REACTIVITY
Stability	: Stable.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	: Avoid contact with strong oxidizers. Also, avoid contact with acetal or acetal copolymers and with amine containing materials during processing. At processing conditions, these materials are mutually destructive and involve rapid degradation. Thoroughly purge and mechanically clean processing equipment to avoid even trace quantities of these materials from coming in contact with each other. Prevent cross contamination of feedstocks.
Hazardous decomposition products	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
70624-18-9	1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetrameth yl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazi ne, reaction products	Irritant	Eyes, Skin, Respiratory system.
25973-55-1	Phenol, 2-(2H-benzotriazol-2-yl)-4 ,6-bis(1,1-dimethylpropyl) -	Systemic effects	Kidney, Liver, reproductive system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species

PolyOne.

MATERIAL SAFETY DATA SHEET

UV Bandlock White

Version Number 1.0 Revision Date 10/10/2006

Page 5 of 7 Print Date 11/24/2011

70624-18-9	1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetrameth yl-4-piperidinyl)-,polymer	Oral LD50 Dermal LD50	> 2,000 mg/kg > 3,000 mg/kg	rat rat
	with 2,4,6-trichloro-1,3,5-triazi ne, reaction products			

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Dersistance and degradability	Not readily biodegradeble
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET UV Bandlock White

sion Number 1.0 <u>vision Date 10/10/2006</u> U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. ISCA Status : Classified as hazardous based on commute TSCA Status : All components of this product are lise	
ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. ISREGULATORY INFORMATION US Regulations: OSHA Status : Classified as hazardous based on com TSCA Status : All components of this product are liss	
ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. ISREGULATORY INFORMATION US Regulations: OSHA Status : Classified as hazardous based on com TSCA Status : All components of this product are liss	
IMO / IMDG (maritime) : Refer to specific regulation. 15. REGULATORY INFORMATION US Regulations: OSHA Status : Classified as hazardous based on com TSCA Status : All components of this product are liss	
15. REGULATORY INFORMATION US Regulations: OSHA Status : Classified as hazardous based on com TSCA Status : All components of this product are liss	
US Regulations: OSHA Status : Classified as hazardous based on com TSCA Status : All components of this product are lis	
OSHA Status: Classified as hazardous based on comTSCA Status: All components of this product are list	ponents.
TSCA Status : All components of this product are lis	ponents.
1 1	-r
Inventory.	sted on or exempt from the TSCA
US. EPA CERCLA Hazardous Substances (40 CFR 302)	
Not applicable	
California Proposition : Not applicable 65	
SARA Title III Section 302 Extremely Hazardous Substance	
Unless specific chemicals are identified under this section, this product is h	Not Applicable under this regulation
SARA Title III Section 313 Toxic Chemicals:	
Unless specific chemicals are identified under this section, this product is I	Not Applicable under this regulation
Canadian Regulations:	
National Pollutant Release Inventory (NPRI)	
National Pollutant Release Inventory (NPRI) Not applicable	
• • •	
Not applicable	
Not applicable WHMIS Classification : D2B DSL : All components of this product are or	

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET UV Bandlock White

Version Number 1.0 Revision Date 10/10/2006 Page 7 of 7 Print Date 11/24/2011

:	Not determined
	Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.