MATERIAL SAFETY DATA SHEET **PG 92546.00 GN PP**

Version Number 1.0 Revision Date 10/10/2006

Page 1 of 6 Print Date 11/24/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 92546.00 GN PP
Product code	:	CC10092546
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
: Resin particles, like other inert materials, are mechanically irritating to eyes.
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.
: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 92546.00 GN PP**

Version Number 1.0 Revision Date 10/10/2006 Page 2 of 6 Print Date 11/24/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit	Not applicableNot applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 92546.00 GN PP**

Version Number 1.0 Revision Date 10/10/2006 Page 3 of 6 Print Date 11/24/2011

8. H	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	No personal respiratory protecti	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	Protective gloves.		
Skin and body protection	: Long sleeved clothing.			
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		Handle in accordance with good Vash hands before breaks and a		afety practice
Engineering measures		Heat only in areas with appropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL
	9 PHVSI	CAL AND CHEMICAL PRO	PFRTIFS	
	<i></i>	CAL AND CHEMICAL I KO		
	: Solid			applicable
Form	: Pelle		5	determined
Appearance			•	established
Appearance Color	: GRE			applicable
Appearance Color Odor	: Very	faint Vapor		annlicahla
Appearance Color Odor Melting point/range	: Very : Not	/ faintVapordeterminedVapou	r density : Not	applicable
Appearance Color Odor	: Very : Not	/ faintVapordeterminedVapouapplicablepH	r density : Not	applicable
Appearance Color Odor Melting point/range Boiling Point:	: Very : Not : Not : Inso	/ faintVapordeterminedVapouapplicablepH	r density : Not : Not	
Appearance Color Odor Melting point/range Boiling Point:	: Very : Not : Not : Inso 10.5	v faint Vapor determined Vapou applicable pH luble	r density : Not : Not	
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Very : Not : Not : Inso 10.5 : S	/ faint Vapor determined Vapou applicable pH luble STABILITY AND REACTIV	r density : Not : Not	

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 92546.00 GN PP**

sion Number 1.0 ision Date 10/10/200	16		Print [Page 4 of 6 Date 11/24/2011
Incompatible Materials	s : Incompatible	with strong acids and o	xidizing agents.	
Hazardous decomposit products		le (CO2), carbon mono hazardous materials, an		
	11. TOXICOLOG	ICAL INFORMATIO	DN	
	een evaluated as a whole for vidual components which co		re effects listed are	e based on existing
Toxicity Overview This product contains	the following components wh	hich in their pure form	have the following	characteristics:
CAS-No.	Chemical Name	Effect	Target	Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory syste	em.
CAS-No. 13463-67-7	Chemical Name Titanium dioxide	OSHA no	IARC 2B	NTP no
2B - The component is NTP Carcinogen Class 1 - The component is k	s probably carcinogenic to hu s possibly carcinogenic to hu sifications: known to be a human carcino reasonably anticipated to be a	mans. ogen.		
	12. ECOLOGIC	AL INFORMATION		
Persistence and degrad				
Persistence and degrad Environmental Toxicit	lability : Not readily bio	odegradable. e not readily available a		vithin the
-	lability : Not readily bid ty : Chemicals are polymer matri	odegradable. e not readily available a ix. e not readily available a	s they are bound w	
Environmental Toxicit	lability : Not readily bid ty : Chemicals are polymer matri ntial : Chemicals are	odegradable. e not readily available a ix. e not readily available a ix.	s they are bound w	
Environmental Toxicit Bioaccumulation Poter	lability : Not readily bid ty : Chemicals are polymer matri ntial : Chemicals are polymer matri : No data availa	odegradable. e not readily available a ix. e not readily available a ix.	s they are bound w	



MATERIAL SAFETY DATA SHEET **PG 92546.00 GN PP**

Contaminated packaging	:	applicable federal, state/provincial and local regulations.
Contaminated packaging	:	applicable federal, state/provincial and local regulations.
Contaminated packaging	:	
		Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status		Classified as hazardous based on components.
	•	
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous S	ub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Extre	em	ely Hazardous Substance
Unless specific chemicals are ide	enti	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Toxi	c C	Chemicals:
Unless specific chemicals are ide	enti	fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:		
National Pollutant Release	e Ir	wentory (NPRI)
Chemical Name		CAS-No. Weight % NPRI ID#

PolyOne

MATERIAL SAFETY DATA SHEET **PG 92546.00 GN PP**

Version Number 1.0 Revision Date 10/10/2006 Page 6 of 6 Print Date 11/24/2011

Aluminum oxide	1344-28-1	0.10 - 1.00	13
Phthalocyanine green	1328-53-6	5.00 - 10.00	71

Europe EINECS	:	Listed	
Japan ENCS	:	Listed	
Korea KECI	:	Listed	
Philippines PICCS	:	Listed	
		16. OTHER INFORMATION	-

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.