PolvOne

MATERIAL SAFETY DATA SHEET WHITE

Version Number 1.0 Revision Date 10/11/2006

Product Use

Page 1 of 7 Print Date 11/24/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WHITE
Product code	:	CC10092612
Chemical Name	:	Mixture
CAS-No.	:	Mixture

: Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
1,6-Hexanediamine,	70624-18-9	1 - 5
N,N'-bis(2,2,6,6-tetramethyl-4-piperidinyl)-,		
polymer with 2,4,6-trichloro-1,3,5-triazine,		
reaction products		
Calcium carbonate	1317-65-3	1 - 5
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

icles, like other inert materials, can be mechanically irritating. Irmful if swallowed. icles, like other inert materials, are mechanically irritating to e shows no unusual dermatitis hazard from routine handling.
t

PolyOne.

MATERIAL SAFETY DATA SHEET **WHITE**

ion Number 1.0 sion Date 10/11/2006	Page : Print Date 11/24/
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



MATERIAL SAFETY DATA SHEET WHITE

Version Number 1.0 Revision Date 10/11/2006	Page 3 of 7 Print Date 11/24/2011
Handling :	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage :	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXPOSU	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection :	No personal respiratory protective equipment normally required.
Eye/Face Protection :	Safety glasses with side-shields.
Hand protection :	Protective gloves.
Skin and body protection :	Long sleeved clothing.
Additional Protective : Measures	Safety shoes.
General Hygiene : Considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures :	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average		MX OEL
		(TWA):		
	20 mg/m3	Short Term Exposure Limit		MX OEL
		(STEL):		
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	20 mg/m3	Short Term Exposure Limit	as Ti	MX OEL
		(STEL):		

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odor Melting point/range Boiling Point:
- Solid
 Pellets
 WHITE
 Very faint
 Not determined
 Not applicable
- Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH
- Not applicable
 Not determined
 Not established
 Not applicable
 Not applicable
 Not applicable
 Not applicable



MATERIAL SAFETY DATA SHEET WHITE

Version Number 1.0

Revision Date 10/11/2006

Page 4 of 7 Print Date <u>11/</u>24/2011

	10. STABILITY AND REACTIVITY
Stability	: Stable.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	: Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
70624-18-9	1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetrameth yl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazi ne, reaction products	Irritant	Eyes, Skin, Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
70624-18-9	1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetrameth yl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazi ne, reaction products	Oral LD50 Dermal LD50	> 2,000 mg/kg > 3,000 mg/kg	rat rat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

PolyOne.

MATERIAL SAFETY DATA SHEET **WHITE**

Version Number 1.0

Revision Date 10/11/2006

Page 5 of 7 Print Date 11/24/2011

CAS-No.	Chemical Name	OSHA	IARC	NTP		
13463-67-7	Titanium dioxide	no	2B	no		
 2A - The component i 2B - The component i NTP Carcinogen Class 1 - The component is 	carcinogenic to humans. s probably carcinogenic to h s possibly carcinogenic to hu	ımans. ogen.				
	12. ECOLOGIO	CAL INFORMATION				
Persistence and degrad	dability : Not readily b	iodegradable.				
Environmental Toxici	ty : Chemicals are polymer matr	e not readily available a ix.	s they are bound w	vithin the		
Bioaccumulation Pote		: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice	: No data avail	able				
	13. DISPOSAL	CONSIDERATIONS				
Product	possible recy generator of v classification	ermoplastic plastics the p cling is preferred to disp waste material has the re , transportation and disp deral, state/provincial an	oosal or incinerations sponsibility for prosal in accordance	n. The oper waste with		
Contaminated packagi	has the response and disposal	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPO	RT INFORMATION				
U.S. DOT Classificati	on : Not regulated	l for transportation.				
ICAO/IATA (air)	: Refer to spec	ific regulation.				
IMO / IMDG (maritin	ne) : Refer to spec	ific regulation.				
	15. REGULATO	DRY INFORMATION				

PolyOne.

MATERIAL SAFETY DATA SHEET **WHITE**

				Pri	Page 6 o int Date 11/24/20
OSHA Status	:	Classified as has	zardous based or	n components.	
TSCA Status	:	All components Inventory.	s of this product a	are listed on or exen	npt from the TSCA
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 3	302)		
Not applicable					
California Proposition 65	:	Not applicable			
SARA Title III Section 302 Ext	rem	ely Hazardous Su	bstance		
Unless specific chemicals are id	lenti	fied under this se	ction, this produ	ct is Not Applicable	e under this regulati
SARA Title III Section 313 Top	ric ('hemicals:			
			ation this produ	at is Not Applicable	a undar this regulati
Unless specific chemicals are ic	lenti	ned under this se	cuon, uns produ	ct is not Applicable	e under uns regulati
Canadian Regulations:					
National Pollutant Relea	se Ir	nventory (NPRI)	CAS-No.	Weight %	NPRI ID#
Aluminum oxide			1344-28-1	0.10 - 1.00	13
WHMIS Classification	:	D2B			
DSL	:		s of this product (DSL) or are exe	are on the Canadian empt.	n Domestic
National Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
		Listed			
Europe EINECS	•				
Europe EINECS Japan ENCS	:	Not determined			
-	:				

MATERIAL SAFETY DATA SHEET WHITE

Version Number 1.0 Revision Date 10/11/2006

Page 7 of 7 Print Date 11/24/2011

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.