MATERIAL SAFETY DATA SHEET YELLOW WHITE

Version Number 1.0 Revision Date 10/13/2006

Page 1 of 6 Print Date 11/24/2011

I. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012 Telephone : Product Stewardship (770) 271-5902 Emergency telephone : CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). Product name : VELLOW WHITE

Product name	: YELLOW WHITE
Product code	: CC10092713
Chemical Name	: Mixture
CAS-No.	: Mixture
Product Use	: Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
: Resin particles, like other inert materials, are mechanically irritating to eyes.
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.
: None known.



MATERIAL SAFETY DATA SHEET **YELLOW WHITE**

Version Number 1.0 Revision Date 10/13/2006 Page 2 of 6 Print Date 11/24/2011

	4. FIRST AID MEASURES					
Inhalation	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.					
Ingestion	 Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention. 					
Eyes						
Skin	Wash off with soap and plenty of water. If skin irrita medical attention.	irritation persists seek				
	5. FIRE-FIGHTING MEASURES					
Flash point	Not applicable					
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, for					
Special Fire Fighting Procedures Unusual Fire/Explosion	Fullface self-contained breathing apparatus (SCBA) pressure mode should be worn to prevent inhalation contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxid	of airborne es of nitrogen				
Hazards	(NOx), other hazardous materials, and smoke are all	possible.				
	CCIDENTAL RELEASE MEASURES					
Personal precautions	Wear appropriate personal protection during cleanup impervious gloves, boots and coveralls.	, such as				
Environmental precautions	al precautions : Should not be released into the environment. The product shou be allowed to enter drains, water courses or the soil.					
Methods for cleaning up	Clean up promptly by sweeping or vacuum. Package plastic, cardboard or metal containers for disposal. R of this MSDS for proper disposal methods.					
	7. HANDLING AND STORAGE					
Handling	Take measures to prevent the build up of electrostation only in areas with appropriate exhaust ventilation.	c charge. Heat				
Storage	Keep containers dry and tightly closed to avoid mois	ture absorption				

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **YELLOW WHITE**

Version Number 1.0 Revision Date 10/13/2006 Page 3 of 6 Print Date 11/24/2011

8. H	XPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: N	lo personal respiratory protecti	ve equipment normally	required.		
Eye/Face Protection	: S	afety glasses with side-shields				
Hand protection	: P	Protective gloves.				
Skin and body protection	: L	Long sleeved clothing.				
Additional Protective Measures	: S	: Safety shoes.				
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and a		afety practice		
Engineering measures		leat only in areas with appropr ppropriate exhaust ventilation		Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH		
	15 mg/m3	PEL:	Total dust.			
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL		
	9. PHYSI	CAL AND CHEMICAL PRO	DPERTIES			
	0.1	d Evapo		applicable		
Form	: Solic		Specific Gravity: : Not determined			
Appearance	: Pelle	ets Specif	2			
Appearance Color	: Pelle : YEL	ets Specif LOW Bulk d	lensity : Not	established		
Appearance Color Odor	: Pelle : YEL : Very	ets Specif LOW Bulk d a faint Vapor	lensity : Not pressure : Not	established applicable		
Appearance Color Odor Melting point/range	: Pelle : YEL : Very : Not	ets Specif LOW Bulk d v faint Vapor determined Vapou	lensity : Not pressure : Not r density : Not	established applicable applicable		
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : YEL : Very : Not	ets Specif LOW Bulk d 7 faint Vapor determined Vapou applicable pH	lensity : Not pressure : Not r density : Not	established applicable		
Appearance Color Odor	: Pelle : YEL : Very : Not : Not : Insol	ets Specif LOW Bulk d 7 faint Vapor determined Vapou applicable pH	lensity : Not pressure : Not r density : Not : Not	established applicable applicable		
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : YEL : Very : Not : Not : Insol	ets Specif LOW Bulk d v faint Vapor determined Vapou applicable pH luble	lensity : Not pressure : Not r density : Not : Not	established applicable applicable		
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Pelle : YEL : Very : Not : Not : Insol 10. \$: S	ets Specif LOW Bulk d y faint Vapor determined Vapou applicable pH luble STABILITY AND REACTIV	lensity : Not pressure : Not r density : Not : Not	established applicable applicable		

MATERIAL SAFETY DATA SHEET **YELLOW WHITE**

Version Number 1.0 Page 4 of 6 Print Date 11/24/2011 Revision Date 10/13/2006 **Incompatible Materials** : Incompatible with strong acids and oxidizing agents. Hazardous decomposition Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen : products (NOx), other hazardous materials, and smoke are all possible. **11. TOXICOLOGICAL INFORMATION** This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture. Toxicity Overview This product contains the following components which in their pure form have the following characteristics: CAS-No. Chemical Name Effect Target Organ 13463-67-7 Titanium dioxide Systemic effects Respiratory system. Carcinogenicity This product contains the following components which, in their pure form, have the following carcinogenicity data: CAS-No. Chemical Name OSHA IARC NTP 13463-67-7 Titanium dioxide 2B no no IARC Carcinogen Classifications: 1 - The component is carcinogenic to humans. 2A - The component is probably carcinogenic to humans. 2B - The component is possibly carcinogenic to humans. NTP Carcinogen Classifications: 1 - The component is known to be a human carcinogen. 2 - The component is reasonably anticipated to be a human carcinogen. **12. ECOLOGICAL INFORMATION** Persistence and degradability Not readily biodegradable. : Environmental Toxicity Chemicals are not readily available as they are bound within the : polymer matrix. **Bioaccumulation Potential** Chemicals are not readily available as they are bound within the : polymer matrix. Additional advice No data available • 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with



MATERIAL SAFETY DATA SHEET **YELLOW WHITE**

sion Number 1.0 <i>r</i> ision Date 10/13/2006		Page 5 o Print Date <i>11/24/20</i>				
	:	blicable federal, state/provincial and local regulations.				
Contaminated packaging	1	Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14	RANSPORT INFORMATION				
U.S. DOT Classification	:]	t regulated for transportation.				
ICAO/IATA (air)	:]	fer to specific regulation.				
IMO / IMDG (maritime)	:]	fer to specific regulation.				
	15.	EGULATORY INFORMATION				
US Regulations:						
OSHA Status	: (assified as hazardous based on components.				
TSCA Status		l components of this product are listed on or exempt from the TSCA ventory.				
US. EPA CERCLA Hazardou	ıs Substa	ces (40 CFR 302)				
Not applicable						
California Propositior 65	ı :]	t applicable				
SARA Title III Section 302 E	xtremel	Hazardous Substance				
Unless specific chemicals are	identifi	under this section, this product is Not Applicable under this regulati				
SARA Title III Section 313 T	°oxic Ch	nicals:				
Unless specific chemicals are	identifi	under this section, this product is Not Applicable under this regulati				
Canadian Regulations:						
National Pollutant Rel	ease Inv					
Chemical Name		CAS-No. Weight % NPRI ID#				

PolyOne

MATERIAL SAFETY DATA SHEET YELLOW WHITE

Aluminum oxide			1344-28-1	0.10 - 1.00	13	
WHMIS Classification DSL	:		s of this product a	are on the Canadi	an Domes	tic
National Inventories:		Substances List		inpt.		
Australia AICS	:	Listed				
China IECS	:	Listed				
Europe EINECS	:	Listed				
Japan ENCS	:	Not determined				
Korea KECI	:	Listed				
Philippines PICCS	:	Listed				
		16. OTHER IN	NFORMATION			

tl storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.