#### MATERIAL SAFETY DATA SHEET

#### Transp. Red

Version Number 1.0 Revision Date 10/16/2006 Page 1 of 6 Print Date 11/24/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	Transp. Red
Product code	:	CC10092812
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES



## MATERIAL SAFETY DATA SHEET

## Transp. Red

sion Date 10/16/2006	Print Date 1	2age 2/24/
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all c doubt seek medical advice.	
Ingestion	: Do not induce vomiting without medical advice. When symptopersist or in all cases of doubt seek medical advice.	oms
Eyes	: Rinse immediately with plenty of water, also under the eyelids least 15 minutes. If eye irritation persists, seek medical attention	
Skin	: Wash off with soap and plenty of water. If skin irritation persist medical attention.	sts see
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> </ul>	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in popressure mode should be worn to prevent inhalation of airborne contaminants.	
Unusual Fire/Explosion Hazards	<ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitro (NOx), other hazardous materials, and smoke are all possible.</li> </ul>	gen
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product show be allowed to enter drains, water courses or the soil.	uld no
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all mater plastic, cardboard or metal containers for disposal. Refer to Sec of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. only in areas with appropriate exhaust ventilation.	Heat
Storage	: Keep containers dry and tightly closed to avoid moisture absor and contamination. Keep in a dry, cool place.	ption

PolyOne

# MATERIAL SAFETY DATA SHEET *Transp. Red*

## Version Number 1.0

Revision Date 10/16/2006

Page 3 of 6 Print Date 11/24/2011

0. 1241	POSURE CONTROLS / PH	ERSONAL PROTECTION
Respiratory protection	: No personal respirat	ory protective equipment normally required.
Eye/Face Protection	: Safety glasses with	side-shields.
Hand protection	: Protective gloves.	
Skin and body protection	: Long sleeved clothin	ng.
Additional Protective Measures	: Safety shoes.	
General Hygiene Considerations		e with good industrial hygiene and safety practic breaks and at the end of workday.
Engineering measures		vith appropriate exhaust ventilation. Provide ventilation at machinery.
Exposure limit(s)		
<u>Exposure min(s)</u>		
There are no known hazardo	us components above regula	tory thresholds in this product.
	1 0	
	us components above regula	
9	PHYSICAL AND CHEM	ICAL PROPERTIES
9 Form	PHYSICAL AND CHEM     : Solid	IICAL PROPERTIES         Evaporation rate       : Not applicable
9 Form Appearance	<ul> <li><b>PHYSICAL AND CHEM</b></li> <li>: Solid</li> <li>: Pellets</li> </ul>	ICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity:       : Not determined
9 Form Appearance Color	<ul> <li>PHYSICAL AND CHEM</li> <li>Solid</li> <li>Pellets</li> <li>RED</li> </ul>	ICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity:       : Not determined         Bulk density       : Not established
9 Form Appearance Color Odor	<ul> <li>PHYSICAL AND CHEM</li> <li>Solid</li> <li>Pellets</li> <li>RED</li> <li>Very faint</li> </ul>	IICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity:       : Not determined         Bulk density       : Not established         Vapor pressure       : Not applicable
9 Form Appearance Color Odor Melting point/range	<ul> <li>PHYSICAL AND CHEM</li> <li>Solid</li> <li>Pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> </ul>	ICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity:       : Not determined         Bulk density       : Not established         Vapor pressure       : Not applicable         Vapour density       : Not applicable
9 Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEM</li> <li>Solid</li> <li>Pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> </ul>	IICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity:       : Not determined         Bulk density       : Not established         Vapor pressure       : Not applicable
9 Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEM</li> <li>Solid</li> <li>Pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> </ul>	ICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity:       : Not determined         Bulk density       : Not established         Vapor pressure       : Not applicable         Vapour density       : Not applicable
9 Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEM</li> <li>Solid</li> <li>Pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> </ul>	ICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity:       : Not determined         Bulk density       : Not established         Vapor pressure       : Not applicable         Vapour density       : Not applicable         pH       : Not applicable
9 Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	<ul> <li>PHYSICAL AND CHEM</li> <li>Solid</li> <li>Pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	ICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity:       : Not determined         Bulk density       : Not established         Vapor pressure       : Not applicable         Vapour density       : Not applicable         pH       : Not applicable
9 Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	<ul> <li>PHYSICAL AND CHEM</li> <li>Solid</li> <li>Pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> 10. STABILITY AND	ICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity:       : Not determined         Bulk density       : Not established         Vapor pressure       : Not applicable         Vapour density       : Not applicable         pH       : Not applicable
9 Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>PHYSICAL AND CHEM</li> <li>Solid</li> <li>Pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> 10. STABILITY AND <ul> <li>Stable.</li> <li>Will not occur.</li> </ul>	ICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity:       : Not determined         Bulk density       : Not established         Vapor pressure       : Not applicable         Vapour density       : Not applicable         pH       : Not applicable         PREACTIVITY
9 Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	<ul> <li>PHYSICAL AND CHEM</li> <li>Solid</li> <li>Pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> 10. STABILITY AND <ul> <li>Stable.</li> <li>Will not occur.</li> </ul>	ICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity:       : Not determined         Bulk density       : Not established         Vapor pressure       : Not applicable         Vapour density       : Not applicable         pH       : Not applicable         PREACTIVITY       : Not applicable         idizing agents and open flame. To avoid thermatical interval in the state of the st
9 Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>PHYSICAL AND CHEM</li> <li>Solid</li> <li>Pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> 10. STABILITY AND <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from oxidecomposition, do not applicable of the second second</li></ul>	ICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity:       : Not determined         Bulk density       : Not established         Vapor pressure       : Not applicable         Vapour density       : Not applicable         pH       : Not applicable         PREACTIVITY       : Not applicable         idizing agents and open flame. To avoid thermatical interval in the state of the st

PolyOne.

# MATERIAL SAFETY DATA SHEET *Transp. Red*

Version Number 1.0 Revision Date 10/16/2006 Page 4 of 6 Print Date 11/24/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	Not reculated for transmostation
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSC. Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	

PolyOne

# MATERIAL SAFETY DATA SHEET *Transp. Red*

Version Number 1.0 Revision Date 10/16/2006 Page 5 of 6 Print Date 11/24/2011

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Chemical Name	CAS-No.	Weight %
ZINC COMPOUNDS	1314-98-3	1.00 - 5.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight %	NPRI ID#
Zinc sulfide	1314-98-3	1.00 - 5.00	231

	WHMIS Classification	:	Not controlled.
	DSL	:	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.
National Inventories:			
	Australia AICS	:	Not determined
	China IECS	:	Not determined
	Europe EINECS	:	Listed
	Japan ENCS	:	Not determined
	Korea KECI	:	Not determined
	Philippines PICCS	:	Not determined
	16. OTHER INFORMATION		



## MATERIAL SAFETY DATA SHEET

## Transp. Red

Version Number 1.0 Revision Date 10/16/2006 Page 6 of 6 Print Date 11/24/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.