PolyOne

MATERIAL SAFETY DATA SHEET #219699 GRAY

Version Number 1.0 Revision Date 10/17/2006

Product Use

Page 1 of 7 Print Date 11/24/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	#219699 GRAY
Product code	:	CC10092822
Chemical Name	:	Mixture
CAS-No.	:	Mixture

: Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	1 - 5
Carbon black	1333-86-4	1 - 5
Chromium (III) oxide	1308-38-9	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET #219699 GRAY

Version Number 1.0 Revision Date 10/17/2006 Page 2 of 7 Print Date 11/24/2011

Medical Conditions Aggravated by Exposure:						
		4. FIRST AID MEASURES				
Inhalation : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.						
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.				
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.				
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.				
		5. FIRE-FIGHTING MEASURES				
Flash point	:	Not applicable				
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	::	Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.				
	6. A	CCIDENTAL RELEASE MEASURES				
Personal precautions		Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.				
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.				
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.				
		7. HANDLING AND STORAGE				
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat				



MATERIAL SAFETY DATA SHEET **#219699 GRAY**

Version Number 1.0 Revision Date 10/17/2006	Page 3 of 7 Print Date 11/24/2011
	only in areas with appropriate exhaust ventilation.
Storage :	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXPOSU	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection :	No personal respiratory protective equipment normally required.
Eye/Face Protection :	Safety glasses with side-shields.
Hand protection :	Protective gloves.
Skin and body protection :	Long sleeved clothing.
Additional Protective : Measures	Safety shoes.
General Hygiene : Considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures :	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):		MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
Carbon black	3.5 mg/m3	Time Weighted Average (TWA):	Total dust. as carbon black	ACGIH
	3.5 mg/m3	PEL:	Total dust. as carbon black	OSHA Z1
Chromium (III) oxide	0.5 mg/m3	Time Weighted Average (TWA):	as Cr	ACGIH
	0.5 mg/m3	PEL:	as Cr	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

Form

Evaporation rate

: Not applicable

MATERIAL SAFETY DATA SHEET #219699 GRAY

: Pellets

: GREY

: Very faint

: Insoluble

: Not determined

: Not applicable

Version Number 1.0

Version Number 1.0					
Revision Date	10/17/2006				

Appearance
Color
Odor
Melting point/range
Boiling Point:
Water solubility

	10. STABILITY AND REACTIVITY	
Stability	: Stable.	
Hazardous Polymerization	: Will not occur.	
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid therma decomposition, do not overheat.	.1
Incompatible Materials	: Incompatible with strong acids and oxidizing agents.	
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
1308-38-9	Chromium (III) oxide	Irritant	Eyes, Skin.
		sensitizer	Skin.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

4/7



:

:

Specific Gravity:

Bulk density

Vapor pressure

Vapour density

pН

Page 4 of 7 Print Date 11/24/2011

Not determined

Not established : Not applicable

: Not applicable

: Not applicable

MATERIAL SAFETY DATA SHEET #219699 GRAY

Version Number 1.0 Revision Date 10/17/2006

Page 5 of 7 Print Date 11/24/2011

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

Additional Health Hazard Information:

Chromium (III) oxide 1308-38-9 The bi- and trivalent forms of chrome have a low order of acute toxicity, but may cause skin sensitization and irritation to the eyes. No effects have been reported for chromium (III) oxide. Chromium (III) compounds are not considered carcinogenic in animals or humans

Persistence and degradability	: Not rea	dily biodegradable.
Environmental Toxicity		als are not readily available as they are bound within the r matrix.
Bioaccumulation Potential		als are not readily available as they are bound within the r matrix.
Additional advice	: No data	available
	13. DISPO	OSAL CONSIDERATIONS
Product	possible generate classific	ost thermoplastic plastics the product can be recycled. Where e recycling is preferred to disposal or incineration. The for of waste material has the responsibility for proper waste cation, transportation and disposal in accordance with ble federal, state/provincial and local regulations.
Contaminated packaging	•	ng is preferred when possible. The generator of waste material responsibility for proper waste classification, transportation



MATERIAL SAFETY DATA SHEET **#219699 GRAY**

sion Number 1.0 rision Date 10/17/2006	Page 6 of Print Date 11/24/201						
	accordance tions.	ccordance with applicable federal, state/provincial ons.					
	14.	. TRANSPORT	INFOR	MATION			
U.S. DOT Classification	: 1	Not regulated for transportation.					
ICAO/IATA (air)	: 1	Refer to specific regulation.					
IMO / IMDG (maritime)	:]	Refer to specific regulation.					
	15.	REGULATOR	Y INFO	RMATIO	N		
US Regulations:							
OSHA Status	: (: Classified as hazardous based on components.					
TSCA Status		: All components of this product are listed on or exempt from the TSCA Inventory.					
US. EPA CERCLA Hazardo	us Substa	ances (40 CFR 3	302)				
Not applicable							
California Propositio	n : 1	Not applicable					
65							
SARA Title III Section 302	Extramal	v Hazardous Su	hetanca				
		-					
Unless specific chemicals are	e identifi	ed under this see	ction, thi	s product is	Not App	licable	under this regulat
SARA Title III Section 313	Foxic Ch	emicals					
Unless specific chemicals are Chemical Name	e identifi	ed under this see	ction, thi	s product is CAS-No.		licable Weight	
CHROMIUM III COMPO	1308-38-9		10.00 - 30.00				
Canadian Regulations:							
National Pollutant Re	lease Inv	entory (NPRI)					
Chemical Name				CAS-No.		%	NPRI ID#
Aluminum oxide			1344-28-1				13
Chromium (III) oxide 1308-38-9 10.00 - 30.00 69						69	

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET #219699 GRAY

Version Number 1.0 Revision Date 10/17/2006 Page 7 of 7 Print Date 11/24/2011

WHMIS C	lassification :	A	
WHMIS Ing	gredient Disclos	st	
13.	AS-No. 33-86-4 08-38-9		
DSL	:	components of this postances List (DSL) or	roduct are on the Canadian Domestic are exempt.
National Inventorie	es:		
Australia A	ICS :	sted	
China IECS	S :	sted	
Europe EIN	NECS :	sted	
Japan ENC	S:	sted	
Korea KEC	: 12	sted	
Philippines	PICCS :	sted	
		OTHER INFORM	ATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.