### MATERIAL SAFETY DATA SHEET UNITED BLUE PP

Version Number 1.0 Revision Date 06/02/2008 Page 1 of 6 Print Date <u>1/3/2012</u>

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:		Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).			
Product name	:	UNITED BLUE PP			
Product code	:	CC10111912			
Chemical Name	:	Mixture			
CAS-No.	:	Mixture			
Product Use	:	Industrial Applications			

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
em ome exposure	
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

## MATERIAL SAFETY DATA SHEET UNITED BLUE PP

Version Number 1.0 Revision Date 06/02/2008 Page 2 of 6 Print Date 1/3/2012

Inhalation Ingestion		Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
		Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin		Wash off with soap and plenty of water. If skin irritation persists seek medical attention.			
		5. FIRE-FIGHTING MEASURES			
Flash point	:	Not applicable			
<b>P</b> 1					
Flammable Limits		Not applicable			
Upper explosion limit Lower explosion limit	:	Not applicable Not applicable			
Autoignition temperature	:	Not applicable			
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.			
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.			
Unusual Fire/Explosion Hazards		Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.			
	6. A	CCIDENTAL RELEASE MEASURES			
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions		Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			
		7. HANDLING AND STORAGE			
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption			

2/6

PolyOne.

# MATERIAL SAFETY DATA SHEET UNITED BLUE PP

Version Number 1.0							
Revision Date	06/02/2008						

Page 3 of 6 Print Date 1/3/2012

8. EX	POSURE CON	<b>FROLS/PERSONAL PROTECTION</b>				
Respiratory protection	: No personal respiratory protective equipment normally required.					
Eye/Face Protection	: Safety gl	Safety glasses with side-shields				
Hand protection	: Protectiv	Protective gloves				
Skin and body protection	: Long sle	Long sleeved clothing				
Additional Protective Measures	: Safety sl	Safety shoes				
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
	•	bove regulatory thresholds in this product.          ND CHEMICAL PROPERTIES				
	•	ND CHEMICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : Not applicable         ined       Vapour density       : Not applicable				
9. Form Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>PHYSICAL A</li> <li>Solid</li> <li>pellets</li> <li>BLUE</li> <li>Very faint</li> <li>Not determi</li> <li>Not applical</li> <li>Insoluble</li> </ul>	ND CHEMICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : Not applicable         ined       Vapour density       : Not applicable         ble       pH       : Not applicable				
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	<ul> <li>PHYSICAL A</li> <li>Solid</li> <li>pellets</li> <li>BLUE</li> <li>Very faint</li> <li>Not determit</li> <li>Not applicat</li> <li>Insoluble</li> </ul> 10. STABIL	ND CHEMICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : Not applicable         ined       Vapour density       : Not applicable				
9 Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>PHYSICAL A</li> <li>Solid</li> <li>pellets</li> <li>BLUE</li> <li>Very faint</li> <li>Not determit</li> <li>Not applicat</li> <li>Insoluble</li> </ul> 10. STABIT <ul> <li>Stable.</li> </ul>	ND CHEMICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : Not applicable         ined       Vapour density       : Not applicable         ble       pH       : Not applicable         LITY AND REACTIVITY       : Not applicable				
9 Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>PHYSICAL A</li> <li>Solid</li> <li>pellets</li> <li>BLUE</li> <li>Very faint</li> <li>Not determiti</li> <li>Not application</li> <li>Insoluble</li> </ul> 10. STABIT <ul> <li>Stable.</li> <li>Will not</li> </ul>	ND CHEMICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : Not applicable         ined       Vapour density       : Not applicable         ble       pH       : Not applicable         LITY AND REACTIVITY           occur.				
9 Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>PHYSICAL A</li> <li>Solid</li> <li>pellets</li> <li>BLUE</li> <li>Very faint</li> <li>Not determi</li> <li>Not applical</li> <li>Insoluble</li> <li>10. STABI</li> <li>Stable.</li> <li>Will not</li> <li>Keep aw</li> </ul>	ND CHEMICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : Not applicable         ined       Vapour density       : Not applicable         ble       pH       : Not applicable         LITY AND REACTIVITY       : Not applicable				
9 Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>PHYSICAL A</li> <li>Solid</li> <li>pellets</li> <li>BLUE</li> <li>Very faint</li> <li>Not determit</li> <li>Not applicat</li> <li>Insoluble</li> </ul> 10. STABIT <ul> <li>Stable.</li> <li>Will not</li> <li>Keep aw decomposition</li> </ul>	ND CHEMICAL PROPERTIES         Evaporation rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : Not applicable         ined       Vapour density       : Not applicable         ble       pH       : Not applicable         LITY AND REACTIVITY       Occur.         vay from oxidizing agents and open flame. To avoid thermal				

<u>PolyOne</u>

## MATERIAL SAFETY DATA SHEET UNITED BLUE PP

Version Number 1.0 Revision Date 06/02/2008 Page 4 of 6 Print Date 1/3/2012

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION	
Persistence and degradability	: Not readily biodegradable.	
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.	
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.	
Additional advice	: No data available	
	13. DISPOSAL CONSIDERATIONS	
Product	: Like most thermoplastic plastics the product can be recycled. When possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
	14. TRANSPORT INFORMATION	
U.S. DOT Classification	: Not regulated for transportation.	
ICAO/IATA (air)	Refer to specific regulation.	
IMO / IMDG (maritime)	: Refer to specific regulation.	
	15. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.	
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.	
US. EPA CERCLA Hazardous	Substances (40 CFR 302)	
Not applicable		

PolyOne

## MATERIAL SAFETY DATA SHEET UNITED BLUE PP

Version Number 1.0 Revision Date 06/02/2008 Page 5 of 6 Print Date 1/3/2012

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NP Chemical Name			CAS-No.	Weight %	NPRI ID#
Phthalocyanine blue			147-14-8	10.00 - 30.00	
WHMIS Classification	:	1100 0011101100		are on the Canadian empt.	Domestic
National Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Listed			
Korea KECI	:	Listed			
Philippines PICCS	:	Listed			
		16. OTHER IN	FORMATION	J	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne

## MATERIAL SAFETY DATA SHEET UNITED BLUE PP

Version Number 1.0 Revision Date 06/02/2008 Page 6 of 6 Print Date 1/3/2012

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.