### MATERIAL SAFETY DATA SHEET GAMECOCK GARNET

Version Number 1.0 Revision Date 06/09/2008 Page 1 of 7 Print Date <u>1/4/2012</u>

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	GAMECOCK GARNET
Product code :	CC10112092
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Phenol, 2-(2H-benzotriazol-2-yl)-4,6-	25973-55-1	1 - 5
bis(1,1-dimethylpropyl)-		
1,6-Hexanediamine, N,N'-bis(2,2,6,6- tetramethyl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazine, reaction products	70624-18-9	5 - 10
Titanium dioxide	13463-67-7	1 - 5
Iron oxide	1309-37-1	5 - 10

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion Eyes	<ul><li>May be harmful if swallowed.</li><li>Resin particles, like other inert materials, are mechanically irritating to</li></ul>

PolyOne.

# MATERIAL SAFETY DATA SHEET GAMECOCK GARNET

Version Number 1.0 Revision Date 06/09/2008 Page 2 of 7 Print Date 1/4/2012

Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature Suitable extinguishing media	<ul><li>Not applicable</li><li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li></ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	<ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in

**POLYONE CORPORATION** 



Page 3 of 7 Print Date 1/4/2012

### MATERIAL SAFETY DATA SHEET GAMECOCK GARNET

Version Number 1.0 Revision Date 06/09/2008

		13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXI	POSUI	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average	Respirable fraction.	ACGIH
		(TWA):		
	10 mg/m3	PEL:	Fume.	OSHA Z1
	5 mg/m3	Time Weighted Average	as Fe	MX OEL
		(TWA):		
	10 mg/m3	Short Term Exposure Limit	as Fe	MX OEL
		(STEL):		
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average	as Ti	MX OEL
		(TWA):		
	20 mg/m3	Short Term Exposure Limit	as Ti	MX OEL
		(STEL):		

### 9. PHYSICAL AND CHEMICAL PROPERTIES

PolyOne.

# **MATERIAL SAFETY DATA SHEET GAMECOCK GARNET**

Version Number 1.0 Revision Date 06/09/2008 Page 4 of 7 Print Date 1/4/2012

Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	: 1 : 1 : 1 : 1 : 1 : 1	Solid pellets RED Very faint Not determined Not applicable Insoluble	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	••••••••	Not applicable Not determined Not established Not applicable Not applicable Not applicable
		10. STABILITY AND RE	EACTIVITY		
Stability	:	Stable.			
Hazardous Polymerization	:	Will not occur.			
Conditions to avoid	:	Keep away from oxidiz decomposition, do not o	ing agents and open flam overheat.	e.	To avoid thermal
Incompatible Materials	:	Incompatible with stron	g acids and oxidizing ag	en	ts.

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen Hazardous decomposition (NOx), other hazardous materials, and smoke are all possible.

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

products

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
25973-55-1	Phenol, 2-(2H-	Systemic effects	Kidney, Liver, reproductive
	benzotriazol-2-yl)-4,6-		system.
	bis(1,1-dimethylpropyl)-		
70624-18-9	1,6-Hexanediamine, N,N'- bis(2,2,6,6-tetramethyl-4- piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5- triazine, reaction products	Irritant	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
1309-37-1	Iron oxide	Systemic effects	Respiratory system.

### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species

*PolyOne* 

### **MATERIAL SAFETY DATA SHEET GAMECOCK GARNET**

#### Version Number 1.0 Revision Date 06/09/2008

Page 5 of 7 Print Date 1/4/2012

70624-18-9	1,6-Hexanediamine, N,N'- bis(2,2,6,6-tetramethyl-4- piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-	Oral LD50 Dermal LD50	> 2,000 mg/kg > 3,000 mg/kg	rat rat
	triazine, reaction products			

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	No data available
	1.	3. DISPOSAL CONSIDERATIONS
Product	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION

PolyOne.

# MATERIAL SAFETY DATA SHEET GAMECOCK GARNET

Page 6 o Page 6 o Print Date 1/4/20 Print Date 1/4/20					2 age 6 of 1/4/2012		
U.S. DOT Classification	:	Not regulated for transportation.					
ICAO/IATA (air)	:	Refer to specific regulation.					
IMO / IMDG (maritime)	:	Refer to specific regulation.					
	15	. REGULATOR	Y INFO	RMATION	I		
US Regulations:							
<b>OSHA Status</b>	:	Classified as hazardous based on components.					
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.					
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 3	302)				
N. (							
Not applicable							
California Proposition 65	:	Not applicable					
SARA Title III Section 302 Ex	treme	ely Hazardous Su	bstance				
Unless specific chemicals are i	denti	fied under this sec	ction this	product is	Not Applicat	ble under this	regulation
Onless speerre chemicals are i	uenti	fied under this sec	cuon, uns	product is	Not Applica	ble under uns	regulation
SARA Title III Section 313 To	via C	homicals					
SARA THE III SECUOI 515 TO		inemicais.					
Unless specific chemicals are i	denti	fied under this see	ction, this				regulation
Chemical Name				CAS-No.		ght %	
ZINC COMPOUNDS				12063-19-	3 1.00	- 5.00	
Canadian Regulations:							
-							
National Pollutant Relea	ase Ir	ventory (NPRI)	GAG M		<b>XXX * 1</b> . 0/		
Chemical Name Zinc iron oxide			CAS-N 12063-		Weight % 1.00 - 5.00	NPRI ID	)#
			12003-	19-3	1.00 - 5.00		
WHMIS Classification	:	D2A					
WING In and direct Dir	-1	T ist					
WHMIS Ingredient Dis	ciosu	re List					

PolyOne

### MATERIAL SAFETY DATA SHEET GAMECOCK GARNET

Version Number 1.0 Revision Date 06/09/2008 Page 7 of 7 Print Date 1/4/2012

CAS-No. 1309-37-1							
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.					
National Inventories:							
Australia AICS	:	Listed					
China IECS	:	Listed					
Europe EINECS	:	Listed					
Japan ENCS	:	Not determined					
Korea KECI	:	Not determined					
Philippines PICCS	:	Not determined					
16. OTHER INFORMATION							

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.