MATERIAL SAFETY DATA SHEET AXY TRANS GREEN

Version Number 1.1 Revision Date 06/11/2008 Page 1 of 6 Print Date <u>1/4/2012</u>

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	AXY TRANS GREEN
Product code	:	CC10112222
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
ľ	č
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET AXY TRANS GREEN

Version Number 1.1 Revision Date 06/11/2008 Page 2 of 6 Print Date 1/4/2012

		4. FIRST AID MEASURES			
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	:				
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, least 15 minutes. If eye irritation persists, seek medical attention			
Skin		ash off with soap and plenty of water. If skin irritation persists k medical attention.			
		5. FIRE-FIGHTING MEASURES			
Flash point	:	Not applicable			
Flammable Limits					
Upper explosion limit		Not applicable			
Lower explosion limit	:	Not applicable			
Autoignition temperature	:	Not applicable			
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.			
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants.			
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of ni (NOx), other hazardous materials, and smoke are all possibl 				
	6. A	CCIDENTAL RELEASE MEASURES			
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	ental precautions : Should not be released into the environment. The product she be allowed to enter drains, water courses or the soil.				
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			
		7. HANDLING AND STORAGE			
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption			

PolyOne.

MATERIAL SAFETY DATA SHEET AXY TRANS GREEN

Version Number 1.1 Revision Date 06/11/2008 Page 3 of 6 Print Date 1/4/2012

Q FV	XPOSURE CONTROLS/PERSONAL PROTECTION					
Respiratory protection	: No personal respiratory protective equipment normally require	d.				
Eye/Face Protection	: Safety glasses with side-shields	Safety glasses with side-shields				
Hand protection	: Protective gloves	Protective gloves				
Skin and body protection	: Long sleeved clothing	Long sleeved clothing				
Additional Protective Measures	: Safety shoes	Safety shoes				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provid appropriate exhaust ventilation at machinery.	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
	ous components above regulatory thresholds in this product. 9. PHYSICAL AND CHEMICAL PROPERTIES					
Form Appearance Color Odour Melting point/range Boiling Point:	9. PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : pellets Specific Gravity : GREEN Bulk density : Very faint Vapour pressure : Not determined Vapour density : Not applicable pH	nined shed able able				
Form Appearance Color Odour Melting point/range Boiling Point:	9. PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : pellets Specific Gravity : GREEN Bulk density : Very faint Vapour pressure : Not determined Vapour density	nined shed able able				
Form Appearance Color Odour Melting point/range Boiling Point:	9. PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : pellets Specific Gravity : GREEN Bulk density : Very faint Vapour pressure : Not determined Vapour density : Not applicable pH	nined shed able able				
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	9. PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : pellets Specific Gravity : GREEN Bulk density : Very faint Vapour pressure : Not determined Vapour density : Not applicable pH : Insoluble State	nined shed able able				
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	9. PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : pellets Specific Gravity : GREEN Bulk density : Very faint Vapour pressure : Not determined Vapour density : Not applicable pH : Insoluble 10. STABILITY AND REACTIVITY	nined shed able able				
Form Appearance Color Odour Melting point/range	9. PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : pellets Specific Gravity : GREEN Bulk density : Very faint Vapour pressure : Not determined Vapour density : Not applicable pH : Insoluble 10. STABILITY AND REACTIVITY : Stable.	nined shed able able able				
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	9. PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : pellets Specific Gravity : GREEN Bulk density : Very faint Vapour pressure : Not determined Vapour density : Not applicable pH : Insoluble Insoluble 10. STABILITY AND REACTIVITY : Stable. : Will not occur. : Keep away from oxidizing agents and open flame. To avoid the	nined shed able able able				

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET AXY TRANS GREEN

Version Number 1.1 Revision Date 06/11/2008 Page 4 of 6 Print Date 1/4/2012

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION		
Persistence and degradability	: Not readily biodegradable.		
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.		
Bioaccumulation Potential	Chemicals are not readily available as they are bound within the polymer matrix.		
Additional advice	: No data available		
	13. DISPOSAL CONSIDERATIONS		
Product	: Like most thermoplastic plastics the product can be recycled. Wher possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSPORT INFORMATION		
U.S. DOT Classification	: Not regulated for transportation.		
ICAO/IATA (air)	: Refer to specific regulation.		
IMO / IMDG (maritime)	: Refer to specific regulation.		
	15. REGULATORY INFORMATION		
US Regulations:			
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.		
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA Hazardous	Substances (40 CFR 302)		
Not applicable			
	4/6		

PolyOne

MATERIAL SAFETY DATA SHEET AXY TRANS GREEN

Version Number 1.1 Revision Date 06/11/2008 Page 5 of 6 Print Date 1/4/2012

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NP) Chemical Name			CAS-No.	Weight %	NPRI ID#	
Zinc sulfide			1314-98-3	0.10 - 1.00		
WHMIS Classification	:	Not controlled.				
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.				
ational Inventories:						
Australia AICS	:	Not determined				
China IECS	:	Listed				
Europe EINECS	:	Listed				
Japan ENCS	:	Not determined				
Korea KECI	:	Listed				
Philippines PICCS	:	Not determined				
		16 OTHER IN	NFORMATION	J		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne

MATERIAL SAFETY DATA SHEET AXY TRANS GREEN

Version Number 1.1 Revision Date 06/11/2008 Page 6 of 6 Print Date 1/4/2012

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.