PolvOne

MATERIAL SAFETY DATA SHEET PL PPH 7011

Version Number 1.0 Revision Date 04/20/2009

Page 1 of 7 Print Date 1/7/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	PL PPH 7011
Product code ::	CC10121183
Chemical Name	Mixture
CAS-No.	Mixture
Product Use	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Quartz	14808-60-7	0.1 - 1
Stearic acid	57-11-4	1 - 5
Calcium carbonate	1317-65-3	60 - 100

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET **PL PPH 7011**

Version Number 1.0 Revision Date 04/20/2009 Page 2 of 7 Print Date 1/7/2012

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat



MATERIAL SAFETY DATA SHEET PL PPH 7011

Version Number 1.0 Revision Date 04/20/2009	Page 3 of 7 Print Date 1/7/2012
Storage :	only in areas with appropriate exhaust ventilation. Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXPOSU	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection :	No personal respiratory protective equipment normally required.
Eye/Face Protection :	Safety glasses with side-shields
Hand protection :	Protective gloves
Skin and body protection :	Long sleeved clothing
Additional Protective : Measures	Safety shoes
General Hygiene : Considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures :	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):		MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
Quartz	0.025 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
	0.05 mg/m3	Recommended exposure limit (REL):	Respirable dust.	NIOSH
	0.1 mg/m3	Time Weighted Average (TWA):	Respirable dust.	OSHA Z1A
	0.1 mg/m3	Time Weighted Average (TWA):	Respirable.	Z3
	0.3 mg/m3	Time Weighted Average (TWA):	Total dust.	Z3
	0.1 mg/m3	Time Weighted Average (TWA):		MX OEL
Stearic acid	10 mg/m3	Time Weighted Average (TWA):		ACGIH

9. PHYSICAL AND CHEMICAL PROPERTIES

PolvOne

MATERIAL SAFETY DATA SHEET PL PPH 7011

Version Number 1.0 Revision Date 04/20/2009

Stability	Stable.	
Hazardous Polymerization	Will not occur.	
Conditions to avoid	Keep away from oxidizing agents and open flame. To avoid t decomposition, do not overheat.	hermal
Incompatible Materials	Incompatible with strong acids and oxidizing agents.	
Hazardous decomposition products	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitro (NOx), other hazardous materials, and smoke are all possible.	0

10. STABILITY AND REACTIVITY

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
14808-60-7	Quartz	Systemic effects	Eyes, Respiratory system.
57-11-4	Stearic acid	Irritant	Eyes, Skin.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory
			system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
57-11-4	Stearic acid			
		Dermal LD50	> 5 gm/kg	rabbit

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP

PolyOne.

MATERIAL SAFETY DATA SHEET PL PPH 7011

Version Number 1.0 Revision Date 04/20/2009 Page 5 of 7 Print Date 1/7/2012

14808-60-7 Quart	tz	no	1	no	
IARC Carcinogen Classificati 1 - The component is carcinog 2A - The component is probat 2B - The component is possib	genic to humans. bly carcinogenic to hu				
NTP Carcinogen Classificatio 1 - The component is known t 2 - The component is reasonal	o be a human carcino				
Additional Health Hazard In Quartz 14808-60-7 This m Long-term exposure may ca which is a scarring of the lu	naterial in its free rel use coughing, chest j				
	12. ECOLOGIC	AL INFORMATION			
Persistence and degradability	: Not readily bio	odegradable.			
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.			
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice	: No data availa	ble			
	13. DISPOSAL	CONSIDERATIONS			
Product	possible recyc generator of w classification,	rmoplastic plastics the pr ling is preferred to dispo- vaste material has the res- transportation and dispo- eral, state/provincial and	osal or incineration ponsibility for provide the providence of the	on. The roper waste e with	
Contaminated packaging	material has th transportation	referred when possible. The responsibility for propart and disposal in accordant and local regulations.	per waste classifi	cation,	
	14. TRANSPOR	RT INFORMATION			
		6			
U.S. DOT Classification	: Not regulated	for transportation.			
U.S. DOT Classification ICAO/IATA (air)	Not regulatedRefer to specific				

PolyOne.

MATERIAL SAFETY DATA SHEET **PL PPH 7011**

sion Number 1.0 ision Date 04/20/2009		Page 6 Print Date 1/7/2	
US Regulations:			
OSHA Status	OSHA Status : Classified as hazardous based on components.		
TSCA Status	: All components of this product are lis TSCA Inventory.	All components of this product are listed on or exempt from the TSCA Inventory.	
US. EPA CERCLA Hazardou	Substances (40 CFR 302)		
Not applicable			
California Proposition 65	: WARNING! This product contains a California to cause cancer.	chemical known to the State of	
SARA Title III Section 302 E	tremely Hazardous Substance		
Unless specific chemicals are	dentified under this section, this product is N	Not Applicable under this regula	
SARA Title III Section 313 To	xic Chemicals:		
Unless specific chemicals are	dentified under this section, this product is N	Not Applicable under this regula	
Canadian Regulations:			
National Pollutant Rele	ase Inventory (NPRI)		
Not applicable			
WHMIS Classification	: D2A		
WHMIS Ingredient Dis	closure List		
CAS-No.			
57-11-4			
DSL	: All components of this product are or Substances List (DSL) or are exempt.	n the Canadian Domestic	
National Inventories:			
Australia AICS	: Listed		
China IECS	: Listed		



MATERIAL SAFETY DATA SHEET **PL PPH 7011**

Version Number 1.0 Revision Date 04/20/2009		Page 7 of 7 Print Date <i>1/7/2012</i>	
Europe EINECS	: Listed		
Japan ENCS	: Listed		
Korea KECI	: Listed		
Philippines PICCS	: Listed		
16. OTHER INFORMATION			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.