MATERIAL SAFETY DATA SHEET CAMEO WHITE 653

Version Number 1.1 Revision Date 04/22/2009

Page 1 of 6 Print Date 1/7/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	CAMEO WHITE 653	
Product code	:	CC10121279	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET CAMEO WHITE 653

Version Number 1.1 Revision Date 04/22/2009 Page 2 of 6 Print Date 1/7/2012

		4. FIRST AID MEASURES			
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.			
		5. FIRE-FIGHTING MEASURES			
Flash point	:	Not applicable			
Flammable Limits					
Upper explosion limit		Not applicable			
Lower explosion limit	•	Not applicable			
Autoignition temperature	÷	Not applicable			
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.			
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.			
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.			
	6. A	CCIDENTAL RELEASE MEASURES			
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			
		7. HANDLING AND STORAGE			
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption			

PolyOne.

MATERIAL SAFETY DATA SHEET **CAMEO WHITE 653**

Version Number 1.1 Revision Date 04/22/2009

_

Page 3 of 6 Print Date 1/7/2012

8. I	EXPOSURE	CONTROLS/PERSONAL	PROTECTION			
Respiratory protection	: N	o personal respiratory protection	sonal respiratory protective equipment normally required.			
Eye/Face Protection	: S	afety glasses with side-shiel	ds			
Hand protection	: P	rotective gloves				
Skin and body protection	: L	ong sleeved clothing				
Additional Protective Measures	: S	afety shoes				
General Hygiene Considerations		landle in accordance with go ractice. Wash hands before				
Engineering measures		leat only in areas with appropriate exhaust ventilation		. Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH		
	15 mg/m3	PEL:	Total dust.	OSHA Z1		
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A		
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL		
	20 mg/m3	Short Term Exposure Limi (STEL):	t as Ti	MX OEL		
	9. PHYSI	CAL AND CHEMICAL PH	ROPERTIES			
Form	: Solid	Ever	poration rate : No	t applicable		
Appearance	: pelle	1		ot determined		
Color	: WH			ot established		
Odour			2	ot applicable		
Melting point/range	: Not	determined Vap	our density : No	ot applicable		
Boiling Point:		applicable pH	: No	ot applicable		
Water solubility	: Insol	uble				
	10. 5	STABILITY AND REACT	IVITY			
Stability	: S	table.				

MATERIAL SAFETY DATA SHEET CAMEO WHITE 653

Version Number 1.1		Page 4 of 6
Revision Date 04/22/2009		Print Date 1/7/2012
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	11.	TOXICOLOGICAL INFORMATION
		d as a whole for health effects. Exposure effects listed are based on existing onents which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ	
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.	

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

- 2A The component is probably carcinogenic to humans.
- 2B The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Additional advice	: No data available	
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.	
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.	
Persistence and degradability	: Not readily biodegradable.	

13. DISPOSAL CONSIDERATIONS

PolyOne.

MATERIAL SAFETY DATA SHEET CAMEO WHITE 653

sion Number 1.1 ision Date 04/22/2009			Page Print Date 1/7
Product	possibl generat classifi	e recycling is preferred tor of waste material has cation, transportation an	cs the product can be recycled. When to disposal or incineration. The s the responsibility for proper waste and disposal in accordance with cial and local regulations.
Contaminated packaging	materia transpo	al has the responsibility	ossible. The generator of waste for proper waste classification, accordance with applicable federal, ations.
	14. TRA	NSPORT INFORMAT	TION
U.S. DOT Classification	: Not reg	gulated for transportatio	n.
ICAO/IATA (air)	: Refer t	o specific regulation.	
IMO / IMDG (maritime)	: Refer t	o specific regulation.	
	15 REGI	LATORY INFORMA	TION
US Regulations: OSHA Status TSCA Status	: All co	ied as hazardous based mponents of this produc Inventory.	on components. et are listed on or exempt from the
US. EPA CERCLA Hazard		·	
Chemical Name	CAS-No.	RQ for component	RQ for Mixture/Product
Rutile, antimony chromium buff	68186-90-3	010 lbs	2,940 LB
California Proposit 65 SARA Title III Section 302 Unless specific chemicals a	2 Extremely Haza		luct is Not Applicable under this regu
emess speeme enemicals	ae identified dild	er ans section, uns prot	act is 100 repricable and of any legt
SARA Title III Section 313	3 Toxic Chemical	s:	

PolvOne

MATERIAL SAFETY DATA SHEET CAMEO WHITE 653

Version Number 1.1 Revision Date 04/22/2009 Page 6 of 6 Print Date 1/7/2012

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight %	NPRI ID#
Rutile, antimony chromium buff	68186-90-3	0.10 - 1.00	
		0.10 - 1.00	
Xylenes (o-, m-, p- isomers)	1330-20-7	0.10 - 1.00	

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.
112945-52-5
1330-20-7

DSL

: DSL status has not been determined. Quantity use in Canada may be restricted by regulations.

National Inventories:

Australia AICS	:	Not determined
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.