## MATERIAL SAFETY DATA SHEET IMCLPPH 121437

Version Number 1.0 Revision Date 04/28/2009

Product Use

Page 1 of 6 Print Date 1/7/2012

#### **1. PRODUCT AND COMPANY IDENTIFICATION** POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012 Product Stewardship (770) 271-5902 Telephone : **Emergency telephone** : CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). Product name : IMCLPPH 121437 CC10121437 Product code : Chemical Name Mixture : CAS-No. Mixture :

: Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components       | CAS-No.   | Weight % |
|------------------|-----------|----------|
| Calcium stearate | 1592-23-0 | 1 - 5    |

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

| <b>Routes of Exposure:</b>                    | : Inhalation, Ingestion, Skin contact   |
|---|---|
| Acute exposure                                |   |
| Inhalation                                    | : Resin particles, like other inert materials, can be mechanically irritating.      |
| Ingestion                                     | : May be harmful if swallowed.  |
| Eyes  | : Resin particles, like other inert materials, are mechanically irritating to eyes. |
| Skin  | : Experience shows no unusual dermatitis hazard from routine handling.              |
| Chronic exposure                              | : Refer to Section 11 for Toxicological Information.                                |
| Medical Conditions<br>Aggravated by Exposure: | : None known.   |

PolyOne.

# MATERIAL SAFETY DATA SHEET IMCLPPH 121437

Version Number 1.0 Revision Date 04/28/2009 Page 2 of 6 Print Date 1/7/2012

| Inhalation                          | :    | Move to fresh air in case of accidental inhalation of fumes from<br>overheating or combustion. When symptoms persist or in all cases of<br>doubt seek medical advice.               |
|-------------------------------------|------|---|
| Ingestion                           | :    | Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.  |
| Eyes                                | :    | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.  |
| Skin                                | :    | Wash off with soap and plenty of water. If skin irritation persists seek medical attention.   |
|                                     |      | 5. FIRE-FIGHTING MEASURES   |
| Flash point                         | :    | Not applicable  |
| Flammable Limits                    |      |   |
| Upper explosion limit               |      | Not applicable  |
| Lower explosion limit               | :    | Not applicable  |
| Autoignition temperature            | ÷    | Not applicable  |
| Suitable extinguishing media        | :    | Carbon dioxide blanket, Water spray, Dry powder, Foam.  |
| Special Fire Fighting<br>Procedures | :    | Fullface self-contained breathing apparatus (SCBA) used in positive<br>pressure mode should be worn to prevent inhalation of airborne<br>contaminants.                              |
| Unusual Fire/Explosion<br>Hazards   | :    | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.  |
|                                     | 6. A | CCIDENTAL RELEASE MEASURES  |
| Personal precautions                | :    | Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.  |
| Environmental precautions           | :    | Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.  |
| Methods for cleaning up             | :    | Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
|                                     |      | 7. HANDLING AND STORAGE   |
| Handling                            | :    | Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.   |
| Storage                             | :    | Keep containers dry and tightly closed to avoid moisture absorption   |

2/6

PolyOne.

# MATERIAL SAFETY DATA SHEET IMCLPPH 121437

| Version Number 1.0       |  |  |  |
|--------------------------|--|--|--|
| Revision Date 04/28/2009 |  |  |  |
|                          |  |  |  |

Page 3 of 6 Print Date 1/7/2012

| 8. ]   | EXPOSURE  | CONTROLS/PERS  | SONAL P   | ROTECTION   |  |
|--|---|--|---|---|--|
| Respiratory protection   | : N   | lo personal respirator   | y protectiv   | e equipment normall   | y required.  |
| Eye/Face Protection  | : S   | afety glasses with sid   | le-shields  |   |  |
| Hand protection  | : F   | Protective gloves  |   |   |  |
| Skin and body protection   | : L   | ong sleeved clothing   |   |   |  |
| Additional Protective<br>Measures  | : S   | afety shoes  |   |   |  |
| General Hygiene<br>Considerations  |   |  |   | industrial hygiene and aks and at the end of  |  |
| Engineering measures   |   | Ieat only in areas with<br>ppropriate exhaust ve   |   | ate exhaust ventilation<br>t machinery.   | n. Provide   |
| Exposure limit(s) Components   | Value   | Exposure tim   | ne  | Exposure type   | List:  |
| Calcium stearate   | 10 mg/m3  | Time Weighted A  |   | 2   | ACGIH  |
|  |   | (TWA):   |   |   |  |
|  | 9. PHYSI  | CAL AND CHEMIC   | CAL PRO   | PERTIES   |  |
|  |   |  | Evanor  | ation rate : N  | ot applicable  |
| Form<br>Appearance<br>Color<br>Odour<br>Melting point/range<br>Boiling Point:<br>Water solubility                                  | : Very<br>: Not   | ets<br>PIGMENT<br>7 faint<br>determined<br>applicable  | Specific<br>Bulk de<br>Vapour                           | c Gravity : N<br>ensity : N<br>pressure : N<br>density : N  | ot determined<br>ot established<br>ot applicable<br>ot applicable<br>ot applicable |
| Appearance<br>Color<br>Odour<br>Melting point/range<br>Boiling Point:  | : pelle<br>: NO<br>: Very<br>: Not<br>: Not<br>: Inso                                   | ets<br>PIGMENT<br>7 faint<br>determined<br>applicable  | Specific<br>Bulk de<br>Vapour<br>Vapour<br>pH           | c Gravity : N<br>ensity : N<br>pressure : N<br>density : N<br>: N                                     | ot established<br>ot applicable<br>ot applicable                                   |
| Appearance<br>Color<br>Odour<br>Melting point/range<br>Boiling Point:<br>Water solubility  | : pelle<br>: NO<br>: Very<br>: Not<br>: Not<br>: Inso<br>10. §                          | ets<br>PIGMENT<br>7 faint<br>determined<br>applicable<br>luble   | Specific<br>Bulk de<br>Vapour<br>Vapour<br>pH           | c Gravity : N<br>ensity : N<br>pressure : N<br>density : N<br>: N                                     | ot established<br>ot applicable<br>ot applicable                                   |
| Appearance<br>Color<br>Odour<br>Melting point/range<br>Boiling Point:<br>Water solubility<br>Stability                             | : pelle<br>: NO<br>: Very<br>: Not<br>: Not<br>: Inso<br><b>10.5</b><br>: S             | ets<br>PIGMENT<br>/ faint<br>determined<br>applicable<br>luble<br>STABILITY AND R  | Specific<br>Bulk de<br>Vapour<br>Vapour<br>pH           | c Gravity : N<br>ensity : N<br>pressure : N<br>density : N<br>: N                                     | ot established<br>ot applicable<br>ot applicable                                   |
| Appearance<br>Color<br>Odour<br>Melting point/range<br>Boiling Point:<br>Water solubility<br>Stability<br>Hazardous Polymerization | : pelle<br>: NO<br>: Very<br>: Not<br>: Not<br>: Inso<br><b>10. §</b><br>n : V<br>: S   | ets<br>PIGMENT<br>7 faint<br>determined<br>applicable<br>luble<br>STABILITY AND R<br>table.<br>Vill not occur.                         | Specific<br>Bulk de<br>Vapour<br>Vapour<br>pH<br>EACTIV | c Gravity : N<br>ensity : N<br>pressure : N<br>density : N<br>: N                                     | ot established<br>ot applicable<br>ot applicable<br>ot applicable                  |
| Appearance<br>Color<br>Odour<br>Melting point/range<br>Boiling Point:  | : pelle<br>: NO<br>: Very<br>: Not<br>: Not<br>: Inso<br>10. §<br>n : V<br>: S<br>n : V | ets<br>PIGMENT<br>7 faint<br>determined<br>applicable<br>luble<br>STABILITY AND R<br>table.<br>Vill not occur.<br>Keep away from oxidi | Specific<br>Bulk de<br>Vapour<br>pH<br>EACTIV           | c Gravity : No<br>ensity : No<br>pressure : No<br>density : No<br>: No<br>ITY<br>s and open flame. To | ot established<br>ot applicable<br>ot applicable<br>ot applicable                  |

PolyOne.

### MATERIAL SAFETY DATA SHEET **IMCLPPH 121437**

|  |   |   |   | Page 4 of 6<br>Print Date 1/7/2012 |
|--|---|---|---|------------------------------------|
| products   | (NOx), other ha   | zardous materials,  |   |                                    |
| 11. TOXICOLOGICAL INFORMATION  |   |   |   |                                    |
| This mixture has not been<br>health data for the individu<br><u>Toxicity Overview</u>                  | evaluated as a whole for h  | ealth effects. Exp  | osure effects listed                      | l are based on existin             |
| This product contains the t  | following components whi  | ch in their pure for  | rm have the follow                        | ving characteristics:              |
| CAS-No.  | Chemical Name   | Effect  | Targ                                      | get Organ                          |
| LC50 / LD50<br>This product contains the to<br>CAS-No.<br>1592-23-0 C                                  | following components whi<br>Chemical Name<br>alcium stearate  | ch, in their pure for Route Oral LD50   | rm, have the follo<br>Value<br>> 10 gm/kg | wing toxicity data: Species rat    |
|  |   |   | 00  | I                                  |
| Persistence and degradabil<br>Environmental Toxicity<br>Bioaccumulation Potential<br>Additional advice | : Chemicals are r<br>polymer matrix   | not readily availabl<br>not readily availabl<br>le  | e as they are boun                        |                                    |
| Product<br>Contaminated packaging  | possible recycli<br>generator of wa<br>classification, tr<br>applicable feder<br>: Recycling is pre<br>material has the<br>transportation a | <ul> <li>Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> </ul> |   |                                    |
|  | 14. TRANSPOR  | T INFORMATIO  | N   |                                    |
| U.S. DOT Classification  | -   | or transportation.  |   |                                    |
| ICAO/IATA (air)  | : Refer to specific   | -   |   |                                    |
| IMO / IMDG (maritime)  | : Refer to specific   | c regulation.   |   |                                    |

PolyOne

# MATERIAL SAFETY DATA SHEET IMCLPPH 121437

Version Number 1.0 Revision Date 04/28/2009

\_\_\_\_

### Page 5 of 6 Print Date 1/7/2012

|                                  | 1.    |  |
|----------------------------------|-------|--|
|                                  | 15    | . REGULATORY INFORMATION   |
| US Regulations:                  |       |  |
| OSHA Status                      | :     | Classified as hazardous based on components.   |
| TSCA Status                      | :     | All components of this product are listed on or exempt from the TSCA Inventory.                  |
| US. EPA CERCLA Hazardous         | Sub   | stances (40 CFR 302)   |
| Not applicable                   |       |  |
|                                  |       |  |
| California Proposition<br>65     | :     | Not applicable   |
| SARA Title III Section 302 Ext   | rem   | ely Hazardous Substance  |
| Unless specific chemicals are ic | lenti | fied under this section, this product is Not Applicable under this regulation                    |
|                                  |       |  |
| SARA Title III Section 313 Top   | xic ( | Chemicals:   |
| Unless specific chemicals are ic | lenti | fied under this section, this product is Not Applicable under this regulation                    |
| Canadian Regulations:            |       |  |
| National Pollutant Relea         | se Iı | nventory (NPRI)  |
| Not applicable                   |       |  |
| WHMIS Classification             | :     | Not controlled.  |
| DSL                              | :     | All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. |
| National Inventories:            |       |  |
| Australia AICS                   | :     | Not determined   |
|                                  |       | Not determined   |
| China IECS                       | :     | Not determined   |

Japan ENCS : Not determined

| Pol | vOne. |
|-----|-------|
|     |       |

## MATERIAL SAFETY DATA SHEET IMCLPPH 121437

Version Number 1.0 Revision Date 04/28/2009 Page 6 of 6 Print Date 1/7/2012

Korea KECI

: Not determined

Philippines PICCS

: Not determined

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.