PolvOne.

MATERIAL SAFETY DATA SHEET **RED PENCIL**

Version Number 1.1 Revision Date 03/23/2014

Page 1 of 7 Print Date 3/25/2014

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RED PENCIL
Product code	:	CC10127733
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Rutile (TiO2)	1317-80-2	0.1 - 1
Mica	12001-26-2	1 - 5
Silica, amorphous	7631-86-9	1 - 5
Iron oxide	1309-37-1	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **RED PENCIL**

Version Number 1.1 Revision Date 03/23/2014 Page 2 of 7 Print Date 3/25/2014

	N	
Medical Conditions Aggravated by Exposure:	: 100	ne known.
	4	. FIRST AID MEASURES
Inhalation	ov	ove to fresh air in case of accidental inhalation of fumes from erheating or combustion. When symptoms persist or in all cases of ubt seek medical advice.
Ingestion		o not induce vomiting without medical advice. When symptoms rsist or in all cases of doubt seek medical advice.
Eyes		nse immediately with plenty of water, also under the eyelids, for at ast 15 minutes. If eye irritation persists, seek medical attention.
Skin		ash off with soap and plenty of water. If skin irritation persists ek medical attention.
	5. I	FIREFIGHTING MEASURES
Flash point	: no	t applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature	: no	t applicable t applicable t applicable
Suitable extinguishing media	: Ca	rbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	pr	llface self-contained breathing apparatus (SCBA) used in positive essure mode should be worn to prevent inhalation of airborne ntaminants.
Unusual Fire/Explosion Hazards	: Ca	arbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (Ox), other hazardous materials, and smoke are all possible.
	. ACCI	DENTAL RELEASE MEASURES
Personal precautions		ear appropriate personal protection during cleanup, such as pervious gloves, boots and coveralls.
Environmental precautions		ould not be released into the environment. The product should not allowed to enter drains, water courses or the soil.
Methods for cleaning up		ean up promptly by sweeping or vacuum. Package all material in astic, cardboard or metal containers for disposal.
	7 1	HANDLING AND STORAGE



MATERIAL SAFETY DATA SHEET **RED PENCIL**

Version Number 1.1 Revision Date 03/23/2014		Page 3 of 7 Print Date 3/25/2014
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXP	OSU	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		

PolyOne

MATERIAL SAFETY DATA SHEET **RED PENCIL**

Version Number 1.1 Revision Date 03/23/2014 Page 4 of 7 Print Date 3/25/2014

Components	Value	Exposure time	Exposure type	List:
Iron oxide	10 mg/m3	PEL:	Fume.	OSHA Z1
	5 mg/m3	Time Weighted Average (TWA):	as Fe	MX OEL
	10 mg/m3	Short Term Exposure Limit (STEL):	as Fe	MX OEL
	5 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
Mica	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
	3 mg/m3	Recommended exposure limit (REL):	Respirable.	NIOSH
	3 mg/m3	Time Weighted Average (TWA):	Respirable dust.	OSHA Z1A
	3 mg/m3	Time Weighted Average (TWA):		MX OEL
Rutile (TiO2)	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL
Silica, amorphous	6 mg/m3	Recommended exposure limit (REL):		NIOSH
	0.8 mg/m3	Time Weighted Average (TWA):		Z3
	10 mg/m3	Time Weighted Average (TWA):	Inhalable particulate.	MX OEL
	3 mg/m3	Time Weighted Average (TWA):	Respirable dust.	MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility
- solid
 pellets
 RED
 very faint
 Not determined
 not applicable
 insoluble
- Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH

: The product is stable if stored and handled as prescribed.

Not applicable
Not determined
Not established
not applicable
not applicable
not applicable

10. STABILITY AND REACTIVITY

Stability

Hazardous Polymerization

: Will not occur.

PolyOne.

MATERIAL SAFETY DATA SHEET

sion Number 1.1 ision Date 03/23/2	2014		Print	Page 5 Date 3/25/2			
Conditions to avoid	1 2	from oxidizing agents ar ion, do not overheat.	d open flame. To a	avoid thermal			
Incompatible Mater	ials : Incompatib	: Incompatible with strong acids and oxidizing agents.					
Hazardous decompo products		Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.					
	t been evaluated as a whole had a solution to the second sec		are effects listed are	e based on exis			
health data for the in Toxicity Overview		comprise the mixture.					
health data for the in Toxicity Overview	ndividual components which	comprise the mixture.	have the following	characteristic			
health data for the in <u>Toxicity Overview</u> This product contain	ndividual components which ns the following components	comprise the mixture. which in their pure form		characteristic			
health data for the in <u>Toxicity Overview</u> This product contain <u>CAS-No.</u>	ndividual components which ns the following components Chemical Name	comprise the mixture. which in their pure form Effect	have the following	characteristic Organ em.			
health data for the in <u>Toxicity Overview</u> This product contain <u>CAS-No.</u> 12001-26-2	ndividual components which ns the following components Chemical Name Mica	comprise the mixture. which in their pure form Effect Systemic effects	have the following Target (Respiratory syste	characteristic: Organ em. y system.			
health data for the in <u>Toxicity Overview</u> This product contain <u>CAS-No.</u> 12001-26-2 7631-86-9 1309-37-1 Carcinogenicity	ndividual components which ns the following components Chemical Name Mica Silica, amorphous	comprise the mixture. which in their pure form Effect Systemic effects Irritant Systemic effects	have the following Target Respiratory syste Eyes, Respirator Respiratory syste	g characteristic Organ em. y system. em.			
health data for the in <u>Toxicity Overview</u> This product contain <u>CAS-No.</u> <u>12001-26-2</u> <u>7631-86-9</u> <u>1309-37-1</u> Carcinogenicity This product contain	ndividual components which ns the following components Chemical Name Mica Silica, amorphous Iron oxide	comprise the mixture. which in their pure form Effect Systemic effects Irritant Systemic effects	have the following Target Respiratory syste Eyes, Respirator Respiratory syste	g characteristics Organ em. y system. em.			

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

The component is known to be a human carcinogen.
 The component is reasonably anticipated to be a human carcinogen.

	12	2. ECOLOGICAL INFORMATION
Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	no data available



MATERIAL SAFETY DATA SHEET **RED PENCIL**

Version Number 1.1 Revision Date 03/23/2014 Page 6 of 7 Print Date 3/25/2014

D 1 .	
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	us Substances (40 CFR 302)
not applicable	
California Proposition 65	n : WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 E	Extremely Hazardous Substance
Unless specific chemicals are	e identified under this section, this product is Not Applicable under this regul
SARA Title III Section 313 7	Foxic Chemicals:



MATERIAL SAFETY DATA SHEET RED PENCIL

Version Number 1.1 Revision Date 03/23/2014		Page 7 of 7 Print Date <i>3/25/2014</i>			
Unless specific chemicals are id	enti	fied under this section, this product is Not Applicable under this regulation			
Canadian Regulations:					
National Pollutant Release Inventory (NPRI)					
not applicable	not applicable				
WHMIS Classification	:	Not controlled.			
DSL	:	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.			
National Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Listed			
Korea KECI	:	Listed			
Philippines PICCS	:	Listed			
		16. OTHER INFORMATION			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.